

F A R O
BARCELONA

outdoor 2022

75 years of light

outdoor



Art Director / Graphics

Faro Art

Printing

Jiménez Godoy

All Rights Reserved

Reproduction without written permission from the publisher is strictly prohibited.

Photographers

Guillem F-H
Andrés Fraga
Ricard Badía
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to

Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martín Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters

Dinámica 1 / 08755 / Castellbisbal

Showroom

Princesa 52 / 08003 / Barcelona
+34 902 165 166 /
faro@lorefar.com / faro.es

outdoor / exterior

28_37

Saigon

38_47

Portables / Portátiles

48_113

Floor / Suelo

114_127

Spike&Projector / Estaca y Proyector

128_133

Suspended / Suspensión

134_139

Ceiling / Techo

140_197

Surface / Superficie

198_223

Recessed / Empotrables





Portable
Portátil



Argus
44



Brot
58



Cage
44




Cat
56



Kasp
40



Kerala
44



Saigon
32



Task
46



Toc
42



Versus
54

Post
Sobremuro



Block
62



Blubs
74



Datna
66



Giza
70



Mauren
78



Mila
78



Mistu
74



Moon
74



Muffin
74



Muga
70



Nala
78



Naya
86



Rush
94



Screen
98



Spy-1
88



Twist
64



Wilma
71

Pole
Farola



Beret
106



Blubs
108



Bu-Oh
104



Datna
104




Grop
106



Mistu
108



Muffin
108



Nautica
112



Plaza
106



Rush
96



Screen
100



Tram
104

Floor
Suelo



Akane
50



Saigon
30



Toc
42

Bollard
Baliza



Agra
86



Alp
87



Bast
60



Beret
72



Block
62



Blubs
76



Brot
58



Bu-Oh
84



Cast
60



Das
87



Datna
66



Gina
89



Giza
70



Grow
82



Kila
69



Klamp
88



Logar
73



Lotus
62



Mistu
76



Moon
76



Muffin
76



Muga
70



Nanda
72



Onze
71



Plim
68



Rush
94



Saura
90



Screen
98



Shelby
64



Soleil
90



Spy-2
89



Sticker
66



Tram
66



Twist
64



Wilma
71

Spike
Estaca



Andy
126



Balder
126



Flow
118



Foc
125



Piccola
124



Plom
126



Saigon
34



Seth
125



Slot
116



Sobek
126



Toni
119



Tono
127



Voila
46

Suspended
Colgante



Blubs
132



Estoril
133



Honey
133



Mistu
132



Moon
132



Muffin
132



Nautica
133



Saigon
36



Scuba
130



Wilma
133

Ceiling
Techo



Dakron
138



Goz
136



Kila
136



Mauren
78



Olot
136



Tami
136



Tasa
138

Recessed
Empotrable



Carter
205



Crosby
212



Curtis
211



Dang
200



Dart
204



Edel
221



Esca
203



Falls
222



Filter
206



Frol
202



Galo
560



Geiser
217



Gron
202



Grund
210



Horus
208



Kane
213



Led-18
219



Lio
221



Liso
203



Nase
201



Nat
208



Racing
205



Salt
220



Sedna
207



Soun
206



Spark-1
205



Spark-2
205



Stripe-1
203



Stripe-2
202



Suria
218



Taro
220



Tecno
221



Tras
214



Uve
201

Projector Projector



Alfa
120



Foc
122



Karl
483



Lit
122



Noboru
88



Oki
121



Oko
121



Plom
121



Project
120



Slot
117



Toran
123



Vic
123

Surface Superficie



Aday
179



Alp
174



Ancora
172



Argot
157



Axel
174




Blind
182



Block
146



Blubs
154



Bonn
167



Borda
160



Bracket
174



Bronx
188



Brow
190



Bruc
181



Bu-Oh
170



Cabo
160



Canon
183



Cela
168



Ceres
152



Dado
157



Datna
152




Derby
169



Doro
176



Dragma
172



Drak
190



Ele
184



Estay
169



Estoril
159



Fedón
168



Flow
118



Fred
166



Fred XL
166



Future
170



Gina
185



Grada
195



Grant
194



Guiza
191



Half
144



Hikari
165



Honey
157



Kala
191



Kaula
178



Keenan
192



Kerala
151



Kila
152




Klamp
188



Kubick
165



Lace
181



Lacre
182



Lako
176



Ling
181



Log
182



Loth
193



Lotus
170



Lur
165



Mask
142



Mistu
154



Mol
166



Moon
154



Muffin
154



Must
196



Nahir
160



Nairobi
184




Nala
162



Natron
167



Nautica
158



Negus
167



Noray
160



Olan
183



Orwell
151



Oval
175



Pals
144




Pivot
162



Plim
150



Pol
166



Pomo
162



Proa
186



Path
194



Pill
190



Pill
190




Steps
186



Sticker
172



Suma
191



Sun
164



Sunset
183



Quart
175



Scuba
148



Shelby
146



Tacana
177



Taima
185



Takua
175



Tamashi
162




Tane
180



Tejo
167



Thon
178



Timon
160



Tinia
184



Toc
156



Toluca
177



Tom
164



Tram
506



Twist
144



View
172



Wally
159



West
180



Wilma
156



Wood
185



designed for happiness

Faro Barcelona exists to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Design for everyone.

Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

Xavier Martin
CEO

Carlos López
Chairman



1.



75 years of light

Faro Barcelona is a conscious and inspiring brand. We believe in the power of illusion and enthusiasm to move forward and surf the waves in the best way we know how, enjoying the process and radiating light around us. We celebrate 75 years of light.

Faro Barcelona es una marca consciente e inspiradora. Creemos en el poder de la ilusión y el entusiasmo para avanzar y surfear las olas de la mejor forma que sabemos hacerlo, disfrutando del proceso e irradiando luz a nuestro alrededor. Celebramos 75 años de luz.

1.

1986

First trip to Hong Kong.
Primer viaje a Hong Kong.

Meet the Team
Conoce al equipo



Diseñadores, artistas,
creadores. Ellos hacen de
nuestro mundo un lugar
mejor gracias a su inge-
nio, talento y creatividad.



Cristopher F. Wagner



Goula/Figuera



Marina Milà



Àlex & Manel Lluscà



Conillas



Jordi Llopis



Oiko Design Office



Lucid



Jordi Busquets



Jordi Blasi



Adolfo Abejón




Aldanondoydez

Creators / Los creadores



Xjer Studio



Nutcreatives

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.



Andreu Carulla



Alegre Design



Bohman&Folienius



Faro Lab



Isaac Piñeiro



Nahtrang



Pepe Llaudet



Estudi Ribaudí



Yembarastudio




Awards / Premios



Buddy
by Andreu Carulla




Inviting
by Bohman&Folienius



Hook
by Oiko Design Office



Fuji
by Isaac Piñeiro




Brot
by Yembarastudio



Mine
by Nahrang



Whizz
by Christoph F.W.




Bu-Oh
by Estudi Ribaudí



Lotus
by Estudi Ribaudí



Mute
by Nahrang



Han
by Goulafiguera



People Personas



The value of a great team

The value of a great team At Faro Barcelona, sustainability starts from the inside, taking care of the well-being and personal growth of our team.

Equality and diversity

At Faro Barcelona all people are great and equal, whatever their gender, age, religion or sexual orientation. Women, as well as men, play an important role: 76% of our team and 49% of our leaders are women.

Community support

For over a decade, we have been collaborating in social projects of foundations such as Caritas or Royal Mc Donalds, providing our help to ensure a better quality of life for the people helped by these organisations. Since 2008, we have had our own social project with Hook; for every light sold, we feed a child in Africa. We have managed to help 471 children.

Supporting new talent

We collaborate with universities and design schools to help new talents emerge into their professional development. Projects such as Reborn, a second life for waste (La Llotja), Design Make It with 3D printing (CIM UPC), are some of the collaborations we have carried out.

Social innovation

We take part in disruptive social innovation research and develop products and services that solve social problems such as the ageing of the population. We have a positive impact on people's quality of life, contributing to their well-being and comfort through quality, accessible and sustainable lighting and design.

El valor de un gran equipo humano

En Faro Barcelona la sostenibilidad empieza en el interior, cuidando el bienestar y crecimiento personal de nuestro equipo.

Igualdad y diversidad

En Faro Barcelona todas las personas son grandes e iguales, sean del género, edad, religión u orientación sexual que sean. La mujer, igual que el hombre, desempeña un papel importante: el 76% de nuestro equipo y el 49% de nuestros líderes son mujeres.

Apoyo a la comunidad

Llevamos más de una década colaborando en proyectos sociales de fundaciones como Cáritas o Royal Mc Donalds aportando nuestra ayuda para garantizar una mejor calidad de vida de las personas que ayudan estas organizaciones.

Desde 2008, tenemos nuestro propio proyecto social con Hook, por cada luminaria vendida alimentamos a un niño en África. Hemos logrado ayudar a 471 niños.

Apoyo a los nuevos talentos

Colaboramos con universidades y centros de diseño para ayudar a los nuevos talentos en su desarrollo profesional. Proyectos como Reborn, una segunda vida para los desechos (La Llotja), Diseño Make It con impresión 3D (CIM UPC), son algunas de las colaboraciones que hemos realizado.

Innovación social

Participamos en investigaciones de innovación social disruptiva y desarrollamos productos y servicios que resuelven problemáticas sociales como el envejecimiento de la población. Impactamos positivamente en la calidad de vida de las personas, contribuyendo a su bienestar y confort a través de la iluminación y el diseño de calidad, accesible y sostenible.



light the world

Our purpose is to contribute to the wellbeing of people and our environment. Our sustainability journey focuses on two main objectives: reducing our negative impact on the planet and maximising our positive social impact.

Nuestro propósito es contribuir al bienestar de las personas y de nuestro entorno. Nuestro camino hacia la sostenibilidad se centra en dos grandes objetivos: reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

Discover more
Descubre más





Sustainable packaging

At Faro Barcelona, we have a sustainable packaging decalogue. Our packaging is made of recycled cardboard boxes printed in one ink and without staples to ease the disassembly and the right recycling. We have eliminated single-use plastics and replaced them with recyclable paper bags and we use recycled cardboard shavings to protect the product during transport in 60% of our shipments. All our packaging meets Drop Test ISTA-2C quality standards to ensure products arrive in perfect condition.

More sustainable logistics and transport

We have optimised the packaging size of each product to reduce the amount of packaging material and the carbon footprint of transport. FMCG products are transported in stacks, which means a greatly reduced carbon footprint. We have opened a new logistics centre in China to supply our Asia-Oceania market in a more sustainable way and reduce carbon emissions from transport.

Sustainable workspaces

We use green electricity in our offices. We produce 70% of the energy we consume with our own photovoltaic installation, ensuring that the energy is from renewable sources. In addition, our headquarters are designed to maximise the use of solar energy and natural light.

Supporting new talent Team committed to sustainability

At Faro Barcelona we have an internal sustainability committee that promotes different sustainability actions and monitors them.

Embalaje sostenible

En Faro Barcelona disponemos del decálogo de embalaje sostenible. Nuestros embalajes son cajas de cartón reciclado impresas a una sola tinta y sin grapas para facilitar así el desmontaje y su correcto reciclaje. Hemos eliminado los plásticos de un solo uso y sustituido por bolsas de papel reciclable y utilizamos virutas de cartón reciclado para la protección del producto durante el transporte en el 60% de nuestros envíos. Todos nuestros embalajes cumplen los estándares de calidad de Drop Test ISTA-2C para asegurar que los productos lleguen en perfecto estado.

Logística y transporte más sostenible

Hemos optimizado el tamaño del embalaje de cada producto para reducir la cantidad de material de embalaje y la emisión de carbono derivado del transporte. Los productos de gran consumo se transportan apilados, lo que implica una gran reducción de huella de carbono. Hemos abierto un nuevo centro logístico en China para abastecer a nuestro mercado Asia-Oceania de una forma más sostenible y reduciendo las emisiones de carbono derivadas del transporte.

Espacios de trabajo sostenibles

En nuestras oficinas utilizamos energía eléctrica verde. Producimos un 70% de la energía que consumimos con nuestra propia instalación fotovoltaica, asegurando que la energía es de fuente renovable. Además, nuestra sede cuenta con un diseño pensado para el máximo aprovechamiento de la energía solar y la luz natural.

Equipo comprometido con la sostenibilidad

En Faro Barcelona contamos con un comité de sostenibilidad interno que promueve diferentes acciones de sostenibilidad y realiza su seguimiento.



Product Producto



Sustainability from conceptualisation

In our eco-design decalogue we set out the main guidelines we follow to make our designs more sustainable. We work with external consultants to reduce the environmental impact of our production processes, guaranteeing the quality and safety of our products. We are training our design team in circular design techniques for the more sustainable development of all our products.

Sostenibilidad desde la conceptualización

En nuestro decálogo de eco-diseño recogemos las principales directrices que seguimos para que nuestros diseños sean más sostenibles. Trabajamos con asesorías externas para reducir el impacto ambiental de nuestros procesos productivos, garantizando la calidad y seguridad de nuestros productos. Estamos formando a nuestro equipo de diseño en técnicas de diseño circular para el desarrollo más sostenible de todos nuestros productos.

A longer useful life

We work to design timeless, repairable and long-lasting products in order to reduce their environmental impact. We research new methods to ensure that our designs last longer, are easier to repair and recycle.

Una mayor vida útil

Trabajamos en el diseño de productos atemporales, reparables y duraderos con el fin de reducir su impacto medioambiental. Investigamos nuevos métodos para garantizar que nuestros diseños sean más duraderos, fáciles de reparar y de reciclar.

Standardisation and modularity

We work on the standardisation of components for a more efficient use of resources and more sustainable production. We develop modular collections that allow us greater versatility and more efficient logistics and transport.

Estandarización y modularidad

Trabajamos en la estandarización de componentes para un uso más eficiente de los recursos y una producción más sostenible. Desarrollamos colecciones modulares que nos permiten mayor versatilidad y una logística y transporte más eficientes.

More sustainable processes and materials

One of the major challenges towards a more sustainable production is the choice of materials as it represents more than 70% of the product's carbon footprint. The use of recycled materials or materials with a lower environmental impact, the implementation of new techniques and the reduction of the number of materials used, help us to achieve more sustainable manufacturing.

Procesos y materiales más sostenibles

Uno de los grandes retos hacia una producción más sostenible es la elección de los materiales ya que representa más del 70% de la huella de carbono del producto. El uso de materiales reciclados o con menor impacto ambiental, la implementación de nuevas técnicas y la reducción del número de materiales usados, nos ayuda a conseguir una fabricación más sostenible.

Control of the supply chain

We share our sustainability vision and commitments with all our suppliers. We, therefore have a supplier code of conduct to ensure a more sustainable supply chain.

Control de la cadena de suministro

Compartimos nuestra visión y compromisos de sostenibilidad con todos nuestros proveedores. Por ello, disponemos del código de conducta de proveedores para garantizar una cadena de suministro más sostenible.





In-house Lab

At our own laboratory, all the products are subject to strict tests:

IP, electrical shock, impact shocks (IK), incandescent wire, thermal and mechanical resistance, consume and power factors.

Laboratorio in-house

En nuestro laboratorio, todos los productos se someten a estrictas pruebas:

IP, choque eléctrico, choque de impacto (IK), hilo incandescente, resistencia térmica y mecánica, factores de consumo y potencia.



3D printing

Pioneers in the application of 3D printing to improve design processes.

Impresión 3D

Pioneros en la aplicación de la impresión 3D para mejorar los procesos de diseño.



Virtual reality

We apply virtual reality to improve our customers' experience.

Realidad virtual

Aplicamos la realidad virtual para mejorar la experiencia de nuestros clientes.



quality

At Faro Barcelona, we control the quality of our products and services at all stages: from conception and design to functionality and reliability tests, as well as the selection of suppliers and the inspections carried out at all stages of the production process. To guarantee compliance, at Faro Barcelona, we have implemented a quality management system based on ISO90001. Legislative compliance with quality regulations under EN60598 and ERP energy efficiency regulations.

La calidad forma parte de nuestro ADN.

En Faro Barcelona controlamos la calidad de nuestros productos y servicios en todas las fases: desde la concepción y el diseño hasta los ensayos de funcionalidad y fiabilidad, así como la selección de proveedores y las inspecciones realizadas en todas las etapas del proceso productivo.

Para garantizar su cumplimiento, en Faro Barcelona tenemos implantado un sistema de gestión de calidad basado en la ISO9001.

Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.

System Control design and planning
Diseño y planificación del sistema de control

Scene and group definition
Definición de escenas y grupos

Turnkey project
Proyecto llave en mano

Configuración de equipos para luminarias Plug&Play
Plug&Play equipment configuration for luminaires

Solutions to connect to the control system (wired, wireless or remote devices)
Soluciones para conectarse al sistema de control (dispositivos cableados, inalámbricos o remotos)

Incident management
Gestión de incidencias

Technical support service
Servicio de atención técnica



Control & Connectivity
Control y Conectividad



Technical service
Servicio técnico

Services / Servicios

Data reception for analysis
Recepción de datos para su análisis

Remote installation management
Gestión remota de instalaciones



Digital services
Servicios digitales

People flow tracking
Tracking flujo de personas

Energy consumption monitoring
Monitorización de consumo energético

Assistance during installation
Acompañamiento en instalación y obra

Consultancy and Advice
Consultoría y Asesoramiento

Product customisation
Personalización de productos

Lighting calculations
Cálculos lumínicos



Lighting & fan projects
Proyectos de Iluminación y ventilación

Digital documentation: Dialux (ULD, IES, LDT) Revit/BIM (RFA) 3D files, IGS (SketchUp)
Documentación digital: Dialux (ULD, IES, LDT) Revit/BIM (RFA) 3D files, IGS (SketchUp)

Advice on product selection
Asesoramiento en selección de productos

Lighting and fan projects department
Departamento de proyectos de iluminación y ventilación

1.



2.



Showrooms



showrooms

The creativity, ingenuity and design of Faro Barcelona are at the heart of the cities of Barcelona and Madrid. Spaces where you can experience the brand and share our vision of design and lighting.

La creatividad, el ingenio y el diseño de Faro Barcelona están el corazón de las ciudades Barcelona y Madrid. Espacios donde vivir la marca y compartir nuestra visión del diseño y la iluminación.

1.
Espacio Princesa
Princesa, 52, Barcelona

2.
docontract MAD
Velázquez, 35, 4ºD, Madrid



outdoor

exterior

Saigon by Nahtrang

Floor Suelo


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
IP 65
Cable 2 MT



W100

71569-08
Material


● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium+Concrete/Aluminio+Cemento
Diff PEMD



W70

1.95mt 71569-07
1.2mt 71575-07
Material


● Dark Grey/Gris Oscuro + Brown/Marrón
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD



T70

1.95mt 71569-05
1.2mt 71569-06
1.95mt 71575-05
1.2mt 71575-06
Material


● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
 ● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD



R45

2.1mt 71569-04
1.3mt 71575-04
0.6mt 71576-04
Material


● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio
Diff PEMD



R55

2mt 71569-01
1.15mt 71575-01
0.5mt 71576-01
Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio
Diff PEMD





Portable Portátil

*Rope not included/cuerda no incluida

Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
IP	65
Cable	2 MT




W100

71584-08

Material

●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




W70

71584-07

Material

●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




T70

71584-05

71584-06

Material

●● Dark Grey/Gris Oscuro + Cream/Crema
 ●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD




R45

71584-04

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R55

71584-01

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R17

71584-03

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio





Spike Estaca

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
IP 65
Cable 2 MT




W70

71575P-07

Material

● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




T70

71575P-05

71575P-06

Material

● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD



R45

1.5mt


0.87mt

71575P-04

71576P-04

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R55

71575P-01

Material

● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio



R17

1.37mt


0.73mt

71575P-03

71576P-03

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio





Suspended Suspensión

Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
IP	65
Cable	2 MT




W70

Cone 71579C-07
Hole 71579H-07

Material

● Dark Grey/Gris Oscuro + Brown/Marrón
● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




T70

Cone 71579C-05
Hole 71579C-06
Cone 71579H-05
Hole 71579H-06

Material

● Dark Grey/Gris Oscuro + Cream/Crema
● Dark Grey/Gris Oscuro + Brown/Marrón
● Dark Grey/Gris Oscuro + Cream/Crema
● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD



R45

Cone 71579C-04
Hole 71579H-04

Material


● Dark Grey/Gris Oscuro + White/Blanco
● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio



R55

Material 71579-02

● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R17

Cone 71579C-03
Hole 71579H-03

Material

● Dark Grey/Gris Oscuro + White/Blanco
● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio







outdoor

exterior

Portables Portátiles



SOLAR



2700K



3000K

Kasp

71912

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150Lm

Dimmable K

2700 - 3000K

CRI

>80

Driver incl.

Yes

Class

III

IP

65


Battery incl.

Yes

20h Charge Max. 20h Worktime

USB


USB-C



SOLAR



2700K



3000K

Kasp

71913

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150Lm

Dimmable K

2700 - 3000K

CRI

>80

Driver incl.

Yes

Class

III

IP

65


Battery incl.

Yes

20h Charge Max. 20h Worktime

USB

USB-C



Accessories/Accesorios



Wall accessory/Accesorio aplique

71914

● Black/Negro

Material

Body Aluminium/Aluminio





Touch

Toc

70775

70776

70777

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 180Lm

Driver incl.

Yes

Class

III

Voltage (V/Hz)

5V DC

IP

54


Battery incl.

Yes

5h Charge Max. 9h Worktime

USB

MICRO USB



Toc

70786

- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 5W 3000K 468Lm

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54

Battery incl.

Yes


9h Charge Max. 9h Worktime

USB

JACK



Wall
156







Cage

75608

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 12W 2700K 990Lm
CRI	=80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Cable	2 MT




Argus

70784

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent PMMA/PMMA Transparente
Light Source	SMD LED 2W 3000K 220Lm
CRI	>80
Driver incl.	Yes
Class	III
Voltage (V/Hz)	5V DC
IP	54
Battery incl.	Yes
	5h Charge Max. 9h Worktime
USB	MICRO USB





Kerala

74454

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 5W 3000K 400Lm
Dimmable W	100Lm / 250Lm / 400Lm
CRI	>80
Driver incl.	Yes
Class	III
IP	54
Battery incl.	Yes
	8h Charge Max. 6h Worktime

USB



100lm



250lm



400lm



Wall
151





16lm



103lm



263lm

Task

70914

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Light Source

Diff Opal PC/PC Opal

Dimmable W

SMD LED 2W 3000K 263Lm

CRI

16Lm-103Lm-263Lm

Driver incl.

=80

Class

Yes

Voltage (V/Hz)

III

IP

5V DC

Battery incl.

54

Yes

USB

5h Charge Max. 6h Worktime

USB-C



Balda

70498

● Matt White/Blanco Mate

Material

Body PEMD

Light Source

Diff Opal PEMD/PEMD Opal

Bulb incl.

1 E27 max. 15W

Recom. Bulb

No

Class

17463/17498 Smart Bulb

IP

II

Cable

55

1.8 MT



Balda

70499

● Matt White/Blanco Mate

Material

Body PEMD

Light Source

Diff Opal PEMD/PEMD Opal

Bulb incl.

1 E27 max. 15W

Recom. Bulb

No

Class

17463/17498 Smart Bulb


IP

II

Cable

55

1.8 MT



Voila

71565

● Matt Black/Negro Mate

Material

Body ABS

Light Source

Diff Opal PEMD/PEMD Opal

Driver incl.

RGB LED 2W 3000K

Class

Yes

Voltage (V/Hz)

III

IP

5V DC

Battery incl.

44

Yes

USB

10h Charge Max. 7h Worktime

MICRO USB








outdoor


exterior

floor
suelo



- 71262 Matt Black/Negro Mate + Green/Verde
- 71263 Matt Black/Negro Mate + Beige
- 71264 Matt Black/Negro Mate + Dark Brown/Marrón Oscuro

Material	Body Steel/Acero
	Shade PP
Light Source	E27 max. 12W
Bulb incl.	No
Class	II
IP	44
Cable	5 MT



*Only for glass LED bulbs, models A60, ST64, G95 and G125
 Sólo para bombillas LED de vidrio, modelos A60, ST64, G95 y G125






Extendible cable 2.5mt. / *Cable extensible 2.5mts.*

71244



- 71242   Dark Grey/Gris Oscuro + Beige
- 71243   Dark Grey/Gris Oscuro + Blue/Azul

Material	Body	Aluminium/Aluminio
	Diff	Opal PC/PC Opal
	Shade	Textilene
Light Source	SMD LED 18W 2700K 500Lm	
CRI	>80	
Driver incl.	Yes	
Class	II	
Voltage (V/Hz)	100V-240V/50-60HZ	
IP	65	
Cable	3 MT	





Versus by Pepe Llaudet



74423

● Matt White/Blanco Mate

Material

Body PP

Diff Matt White PEMD/PEMD Blanco Mate

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


II

IP

44

Cable


3 MT



Large strucure / Estructura grande

74424

● Black/Negro




Small strucure / Estructura pequeña

74422

● Black/Negro

Material

Body Steel/Acero








Saigon by Nahrang

71584-02 ● Dark Grey/Gris Oscuro + White/Blanco

Material	Body Aluminium/Aluminio
	Shade PEMD
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	65
Cable	3 MT




Cat by Nahrang

- 71562 ● Matt Black/Negro Mate
 71563 ● Matt White/Blanco Mate
 71564 ● Red/Rojo



Material	Body Aluminium/Aluminio
	Diff Matt White PEMD/PEMD Blanco Mate
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54
Cable	5 MT




Accessories/Accesorios



Wall accessory/Accesorio aplique

71556 ● Black/Negro

Material	Body Aluminium/Aluminio
-----------------	--------------------------------








reddot winner 2021
lighting design



Standard/Estándar



71253 71254

Standard/Estándar 900mm

71253 ● Black/Negro

Light Source SMD LED 10W 2700K 620Lm

Standard/Estándar 1800mm

71254 ● Black/Negro

Material Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 21W 2700K 930Lm


CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Portable/Portátil



71256 71257

Portable/Portátil 900mm

71256 ● Black/Negro

Light Source SMD LED 10W 2700K 620Lm

Portable/Portátil 1800mm

71257 ● Black/Negro

Material Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 21W 2700K 930Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

Cable 1.8 MT








Bast

70292

● Dark Grey/Gris Oscuro

Material	Body Aluminium+PC/Aluminio+PC
	Diff Transparent PC/PC Transparente
Light Source	SMD LED 25W 3000K 2100Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	10
Beam angle	360°



Accessories/Accesorios



180° Accessory / Accesorio 180°

70293

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
-----------------	--------------------------------




Cast

74155

● Dark Grey/Gris Oscuro

Material	Body Concrete/Cemento
	Diff Opal PC/PC Opal
Light Source	SMD LED 10W 3000K 550Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	06




Cast

74156

● Dark Grey/Gris Oscuro

Material	Body Concrete/Cemento
	Diff Opal PC/PC Opal
Light Source	SMD LED 10W 3000K 550Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	06








Lotus by Estudi Ribaudí

71224 ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	SMD LED 18W 3000K 1120Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08



Lotus by Estudi Ribaudí

71225 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	SMD LED 18W 3000K 1120Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08





Block by Àlex & Manel Llusçà

74141 ● Grey Cement/Cemento Gris

Material	Body Concrete/Cemento
	Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	65
IK	05

SEA SIDE
SUITABLE




Block by Àlex & Manel Llusçà

74142 ● Grey Cement/Cemento Gris

Material	Body Concrete/Cemento
	Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	65
IK	06

SEA SIDE
SUITABLE








Twist by Estudi Ribaudí

71286 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 500Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Wall
144



Twist by Estudi Ribaudí

71287 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 500Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Shelby by Conillas

75537 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source SMD LED 10W 3000K 600Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Wall
146



Shelby by Conillas

75538 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source SMD LED 10W 3000K 600Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65







Sticker by Lucid Product Design

75541 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 10W 3000K 623Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 55



Wall
172



Tram by Estudi Ribaudí

75531 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source E27 15W

Recom. Bulb 17463/17498

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 65



Pole
104



Wall
146



Datna by Àlex & Manel Llusà

74441 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Pole
104



Wall
152



Datna by Àlex & Manel Llusà

74442 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44





outdoor

100% Suede



Plim

71299

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


65

IK

08



Wall
150



Plim

71300

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

08



Plim

71301

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

08



NEW

**Kila**

71746

71747

71748

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material**Body** Aluminium/Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

65

**Ceiling**
136**Wall**
152

NEW

**Kila**

71749

71750

71751

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material**Body** Aluminium/Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

65






Muga

75603

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 11W 3000K 810Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	55




Muga

75604

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 11W 3000K 810Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	55




Giza

70767

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	COB LED 15W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05




Giza

70768

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	COB LED 15W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05



outdoor

Floor / Suelo




Onze

70761

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	54



Wilma

74997

● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



Suspended
133



Wall
156




Wilma

75001

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44




Wilma

75003

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44






Beret

75522

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 8W 4000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	04



Beret

75523

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 8W 4000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	04




Nanda

71216

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 12W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54



outdoor

Floor / Suelo

Nanda

71217

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 12W 3000K 500Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Logar

75605

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 12W 3000K 580Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Logar

75606

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 23W 3000K 1340Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54





Muffin by Àlex & Manel Llusà

74433S-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
76




Pole
108



Suspended
132



Wall
154



Mistu by Faro Lab

74433S-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
76




Pole
108



Suspended
132



Wall
154



Blubs by Estudi Ribaudí

74433S-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
76




Pole
110



Suspended
132



Wall
154



Moon by Faro Lab

74433S-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
76



Suspended
132



Wall
154







Muffin by Àlex & Manel Llusà

74434B-04 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Pole
108




Post
74



Suspended
132



Wall
154



Mistu by Faro Lab

74434B-02 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Pole
108




Post
74



Suspended
132



Wall
154



Blubs by Estudi Ribaudí

74434B-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Pole
108




Post
74



Suspended
132



Wall
154



Moon by Faro Lab

74434B-01 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44




Post
74



Suspended
132



Wall
154



outdoor

Floor / Suelo





Nala

70772

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

54



Wall
162



Mila

70771

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 18W 4000K 500Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65



Sete

75521

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 6W 3000K 155Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Surat

72310

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

54



Mauren

70993

● Brass/Latón

Material

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

44

SEA SIDE
SUITABLE





Shadow by Àlex & Manel Llusçà



72311 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



72312 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 65








71206	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 9W 3000K 720Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65



71207	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 9W 3000K 720Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65



Accessories/Accesorios



Flowerpot/Macetero

71208	● Dark Grey/Gris Oscuro
-------	-------------------------







71213 ● Dark Grey/Gris Oscuro


Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 12W 3000K 310Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65



Pole
104




Wall
170



71214 ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 12W 3000K 310Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65







Naya

71198

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 180Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54

Beam angle

120°



Naya

71199

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 180Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

120°



Agra

70755

● Dark Grey/Gris Oscuro

70756

● Brown/Marrón

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 420Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

55



Agra

70753

● Dark Grey/Gris Oscuro

70754

● Brown/Marrón

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 420Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

55



outdoor

Floor / Suelo




Alp

74451

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 7W 3000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
Beam angle	180°




Alp

74452

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 7W 3000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
Beam angle	180°




Das

75519

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 8W 3000K 480Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	06
Beam angle	180°




Das

75520

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 8W 3000K 480Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	06
Beam angle	180°





Klamp by Àlex & Manel Llusçà


74411

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



Wall
548




Noboru

70576

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 16W 3000K 690Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50HZ
IP	65
IK	08
Beam angle	36°



Spy-1

70782

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	COB LED 6W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	30°



outdoor


Floor / Suelo

Spy-2

70783

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 6W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	30°



Gina


71352

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 5W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	44



Wall
185




Chandra

72298

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 7W 3000K 195Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
Beam angle	30°





Soleil

70785

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 2W 3000K 140Lm

CRI

>80

Driver incl.

Yes


Class

III

IP

54

7h Charge Max. 3h Worktime



Saura

70774

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 225Lm

CRI

>80

Driver incl.

Yes

Class

III


IP

54

Beam angle

180°

8h Charge Max. 2,5h Worktime





Rush&Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush 14W

	CCT	FLUX	LENS
750000	2700K	830Lm	360
750000C	2700K	830Lm	360
750000D	2700K	830Lm	360
750001	2700K	980Lm	360
750001C	2700K	980Lm	360
750001D	2700K	980Lm	360
750002	2700K	795Lm	180
750002C	2700K	795Lm	180
750002D	2700K	795Lm	180
750010	3000K	830Lm	360
750010C	3000K	830Lm	360
750010D	3000K	830Lm	360
750011	3000K	980Lm	360
750011C	3000K	980Lm	360
750011D	3000K	980Lm	360
750012	3000K	795Lm	180
750012C	3000K	795Lm	180
750012D	3000K	795Lm	180
750020	4000K	830Lm	360
750020C	4000K	830Lm	360
750020D	4000K	830Lm	360
750021	4000K	980Lm	360
750021C	4000K	980Lm	360
750021D	4000K	980Lm	360
750022	4000K	795Lm	180
750022C	4000K	795Lm	180
750022D	4000K	795Lm	180



Rush 20W

	CCT	FLUX	LENS
750100	2700K	1147Lm	360
750100C	2700K	1147Lm	360
750100D	2700K	1147Lm	360
750101	2700K	1355Lm	360
750101C	2700K	1355Lm	360
750101D	2700K	1355Lm	360
750102	2700K	1103Lm	180
750102C	2700K	1103Lm	180
750102D	2700K	1103Lm	180
750110	3000K	1147Lm	360
750110C	3000K	1147Lm	360
750110D	3000K	1147Lm	360
750111	3000K	1355Lm	360
750111C	3000K	1355Lm	360
750111D	3000K	1355Lm	360
750112	3000K	1103Lm	180
750112C	3000K	1103Lm	180
750112D	3000K	1103Lm	180
750120	4000K	1147Lm	360
750120C	4000K	1147Lm	360
750120D	4000K	1147Lm	360
750121	4000K	1355Lm	360
750121C	4000K	1355Lm	360
750121D	4000K	1355Lm	360
750122	4000K	1103Lm	180
750122C	4000K	1103Lm	180
750122D	4000K	1103Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h

Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush 38W	CCT	FLUX	LENS
750200	2700K	3322Lm	360
750200C	2700K	3322Lm	360
750200D	2700K	3322Lm	360
750201	2700K	3079Lm	360
750201C	2700K	3079Lm	360
750201D	2700K	3079Lm	360
750202	2700K	2397Lm	180
750202C	2700K	2397Lm	180
750202D	2700K	2397Lm	180
750210	3000K	3322Lm	360
750210C	3000K	3322Lm	360
750210D	3000K	3322Lm	360
750211	3000K	3079Lm	360
750211C	3000K	3079Lm	360
750211D	3000K	3079Lm	360
750212	3000K	2397Lm	180
750212C	3000K	2397Lm	180
750212D	3000K	2397Lm	180
750220	4000K	3322Lm	360
750220C	4000K	3322Lm	360
750220D	4000K	3322Lm	360
750221	4000K	3079Lm	360
750221C	4000K	3079Lm	360
750221D	4000K	3079Lm	360
750222	4000K	2397Lm	180
750222C	4000K	2397Lm	180
750222D	4000K	2397Lm	180

Rush 38W	CCT	FLUX	LENS
750300	2700K	2972Lm	360
750300C	2700K	2972Lm	360
750300D	2700K	2972Lm	360
750301	2700K	2921Lm	360
750301C	2700K	2921Lm	360
750301D	2700K	2921Lm	360
750302	2700K	2576Lm	180
750302C	2700K	2576Lm	180
750302D	2700K	2576Lm	180
750310	3000K	2972Lm	360
750310C	3000K	2972Lm	360
750310D	3000K	2972Lm	360
750311	3000K	2921Lm	360
750311C	3000K	2921Lm	360
750311D	3000K	2921Lm	360
750312	3000K	2576Lm	180
750312C	3000K	2576Lm	180
750312D	3000K	2576Lm	180
750320	4000K	2972Lm	360
750320C	4000K	2972Lm	360
750320D	4000K	2972Lm	360
750321	4000K	2921Lm	360
750321C	4000K	2921Lm	360
750321D	4000K	2921Lm	360
750322	4000K	2576Lm	180
750322C	4000K	2576Lm	180
750322D	4000K	2576Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA	1050mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h
DALI-2 dimmable	
PUSH SWITCH compatible	
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h
DALI-2 dimmable	
PUSH SWITCH compatible	
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen 14W

	CCT	FLUX	LENS
751000	2700K	712Lm	360
751000C	2700K	712Lm	360
751000D	2700K	712Lm	360
751001	2700K	856Lm	360
751001C	2700K	856Lm	360
751001D	2700K	856Lm	360
751002	2700K	695Lm	180
751002C	2700K	695Lm	180
751002D	2700K	695Lm	180
751010	3000K	712Lm	360
751010C	3000K	712Lm	360
751010D	3000K	712Lm	360
751011	3000K	856Lm	360
751011C	3000K	856Lm	360
751011D	3000K	856Lm	360
751012	3000K	695Lm	180
751012C	3000K	695Lm	180
751012D	3000K	695Lm	180
751020	4000K	712Lm	360
751020C	4000K	712Lm	360
751020D	4000K	712Lm	360
751021	4000K	856Lm	360
751021C	4000K	856Lm	360
751021D	4000K	856Lm	360
751022	4000K	695Lm	180
751022C	4000K	695Lm	180
751022D	4000K	695Lm	180



Screen 20W

	CCT	FLUX	LENS
751100	2700K	990Lm	360
751100C	2700K	990Lm	360
751100D	2700K	990Lm	360
751101	2700K	1225Lm	360
751101C	2700K	1225Lm	360
751101D	2700K	1225Lm	360
751102	2700K	965Lm	180
751102C	2700K	965Lm	180
751102D	2700K	965Lm	180
751110	3000K	990Lm	360
751110C	3000K	990Lm	360
751110D	3000K	990Lm	360
751111	3000K	1225Lm	360
751111C	3000K	1225Lm	360
751111D	3000K	1225Lm	360
751112	3000K	965Lm	180
751112C	3000K	965Lm	180
751112D	3000K	965Lm	180
751120	4000K	990Lm	360
751120C	4000K	990Lm	360
751120D	4000K	990Lm	360
751121	4000K	1225Lm	360
751121C	4000K	1225Lm	360
751121D	4000K	1225Lm	360
751122	4000K	965Lm	180
751122C	4000K	965Lm	180
751122D	4000K	965Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h

Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
Policarbonato transparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
2
1
L90 B10 up to 89.000h
Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen 38W	CCT	FLUX	LENS
751200	2700K	2370Lm	360
751200C	2700K	2370Lm	360
751200D	2700K	2370Lm	360
751201	2700K	2692Lm	360
751201C	2700K	2692Lm	360
751201D	2700K	2692Lm	360
751202	2700K	1819Lm	180
751202C	2700K	1819Lm	180
751202D	2700K	1819Lm	180
751210	3000K	2370Lm	360
751210C	3000K	2370Lm	360
751210D	3000K	2370Lm	360
751211	3000K	2692Lm	360
751211C	3000K	2692Lm	360
751211D	3000K	2692Lm	360
751212	3000K	1819Lm	180
751212C	3000K	1819Lm	180
751212D	3000K	1819Lm	180
751220	4000K	2370Lm	360
751220C	4000K	2370Lm	360
751220D	4000K	2370Lm	360
751221	4000K	2692Lm	360
751221C	4000K	2692Lm	360
751221D	4000K	2692Lm	360
751222	4000K	1819Lm	180
751222C	4000K	1819Lm	180
751222D	4000K	1819Lm	180

Screen 38W	CCT	FLUX	LENS
751300	2700K	2661Lm	360
751300C	2700K	2661Lm	360
751300D	2700K	2661Lm	360
751301	2700K	2145Lm	360
751301C	2700K	2145Lm	360
751301D	2700K	2145Lm	360
751302	2700K	1656Lm	180
751302C	2700K	1656Lm	180
751302D	2700K	1656Lm	180
751310	3000K	2661Lm	360
751310C	3000K	2661Lm	360
751310D	3000K	2661Lm	360
751311	3000K	2145Lm	360
751311C	3000K	2145Lm	360
751311D	3000K	2145Lm	360
751312	3000K	1656Lm	180
751312C	3000K	1656Lm	180
751312D	3000K	1656Lm	180
751320	4000K	2661Lm	360
751320C	4000K	2661Lm	360
751320D	4000K	2661Lm	360
751321	4000K	2145Lm	360
751321C	4000K	2145Lm	360
751321D	4000K	2145Lm	360
751322	4000K	1656Lm	180
751322C	4000K	1656Lm	180
751322D	4000K	1656Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA	1050mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	


TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h
DALI-2 dimmable	
PUSH SWITCH compatible	
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	

TCI

mA	1050mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h
DALI-2 dimmable	
PUSH SWITCH compatible	
Overload protection	
Short-circuit protection	
Overheating protection	
SELV (Safety Extra Low Voltage)	

Simulation performed with Rush/Simulación realizada con Rush



Rush H.3700 mm

38W


3000K

Ref. 750210

Optics 360°

Luminaire interdistance/Interdistancia entre luminarias 10mt.

Simulation performed with Rush/Simulación realizada con Rush



Rush H.3100 mm

38W

3000K

Ref. 750311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.

Simulation performed with Rush/Simulación realizada con Screen



Screen H.3700 mm

38W

3000K

Ref. 751312

Optics 180°

Luminaire interdistance/Interdistancia entre luminarias 10mt.

Simulation performed with Rush/Simulación realizada con Screen



Screen H.3100 mm

38W

3000K

Ref. 751311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.



Bu-Oh by Estudi Ribaudí

71209

● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 42W 3000K 2700Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65



Bollard
84



Wall
170



Tram by Estudi Ribaudí

75532

● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 43W 3000K 3000Lm
Recom. Bulb	17463/17498
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	55
IK	05



Beacon
66



Wall
146



Datna by Àlex & Manel Llusçà

74444E

● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 37W 3000K 2700Lm
CRI	85
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44



Bollard
66



Wall
152








Grop

75602

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 27W 3000K 1300Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54



Beret

75524

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 16W 4000K 625Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	04



Bollard
72




Plaza

75607

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 24W 3000K 1120Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	08



outdoor

Floor / Suelo





Mistu by Faro Lab

74435F2-02 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Post
74



Suspended
132



Wall
154



Muffin by Àlex & Manel Llusçà

74435F2-04 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Post
74



Suspended
132



Wall
154



Blubs by Estudi Ribaudí

74435F2-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Post
74



Suspended
132



Wall
154








Mistu by Faro Lab

74436F3-02 ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Muffin by Àlex & Manel Llusà

74436F3-04 ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Blubs by Estudi Ribaudí

74436F3-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44





Nautica

71116

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


33



Suspended
133



Wall
158



Nautica

71117

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33



Nautica

71118

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33



outdoor

Floor / Suelo





outdoor


exterior

Projectors


Proyectores




70036	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 13W 3000K 750Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	28°



70037	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 13W 3000K 750Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	28°
Cable	1.5 MT



70038	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 13W 3000K 750Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	28°
Cable	1.5 MT





70035

● Dark Grey/Gris Oscuro

Material**Body** Aluminium/Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

COB LED 13W 3000K 750Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


65

IK

08

Beam angle

28°





Spike accessory 60cm / *Accesorio estaca 60cm*

- 71548  Matt Black/Negro Mate
- 71549  Beige

Material Body Aluminium/Aluminio



- 71546  Matt Black/Negro Mate
- 71547  Beige

Material Body PC
Diff Opal PC/PC Opal

Light Source 1 GU10 max. 5W

Bulb incl. No


Recom. Bulb 17316/97685327

Class II

IP 65

Cable 2.5 MT

 360°  160°



Toni

 by Alegre Design


71528

● Matt Black/Negro Mate

Material**Body PC****Diff** Transparent PC/PC Transparente**Light Source**

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

17316/97685327

Class


II

IP

65

Cable

2.5 MT

SEA SIDE
SUITABLE




Alfa by Àlex & Manel Llusà

70025

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 13W 3000K 900Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
Beam angle	80°



Mini-Project by Àlex & Manel Llusà

71383

● Grey/Gris

71390

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 5W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	65 340° 90°




Project by Àlex & Manel Llusà

71389

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 PAR38 max. 15W
Bulb incl.	No
Recom. Bulb	17398/17400
Class	I
IP	65 340° 90°






Oki

70160

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 2W 3000K 110Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	65
IK	04
Beam angle	30°
Cable	0.2 MT
Spike not incl.	70525




Oki

70161

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 20W 3000K 1400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	08
Beam angle	30°




Plom

70912

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent PMMA/PMMA Transparente
Light Source	COB LED 9W 3000K 635Lm
Dimmable W	200Lm / 635Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	64

Spike
126



Lit

70260

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class


I

IP

54

Beam angle

20°
180°



Foc

70156

● Dark Grey/Gris Oscuro



Spike
485

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 16W 3000K 800Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

Beam angle

36°



Foc

70157

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 16W 3000K 800Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

Beam angle

36°




Toran

70140

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 4W 4000K 345Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44
IK	08
Beam angle	115°




Vic

70581

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 56W 3000K 2700Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	07
Beam angle	25°




Karl

70261

● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 14W 3000K 1100Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	110°



Piccola by Faro Lab



70245	●	Matt Black/Negro Mate
70246	●	Matt White/Blanco Mate
Material		
Body Aluminium/Aluminio		
Diff Opal PMMA/PMMA Opal		
Light Source SMD LED 6W 2700K 360Lm		
CRI >80		
Driver incl. Yes		
Class I		
Voltage (V/Hz) 100V-240V/50-60HZ		
IP 65		
IK 08		
Cable 1.5 MT		






Seth

70227

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio Diff Transparent PMMA/PMMA Transparente
Light Source	SMD LED 6W 2700K 450Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44
Beam angle	40°
Cable	2 MT




Seth

70226

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio Diff Transparent PMMA/PMMA Transparente
Light Source	SMD LED 6W 2700K 450Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44
Beam angle	40°
Cable	2 MT





Foc

70158

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 16W 3000K 800Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50HZ
IP	65
Beam angle	36°
Cable	0.5 MT




Foc

70159

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 16W 3000K 800Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50HZ
IP	65
Beam angle	36°
Cable	0.5 MT






Sobek

70151

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 7W 3000K 550Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	06
Beam angle	50°




Balder

70469

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 3W 3000K 110Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	67
Beam angle	50°
Cable	2 MT





Plom

70913

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent PMMA/PMMA Transparente
Light Source	COB LED 9W 3000K 635Lm
Dimmable W	200Lm / 635Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	64
Cable	0.3 MT




Andy

71613

● Satin Gold/Oro Satinado

Material	Body Steel/Acero
	Diff Transparent PC/PC Transparente
Light Source	1 GU10 max. 5W
Bulb incl.	No
Recom. Bulb	17316/97685327
Class	I
IP	65
Cable	2 MT




outdoor

Spike&Projector / Estaca y Proyector




Tono

73150	● Matt Black/Negro Mate
Material	Body Aluminium/Aluminio Diff Glass/Cristal
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	44
Cable	2 MT




Garten

73111	● Matt Black/Negro Mate
Material	Body ABS
Light Source	1 E27 PAR38 max. 15W
Bulb incl.	No
Recom. Bulb	17400
Class	II
IP	44
Cable	2.5 MT



Garten

73100	● Matt Black/Negro Mate
Material	Body ABS
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44
Cable	2.5 MT



Accessories/Accesorios



Connection box T

75801	
IP	68



Connection box

75800	
IP	68



outdoor

exterior

Suspended Suspensión




Scuba

75753

Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 20W 3000K 3200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120º
Cable	3 MT



Wall
148




Scuba

75754

Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 36W 3000K 5760Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120º
Cable	3 MT



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
-----------------	--------------------------------

outdoor

Suspended / Suspensión





Muffin by Àlex & Manel Llusà

74427C-04 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Wall
154



Mistu by Faro Lab

74427C-02 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Wall
154



Blubs by Estudi Ribaudi

74427C-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Wall
154



Moon by Faro Lab

74427C-01 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44




Bollard
76



Post
74



Wall
154



outdoor

Suspended / Suspensión



Nautica

71106

● Matt White/Blanco Mate

71138

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

33

Cable

1 MT



Nautica

71138

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP

33

Cable


1 MT



Pole
112



Wall
158



Honey

73696

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


44

Cable

0.7 MT



Wall
157



Estoril

71143

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


33

Cable

0.7 MT



Wall
159



Wilma

75002

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP

44

Cable


1.5 MT




Post
71



Wall
156





outdoor

exterior

Ceiling Techo

NEW



Kila

71740

71741

71742

- Dark Grey/Gris Oscuro + Transparent/Transparente
- Dark Grey/Gris Oscuro + Smoked/Fumé
- Dark Grey/Gris Oscuro + Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


65



Bollard
69



Wall
152



Olot

71372

71374

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

44



Tami

70799

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

40°
20°



Goz

70575

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 500Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

Beam angle

40°







Tasa

70806

70821

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

97687127

Class

I

IP

44



Dakron

70722

- Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

II


IP

65

IK

10

SEA SIDE
SUITABLE



Yen

70690

- Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb


Class

I

IP

54







outdoor


exterior

Surface Superficie



71279	● Dark Grey/Gris Oscuro
71282	● Matt White/Blanco Mate
Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 15W 3000K 550Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	06

SEA SIDE
SUITABLE



Anti corrosion


Mask has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.



Pals by Faro Lab

70290 ● Matt White/Blanco Mate
70291 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 65
IK 06




Twist by Estudi Ribaudí

71285 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 500Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Beacon
64



Half by Nahtrang

71536 ● Matt White/Blanco Mate
71537 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 20W 3000K 1350Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65



outdoor

Surface / Superficie





Block by Àlex & Manel Llusçà

74139


● Grey Cement/Cemento Gris

Material	Body Concrete/Cemento
	Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17462/17498 Smart Bulb
Class	I
IP	65
IK	06

SEA SIDE
SUITABLE



Beacon
62



Tram by Estudi Ribaudí

75533

● Matt White/Blanco Mate


Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



Beacon
66



Pole
104



Shelby by Conillas


75536

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent PC/PC Transparente
Light Source	SMD LED 10W 3000K 600Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44



Beacon
64








Scuba

75750

Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 20W 3000K 3200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120º
Cable	3 MT



Suspended
130




Scuba

75751

Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 36W 3000K 5760Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120º
Cable	3 MT



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio





Plim

71296

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65



Beacon
68



Plim

71297

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65





Kerala

74453

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 13W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54

Portable
44

Orwell

75700

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 8W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class



I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Orwell

75701

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 13W 480Lm

Dimmable W

4w 95Lm / 13w 480Lm

Dimmable K

3000 - 6500K

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



NEW



Kila

71743

71744

71745

Material

- Dark Grey/Gris Oscuro + Transparent/Transparente
- Dark Grey/Gris Oscuro + Smoked/Fumé
- Dark Grey/Gris Oscuro + Amber/Ámbar

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 65



Ceiling
136



Bollard
69



Ceres by Àlex & Manel Llusà

71607

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Datna by Àlex & Manel Llusà

74440

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Bollard
66



Pole
104



outdoor

Surface / Superficie





Muffin by Àlex & Manel Llusà

74432A-04 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Suspended
132



Mistu by Faro Lab

74432A-02 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Suspended
132



Blubs by Estudi Ribaudi

74432A-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
76




Pole
108



Post
74



Suspended
132



Moon by Faro Lab

74432A-01 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44




Bollard
76



Post
74



Suspended
132



outdoor

Surface / Superficie





Toc


70780

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 8W 3000K 600Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65



Portable
42



Wilma

74998

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



Post
71



Suspended
133



Wilma

75000

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



Honey

73695

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

44



Suspended
133



Argot

71424

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Dado

71606

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

23



Nautica

71110

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


33



Pole
112



Suspended
133



Nautica

71128

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33



Nautica

71129

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33



Estoril

71140

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

33



Suspended
133



Estoril

71141

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17462/17498 Smart Bulb

Class



I

IP

33

IK

06



Wally

74261

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44





Timon

70996

Brass/Latón

Material

Body Brass/Latón

Light Source

Diff Transparent Glass/Cristal Transparente

Bulb incl.

1 E27 max. 15W

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

44

SEA SIDE
SUITABLE



Noray

70999

Brass/Latón

Material

Body Brass/Latón

Light Source

Diff Transparent Glass/Cristal Transparente

Bulb incl.

1 E27 max. 15W

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

65

SEA SIDE
SUITABLE



Nahir

70992

Brass/Latón

Material

Body Brass/Latón

Light Source

Diff Transparent Glass/Cristal Transparente

Bulb incl.

1 E27 max. 15W

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

44

SEA SIDE
SUITABLE



Borda

70997

Brass/Latón

Material

Body Brass/Latón

Light Source

Diff Transparent Glass/Cristal Transparente

Bulb incl.

1 E27 max. 15W

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

44

SEA SIDE
SUITABLE



Cabo

70998

Brass/Latón

Material

Body Brass/Latón

Light Source

Diff Transparent Glass/Cristal Transparente

Bulb incl.

1 E27 max. 15W

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

65

SEA SIDE
SUITABLE





Outdoor

Surface / Superficie



Nala

70773

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

54



Post
78



Tamashi

71303

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17428

Class

I

IP

65



Pomo

71306

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17426

Class


I

IP

65

IK

06



Pivot

71304

● Matt White/Blanco Mate

71305

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 500Lm

CRI

>80

Driver incl.

Yes

Class

I


Voltage (V/Hz) 100V-240V/50-60HZ

IP

65

IK

06





Sun

70823

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 4W 3000K 275Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Tom

70665

● Matt White/Blanco Mate

70666

● Dark Grey/Gris Oscuro

Material

Body ABS
Diff Opal PC/PC Opal

Light Source

SMD LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ


IP

65

IK

10

SEA SIDE
SUITABLE



Tom

70682

● Dark Grey/Gris Oscuro

70683

● Matt White/Blanco Mate

Material

Body ABS
Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK

10

SEA SIDE
SUITABLE



Hikari

71274

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 10W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

10



Kubick

70689

● Dark Grey/Gris Oscuro

70715

● Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Lur

70827

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 12W 3000K 950Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54





Mol

70720

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Pol

70829

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 8W 3000K 550Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Fred

70663

● Dark Grey/Gris Oscuro

70664

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK

10

SEA SIDE
SUITABLE



Fred XL

70667

● Dark Grey/Gris Oscuro

70668

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK

10

SEA SIDE
SUITABLE



outdoor

Surface / Superficie




Natron

70887

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	54
IK	06




Tejo

70573

70573B

● Dark Grey/Gris Oscuro
● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	54
IK	06




Negus

70696

● Grey/Gris

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	54
IK	10




Bonn

70697

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44






Cela

72281

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54




Cela

72280

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54




Fedón

70714

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	54





Estay

72010

72011

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Derby

72002

- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Derby

72000

72001

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44





Bu-Oh by Estudi Ribaudí

71212 ● Dark Grey/Gris Oscuro
71215 ● Matt White/Blanco Mate


Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 12W 3000K 310Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65



Bollard
84



Pole
104




Lotus by Estudi Ribaudí

71222 ● Matt White/Blanco Mate
71223 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 18W 3000K 1120Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65
IK 08



Bollard
62




Future by Estudi Ribaudí

71516 ● Matt White/Blanco Mate
71517 ● Dark Grey/Gris Oscuro

Material Body PC
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17437
Class II
IP 44

SEA SIDE
SUITABLE








Sticker by Lucid Product Design

75540 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 13W 3000K 770Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	55



Bollard
66




View by Estudi Ribaudí

71519 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54


SEA SIDE
SUITABLE



Dragma by Àlex & Manel Lluscà

71362L ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	SMD LED 15W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65



Ancora by Àlex & Manel Lluscà

74401 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44



outdoor

Surface / Superficie






Alp

74450

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 8W 3000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54



Axel


71272

● Matt White/Blanco Mate

71273

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 6W 3000K 360Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	07




Bracket

72272

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	SMD LED 6W 3000K 270Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44



Quart

70579

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 30W 3000K 1200Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50HZ

IP

65



Takua

71277

● Dark Grey/Gris Oscuro

71308

● Matt White/Blanco Mate

71309

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 10W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

06



Oval

71276

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ


IP

65

IK

06





Lako

71909

71910

71911

71898 NEW

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 8W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)



220V- 240V/50-60HZ

IP

65

Beam angle

90°



Doro

71900

71901

71902

71899 NEW

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 13W 3000K 1000Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65



Doro

71903

71904

71905

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 20W 3000K 1800Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65



outdoor

Surface / Superficie



Doro

71906

71907

71908

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 28W 3000K 2700Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65



Toluca

71052

- Satin Aluminium/Aluminio Satinado

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 16W 3000K 900Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

IK

09



Tacana

71049

- Satin Aluminium/Aluminio Satinado

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 24W 3000K 1700Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

09






Kaula

70405

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 9W 3000K 400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44




Kaula

70406

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 14W 3000K 650Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44




Thon

70283

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 15W 3000K 825Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	55
Beam angle	18°





Thon

70284

● Dark Grey/Gris Oscuro

Material
Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 30W 3000K 1538Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

55

Beam angle

18°



Aday

70644

● Matt White/Blanco Mate

70645

● Dark Grey/Gris Oscuro

Material
Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

54

IK

08



Aday

70646

● Matt White/Blanco Mate

70647

● Dark Grey/Gris Oscuro

Material
Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 13W 3000K 787Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ


IP

54

IK

08






Tane

72269

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 7W 3000K 280Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44




West

70888

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	54




West

70899

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	54





Lace

70811

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 6W 4000K 315Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

110°



Bruc

70828

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 13W 3000K 830Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)



100V-240V/50-60HZ

IP

54

IK

06



Ling

70812

● Dark Grey/Gris Oscuro

70813

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 6W 4000K 630Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

110°





Lacre

70802

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

54



Log

70264

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source

SMD LED 9W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Blind

70267

70268

70634

● Matt White/Blanco Mate
● Rust Brown/Marrón Oxido
● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 6W 3000K 180Lm

CRI

>80

Driver incl.

Yes

Class


I


Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65





Olan

70269

70270

70637

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 6W 3000K 200Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

IK

06



Sunset

70686

70687

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 3000K 260Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Canon

70566N

70567N

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 4W 3000K 130Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

44

Beam angle

120°






Nairobi

70830

70832

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 6W 3000K 380Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54



Tinia

71353

- Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17063
Class	I
IP	44




Ele

74419

- Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	SMD LED 6W 3000K 450Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
Beam angle	95°





Gina

71363

71366

71367

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

GU10 8W

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

44



Bollard
89



Taima

71388

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 6W 3000K 310Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

180°
90°



Wood

74455

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

95°

Beam angle

95°
90°





Proa by Àlex & Manel Lluscà

74400

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


17316/97685327

Class

I

IP

44



Steps by Estudi Ribaudí

75500

● Matt White/Blanco Mate

75501

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

2 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


17320/97685327

Class

I

IP

44



Steps by Estudi Ribaudí

75502

● Matt White/Blanco Mate

75503

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

4 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


17320/97685327

Class

I

IP

44








Bronx by Àlex & Manel Llusà

71194	●	Brown/Marrón
71195	●	White/Blanco
71196	●	Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	44




Klamp by Àlex & Manel Llusà

74407	●	Dark Grey/Gris Oscuro
-------	---	-----------------------

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17316/97685327
Class	I
IP	44




Bollard
88



Klamp by Àlex & Manel Llusà

74408	●	Dark Grey/Gris Oscuro
-------	---	-----------------------

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	2 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17316/97685327
Class	I
IP	44







Pill

70824

70825

70826

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source COB LED 4W 3000K 110Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Drak

72330

● Brass/Latón

Material

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 3000K 160Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44

IK 08

SEA SIDE
SUITABLE



Brow

70408

70409

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body PC
Diff Opal PMMA/PMMA Opal

Light Source COB LED 3W 3000K 100Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50HZ

IP 44





Kala

70582

70583

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 16W 2700K 1200Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Guiza

71278

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 10W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

06



Suma

70749

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44






Keenan

70546

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 20Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE




Keenan

70547

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 40Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE




Keenan

70564

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 80Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE






Loth

70285

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	COB LED 6W 3000K 165Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	67
IK	10



Loth

70286

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	COB LED 13W 3000K 235Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	67
IK	10




Loth

70287

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	COB LED 13W 3000K 400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	67
IK	10





Grant

70655

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65



IK

10

Beam angle

120°

SEA SIDE
SUITABLE



Grant

70656

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65


IK

10

Beam angle

120°

SEA SIDE
SUITABLE



Path

70501

● Matt White/Blanco Mate

70508

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 9W 3000K 390Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

44





Grada

70906

Dark Grey/Gris Oscuro

70907

Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 3W 3000K 86Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Grada

70908

Dark Grey/Gris Oscuro

70909

Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 3000K 208Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Grada

70910

Dark Grey/Gris Oscuro

70911

Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 12W 3000K 443Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

54



Must

70657

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 3000K 80Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ


IP

65

IK

10

SEA SIDE
SUITABLE



Must

70658

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 220Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ


IP

65

IK

10

SEA SIDE
SUITABLE



Must

70659

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 4W 3000K 240Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ


IP

65

IK

10

SEA SIDE
SUITABLE







outdoor

exterior

Recessed Empotrables




Galo

70265

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05
Cut out	73x73




Galo

70266

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05
Cut out	73x73




Dang

70446

● Satin Stainless/Inoxidable Satinado

Material	Body Aluminium+316 Stainless Steel/Aluminio+Acero Inox 316 Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 80Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	67
IK	05
Beam angle	40°
Cut out	ø88x100

SEA SIDE
SUITABLE



*Drivers info pag. 224



Nase

70395

70398

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 49Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ

IP


44

Beam angle

120°

Cut out

92x87x80



Nase

70396

70399

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 49Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ

IP


44

Beam angle

120°

Cut out

132x90x80



Uve

70397

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 3000K 70Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

44

IK


08

Beam angle

120°

Cut out

ø78






Frol

70135

● Satin Nickel/Níquel Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	SMD LED 1W 3000K 55Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Cut out	92x92x50




Gron

70134

● Satin Nickel/Níquel Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	SMD LED 1W 3000K 70Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Cut out	105x66x50



Stripe-2


72092

● Dark Grey/Gris Oscuro

72093

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 5W 3000K 50Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	07
Cut out	230x89





Liso

71490

71491

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material**Body** Aluminium/Aluminio**Diff** Opal Glass/Cristal Opal**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


44

Cut out

230x89

Recessed box/Caja de empotrar

71482



Stripe-1

72094

72095

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material**Body** Aluminium/Aluminio**Diff** Opal PC/PC Opal**Light Source**

SMD LED 5W 3000K 70Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


54

IK

07

Cut out

230x89



Esca

71480

71481

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material**Body** Aluminium/Aluminio**Diff** Opal Glass/Cristal Opal**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


44

Cut out

230x89

Recessed box/Caja de empotrar

71482






Dart

70272

70273

- ☐ Matt White/Blanco Mate
- ☒ Matt Black/Negro Mate

Material	Body PC
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 2W 2700K 70Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	100°
Cut out	ø68



Choose required mounting accesory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

70276

- ☒ Black/Negro



Surface box/Caja de superficie

70274

70275

- ☐ White/Blanco
- ☒ Black/Negro




Dart

70277

70278

- ☐ Matt White/Blanco Mate
- ☒ Matt Black/Negro Mate

Material	Body PC
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 5W 2700K 275Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	100°
Cut out	160x68




Choose required mounting accesory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

70281

- ☒ Black/Negro



Surface box/Caja de superficie

70279

70280

- ☐ White/Blanco
- ☒ Black/Negro

outdoor

Recessed / Empotrables



Spark-2

70164

● Dark Grey/Gris Oscuro

70165

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 5W 3000K 100Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


65

IK

10

Cut out

95x65x40



Spark-1

70162

● Dark Grey/Gris Oscuro

70163

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 5W 3000K 230Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP



65

IK

10

Cut out

95x65x40



Racing

70403

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 4000K 30Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

44

IK


08

Beam angle

45°

Cut out

ø76x50



Carter

70402

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 4000K 30Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

44

IK


08

Beam angle

45°

Cut out

ø76x50





Soun

70833

70834

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 5W 3000K 280Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK


08

Beam angle

120°

Cut out

220x95x75



Soun

70900

70901

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 8W 3000K 630Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK


08

Beam angle

120°

Cut out

183x225x75



Filter

70450

- Grey/Gris

Material

Body Aluminium+ABS/Aluminio+ABS

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 2W 2700K 75Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK


10


Beam angle

120°

Cut out

98x160x85






Sedna

70146

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 1W 3000K 30Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	80x75




Sedna

70147

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 3W 3000K 90Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	125x58




Sedna

70148

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 3W 3000K 90Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	128x112





Nat

70271

70638

● Matt White/Blanco Mate

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 330Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


65

IK

08

Cut out

215x65x70



Horus

70155

● Grey/Gris

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 4W 3000K 60Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK


08

Beam angle

50°

Cut out

62x98



Horus

70154

● Grey/Gris

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 4W 3000K 60Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK


08

Beam angle

50°

Cut out

62x98







Grund

70726

70730

● Satin Stainless/Inoxidable Satinado

● Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 2W 3000K 152Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310206E

Class

III

IP

67

IK


08

Beam angle

15°

Cut out

ø32x90



*Drivers info pag. 224



Grund

70728

70731

● Satin Stainless/Inoxidable Satinado

● Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 420Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

90



*Drivers info pag. 224



Grund

70729

70732

● Satin Stainless/Inoxidable Satinado

● Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 13W 3000K 846Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

90



*Drivers info pag. 224



*Drivers info pag. 224

Grund

70733

70735

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 2W 2700K

CRI

>90

Driver incl.

No

Recom. Driver

98310206E

Class

III

IP

67

IK

08


Beam angle

15°

Cut out

ø32x90

SEA SIDE
SUITABLE



*Drivers info pag. 224

Grund

70734

70736

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 2700K

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK

08


Beam angle

36°

Cut out

ø60x90

SEA SIDE
SUITABLE



Curtis

70462N

- Satin Stainless/Inoxidable Satinado

Material

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2W 3000K 77Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67


IK

08

Cut out

ø80x100

SEA SIDE
SUITABLE






Crosby

70459N

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS Diff Opal Glass/Cristal Opal
Light Source	HIGH POWER LED 2W 3000K 77Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	120V-240V/50-60HZ
IP	67
IK	08
Beam angle	120°
Cut out	ø80x100

SEA SIDE
SUITABLE




Crosby

70453

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS Diff Opal Glass/Cristal Opal
Light Source	HIGH POWER LED 2W 3000K 77Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006,98324015U
Class	III
IP	67
IK	08
Beam angle	120°
Cut out	ø80x100

SEA SIDE
SUITABLE



*Drivers info pag. 224



*Drivers info pag. 224


Kane

70660

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 120Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006,98324020U
Class	III
IP	67
IK	08
Beam angle	120°
Cut out	ø40x90

SEA SIDE
SUITABLE



*Drivers info pag. 224


Kane

70661

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 120Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	67
IK	08
Beam angle	120°
Cut out	ø40x90

SEA SIDE
SUITABLE



*Drivers info pag. 224


Kane

70662

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 120Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	67
IK	08
Beam angle	120°
Cut out	ø40x90

SEA SIDE
SUITABLE






Tras

71701

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 4W 3000K 462Lm
CRI	90
Driver incl.	No
Recom. Driver	98324020U
Class	III
Voltage (V/Hz)	24V DC
IP	67
IK	08
Beam angle	13°
Cut out	ø82x56 30°




Tras

71702

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 8W 3000K 924Lm
CRI	90
Driver incl.	No
Recom. Driver	98324015U
Class	III
Voltage (V/Hz)	24V DC
IP	67
IK	09
Beam angle	13°
Cut out	ø82x56




Accessories/Accesorios



Recessed box/Caja de empotrar

71703



Tras


71716 13°

● Black/Negro

71717 40°

● Black/Negro

Material	Body Aluminium+ABS/Aluminio+ABS
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 25W 3000K 2580Lm
CRI	90
Driver incl.	No
Recom. Driver	98324030
Class	III
IP	67
IK	10
Cut out	250x235x105



*Drivers info pag. 224





Geiser

70304

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17324

Class

I

IP

67

IK

08

Cut out

ø116



Geiser

70305

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK


08

Beam angle

38°

Cut out

ø116



Geiser

70310

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

97685327

Class

I

IP


67

IK

08

Cut out

ø120x135



Geiser

70302 10°

70303 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material**Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

COB LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

ø90x135

SEA SIDE
SUITABLE**Geiser**

70308 10°

70309 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material**Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

COB LED 15W 3000K 900Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

190

SEA SIDE
SUITABLE**Geiser**

70306 10°

70307 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material**Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio**Diff** Transparent Glass/Cristal Transparente**Light Source**

COB LED 29W 3000K 1800Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

ø200x265

SEA SIDE
SUITABLE

Suria

70588 24°

70592N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 3W 3000K 175Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67


IK

08

Cut out

ø100x95

SEA SIDE
SUITABLE



Suria

70589 24°

70593N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 12W 3000K 1280Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67


IK

08

Cut out

ø165x125

SEA SIDE
SUITABLE



Suria

70586 24°

70587 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 24W 3000K 1870Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67

IK

08

Cut out

ø209x130

SEA SIDE
SUITABLE





Led-18

71496N 6000K ● Satin Stainless/Inoxidable Satinado
71498N 3000K ● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source HIGH POWER LED 3W 100Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 08

Cut out ø90x65

SEA SIDE
SUITABLE



Led-18

71499N 3000K ● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source HIGH POWER LED 3W 100Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 08

Cut out 80x80x70

SEA SIDE
SUITABLE





Salt

70591

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 500Lm

CRI

90

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK

08


Beam angle

45°

Cut out

ø170x122

SEA SIDE
SUITABLE



Taro

70449

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 280Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK

08


Beam angle

30°

Cut out

ø90x135

SEA SIDE
SUITABLE





Tecno

71489N

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17324

Class

I

IP


67

IK

08

Cut out

ø100x125

SEA SIDE
SUITABLE

Lio

71495

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel/Acero inoxidable

Diff Opal Glass/Cristal Opal

Light Source

1 GX53 max. 6W

Bulb incl.

No

Recom. Bulb

17340

Class

I

IP


67

IK

10

Cut out

ø90x75

SEA SIDE
SUITABLE

Edel

70455

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+ABS/Acero inoxidable 316L+ABS

Diff Opal Glass/Cristal Opal

Light Source

HIGH POWER LED 18W 4000K 900Lm

CRI

>80

Driver incl.

No

Recom. Driver

98324020U

Class

III

Voltage (V/Hz)

24V DC/50-60HZ

IP

68

IK


08

Beam angle

25°

Cut out

ø156

SEA SIDE
SUITABLE



Falls



71730	● Satin Stainless/Inoxidable Satinado
Light Source	SMD LED 8W 3000K 672Lm
Beam angle	25º
71731	● Satin Stainless/Inoxidable Satinado
Light Source	SMD LED 8W 3000K 669Lm
Beam angle	30º
Material	Body Stainless steel 316L/Acero inoxidable 316L
CRI	90
Driver incl.	No
Recom. Driver	98324020U
Class	III
IP	67
IK	09
Cut out	310x52x100



71732	● Satin Stainless/Inoxidable Satinado
Light Source	SMD LED 16W 3000K 1367Lm
Beam angle	25º
71733	● Satin Stainless/Inoxidable Satinado
Light Source	SMD LED 16W 3000K 1413Lm
Beam angle	30º
Material	Body Stainless steel 316L/Acero inoxidable 316L
CRI	90
Driver incl.	No
Recom. Driver	98324020U
Class	III
IP	67
IK	09
Cut out	520x53x100





71734 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 6W 2700K 190Lm



71736 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 12W 2700K 291Lm

71735 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 6W 200Lm

71737 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 12W 2700K 316Lm

Material **Body** Stainless steel 316L/Acero inoxidable 316L
Diff Glass/Cristal
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 310x52x100

Material **Body** Stainless steel 316L/Acero inoxidable 316L
Diff Glass/Cristal
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 520x53x100



Drivers / Equipos

		mA	P	V	units		Driver	
NAIS 7W	02121001 02121002		7W	100/240V	1-2 units	on/off	98310620	21,45€
				220/240V	2 units	triac	98310118LC	21,55€
				220/240V	1-2 units	dali	98310536	49,10€
				220/240V	1-2 units	casambi	98310538	107,05€
GRUND 2W	70726 70730 70733 70735	700mA	2W	100/240V	1-2 units	on/off	98310206E	18,60€
				220/240V	2-4 units	triac	98310210	21,55€
				220/240V	4-16 units	dali	98310536	49,10€
				220/240V	4-16 units	casambi	98310538	107,05€
GRUND 7W	70728 70731 70734 70736	350mA	7W	100/240V	1-2 units	on/off	98310620	21,45€
				220/240V	2 units	triac	98310118LC	21,55€
				220/240V	2 units	dali	98310536	49,10€
				220/240V	2 units	casambi	98310538	107,05€
GRUND 13W	70729 70732	350mA	13W	100/240V	1-2 units	on/off	98310620	21,45€
				220/240V	only 1 unit	triac	98310118LC	21,55€
				220/240V	only 1 unit	dali	98310536	49,10€
				220/240V	only 1 unit	casambi	98310538	107,05€
KANE 3W	70660 70661 70662	24V DC	3W	100/240V	1-2 units	on/off	98324006	10,70€
				220/240V	1-3 units	triac	98311315	50,00€
FALLS 6W	71734 71735		6W	100/240V	1-2 units	on/off	98324020U	21,55€
				220/240V	5-23 units	triac	97397	208,45€
				220/240V	1-14 units	dali	97308	167,65€
				220/240V	1-14 units	casambi	98324599	162,20€
FALLS 12W	71736 71737		12W	100/240V	only 1 unit	on/off	98324020U	21,55€
				220/240V	2-14 units	triac	97397	208,45€
				220/240V	1-6 units	dali	97308	167,65€
				220/240V	1-6 units	casambi	98324599	162,20€
FALLS ORIENTABLE 8W	71730 71731		8W	100/240V	1-2 units	on/off	98324020U	21,55€
				220/240V	5-23 units	triac	97397	208,45€
				220/240V	1-11 units	dali	97308	167,65€
				220/240V	1-11 units	casambi	98324599	162,20€
FALLS ORIENTABLE 16W	71732 71733		16W	100/240V	only 1 unit	on/off	98324020U	21,55€
				220/240V	2-10 units	triac	97397	208,45€
				220/240V	1-5 units	dali	97308	167,65€
				220/240V	1-5 units	casambi	98324599	162,20€
CROSBY 2W	70453		2W	100/240V	1-2 units	on/off	98324006	10,70€

General information / Información general

EN	ES	FR	ITA
The technical information detailed in our catalogue can be modified in order to improve the features or design of our products. Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints. The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes. The catalogue prices are public prices. RATES DO NOT INCLUDE VAT. Price list not valid for Italy and Switzerland. Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency. Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.	La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño. Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones. Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones. Los precios mostrados son precios de venta al público (PVP). IVA NO INCLUIDO EN TARIFA Tarifa no válida para Italia y Suiza. Prevía comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas. No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.	L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design. Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations. Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement. Les prix du catalogue son les prix de vente public . IVA NON COMPRISE DANS LE TARIF. Liste de prix pas valable pour l'Italie et la Suisse. Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.	La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami. Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni. I prezzi indicati sono prezzi di vendita al pubblico. IVA NON INCLUSA IN LISTINO. Il listino non è valido per l'Italia e la Svizzera. LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti. Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.
PT	GER	NL	GRK
A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho. A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações. As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP). IVA NÃO INCLuíDO NA LISTA DE PREÇOS Lista de preços não é válido para a Itália e Suíça. Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas. Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.	Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden. Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte. Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden. DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN Preisliste gilt nicht für Italien und die Schweiz. Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusage der notwendigen Teile in Verbindung. Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.	De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren. Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt. De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen. Btw NIET BIJ DE PRIJS INBEGREPEN Taifra niet geldig voor Italië en Zwitserland. Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden. Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.	Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου. Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων. Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής. Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.
RUS	CZ	BL	PL
Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики. Faro Barcelona сохраняет за собой право анулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб. Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχο τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόσβεσης και ταξινόμησης των εμπορευμάτων. Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены. БЕЗ УЧЕТА НДС В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.	Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu. Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace. Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového. VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPolečnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.	Техническата информация, представена в нашият каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите. Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания. Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени. Цените в каталога са публичните цени. ЦЕНИТЕ НЕ ВКЛЮЧАВАТ ДДС. Връщане на закупена стока ще да бъдат приети единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност. Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.	Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów. Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu. Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu wydruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi. CENY NIE ZAWIERAJĄ STAWKI VAT. Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym. Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.

Materials / Materiales

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrílico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Vídro	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrílico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonat
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polimero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glass
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Têxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриловый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алуминий	Aluminium
Getapete stof	Μαγνητοσκοπτημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алуминий	Odlew aluminiumowy
Glasvezel	Πολυεστερικός	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υαλί	Стекло	Sklo	Стъкло	Szkło
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Poścień
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Opaal acrylaat	Οπαλ ακρυλικό	Опалового акрила	Opálový akrylát	Опал акрил	Opal akryl
Opaal glas	Οπαλ γυαλί	Матовое стекло	Opálové sklo	Млечно стъкло	Szkło mleczne
Opaal PMMA	Οπαλ PMMA	PMMA ακριλικοί	Opal PMMA	Опал PMMA	Mlecznego PMMA
Opaal polycarbonnat	Οπαλ πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Опал поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Οπαλ PVC	Опал PVC	Opal PVC	Опал PVC	PVC Poliwęglan
Papyrus	Πάπυρος	Папирус	Papyrus	Раругus	Papyrus
Perkament	Περγαμινή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylenetereftalát	РЕТ полиэтилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиэтилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиэтилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Rattan	ротанг	Ratan	ратан	Rattan
Hars	Ρητινouxo	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστίκ Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szkło
Silicone	Σίλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξείδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stali nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Τεφλοново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Τекстилен	Włókienniczy
Doorschijnend glas	Διαφανές γυαλί	Прозрачные стекла	Translucent stъкло	Průhledné sklo	Przezroczyste szkło
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné поликарбонат	Przezroczyste Poliwęglan
Transparant glas	Διαφανές γυαλί	Прозрачное стекло	Průhledné sklo	Прозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Прозрачное PMMA	Průhledné PMMA	Прозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

Aday	Surface	179
Agra	Floor	86
Akane	Floor	50
Alfa	Projector	120
Alp	Floor	87
Alp	Surface	174
Ancora	Surface	172
Andy	Spike	126
Argot	Surface	157
Argus	Portable	44
Axel	Surface	174
Balda	Portable	46
Balder	Spike	126
Bast	Floor	60
Beret	Floor	72
Beret	Post	106
Blind	Surface	182
Block	Floor	62
Block	Surface	146
Blubs	Floor	74
Blubs	Post	108
Blubs	Surface	154
Blubs	Suspended	132
Bonn	Surface	167
Borda	Surface	160
Bracket	Surface	174
Bronx	Surface	188
Brot	Floor	58
Brow	Surface	190
Bruc	Surface	181
Bu-Oh	Floor	84
Bu-Oh	Post	104
Bu-Oh	Surface	170
Cabo	Surface	160
Cadaques	Floor	52
Cage	Portable	44
Canon	Surface	183
Carter	Recessed	205
Cast	Floor	60
Cat	Floor	56
Cela	Surface	168
Ceres	Surface	152
Chandra	Floor	89
Crosby	Recessed	212
Curtis	Recessed	211

Dado	Surface	157
Dakron	Ceiling	138
Dang	Recessed	200
Dart	Recessed	204
Das	Floor	87
Datna	Floor	66
Datna	Post	104
Datna	Surface	152
Derby	Surface	169
Doro	Surface	176
Dragma	Surface	172
Drak	Surface	190
Edel	Recessed	221
Ele	Surface	184
Esca	Recessed	203
Estay	Surface	169
Estoril	Surface	159
Estoril	Suspended	133
Falls	Recessed	222
Fedón	Surface	168
Filter	Recessed	206
Flow	Projector	118
Flow	Wall	-360
Foc	Projector	122
Foc	Spike	125
Fred	Surface	166
Fred XL	Surface	166
Frol	Recessed	202
Fuji	Portable	-318
Future	Surface	170
Galo	Recessed	200
Garten	Spike	127
Geiser	Recessed	216
Gina	Floor	89
Gina	Surface	185
Giza	Floor	70
Goz	Ceiling	136
Grada	Surface	195
Grant	Surface	194
Gron	Recessed	202
Grop	Post	106
Grow	Floor	82
Grund	Recessed	210
Guiza	Surface	191
Half	Surface	144

Hikari	Surface	165
Honey	Surface	157
Honey	Suspended	133
Horus	Recessed	208
Kala	Surface	191
Kane	Recessed	213
Karl	Projector	123
Kasp	Portable	40
Kaula	Surface	178
Keenan	Surface	192
Kerala	Portable	44
Kerala	Surface	151
Kila	Floor	69
Kila	Ceiling	136
Kila	Surface	152
Klamp	Floor	88
Klamp	Surface	188
Kubick	Surface	165
Lace	Surface	181
Lacre	Surface	182
Lako	Surface	176
Led-18	Recessed	219
Ling	Surface	181
Lio	Recessed	221
Liso	Recessed	203
Lit	Projector	122
Log	Surface	182
Logar	Floor	73
Loth	Surface	193
Lotus	Floor	62
Lotus	Surface	170
Lur	Surface	165
Mask	Surface	142
Mauren	Floor	78
Mila	Floor	78
Mini-Project	Projector	120
Mistu	Floor	74
Mistu	Post	108
Mistu	Surface	154
Mistu	Suspended	132
Mol	Surface	166
Moon	Floor	74
Moon	Surface	154
Moon	Suspended	132
Muffin	Floor	74

Muffin	Post	108
Muffin	Surface	154
Muffin	Suspended	132
Muga	Floor	70
Must	Surface	196
Nahir	Surface	160
Nairobi	Surface	184
Nala	Floor	78
Nala	Surface	162
Nanda	Floor	72
Nase	Recessed	201
Nat	Recessed	208
Natron	Surface	167
Nautica	Post	112
Nautica	Surface	158
Nautica	Suspended	133
Naya	Floor	86
Negus	Surface	167
Noboru	Floor	88
Noray	Surface	160
Oki	Projector	121
Oko	Projector	121
Olan	Surface	183
Olot	Ceiling	136
Onze	Floor	71
Orwell	Surface	151
Oval	Surface	175
Pals	Surface	144
Path	Surface	194
Piccola	Spike	124
Pill	Surface	190
Pivot	Surface	162
Plaza	Post	106
Plim	Floor	68
Plim	Surface	150
Plom	Projector	121
Plom	Spike	126
Pol	Surface	166
Pomo	Surface	162
Proa	Surface	186
Project	Projector	120
Quart	Surface	175
Racing	Recessed	205
Rush	Post	94
Saigon	Floor	30

Saigon	Portable	32
Saigon	Spike	34
Saigon	Suspended	36
Salt	Recessed	220
Saura	Floor	90
Screen	Post	98
Scuba	Surface	148
Scuba	Suspended	130
Sedna	Recessed	207
Sete	Floor	78
Seth	Spike	125
Shadow	Floor	80
Shelby	Floor	64
Shelby	Surface	146
Slot	Projector & Spike	116
Sobek	Spike	126
Soleil	Floor	90
Soun	Recessed	206
Spark-1	Recessed	205
Spark-2	Recessed	205
Spy-1	Floor	88
Spy-2	Floor	89
Steps	Surface	186
Sticker	Floor	66
Sticker	Surface	172
Stripe-1	Recessed	203
Stripe-2	Recessed	202
Suma	Surface	191
Sun	Surface	164
Sunset	Surface	183
Surat	Floor	78
Suria	Recessed	218
Tacana	Surface	177
Taima	Surface	185
Takua	Surface	175
Tamashi	Surface	162
Tami	Ceiling	136
Tane	Surface	180
Taro	Recessed	220
Tasa	Ceiling	138
Task	Portable	46
Tecno	Recessed	221
Tejo	Surface	167
Thon	Surface	178
Timon	Surface	160

Tinia	Surface	184
Toc	Portable	42
Toc	Surface	156
Toluca	Surface	177
Tom	Surface	164
Toni	Spike	119
Tono	Spike	127
Toran	Projector	123
Tram	Floor	66
Tram	Post	104
Tram	Surface	146
Tras	Recessed	214
Twist	Floor	64
Twist	Surface	144
Uve	Recessed	201
Versus	Floor	54
Vic	Projector	123
View	Surface	172
Voila	Portable	46
Wally	Surface	159
West	Surface	180
Wilma	Floor	71
Wilma	Suspended	133
Wilma	Surface	156
Wood	Surface	185
Yen	Ceiling	138

