



2021 | 2022

Welcome to Zambelis Family




Zambelis
LIGHTS

Visualize



Design



Create



Bespoke Production












Quality control




weLoveourWork

Info On B2B Customer login

Connect with our B2B customer login on our website to access all the information you need

-  B2B Online Order / Open orders
-  Product availability & arrival dates
-  Big Range of Products
-  Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  CE certificates



wemake
iteasy
Virtual Light App



4 steps to choose the right Lamp



Download the
Virtual Light App
 



Choose from the
categories the
lamp you like



See it through
your mobile camera



Enjoy your
new Home Life!

Page 030 Indoor



030-201, 296, 346-385 Decorate Lights	298-301 Clay Collection	344-345 Marble Collection
202-207 Wall Lights	302-317 Concrete Collection	386-419 Floor-Table Lights
208-265 Glass-Crystal Collection	318-345 Oxidations	
266-292 Bamboo-Rattan-Wood Collection		

Page 416 Fans

420-446
Ceiling



Page 450 Hotel



450-476 Wall Lights
478-489 Lights with Shade
490-495 Spot Lights
496-503 Bathroom Lights

Page 500 Architectural




































































































































506-523 48V Magnetic System	554-555 3 Phase Track System	598-603 Gypsum Lights
524-529 48V Soft Track System	556-563 Track Spot Lights	604-623 Profiles
530-535 24V Lighting System	564-597 Spot Lights	Led Strips
536-553 Customized Lighting		Coins
		Drivers

Page 621 Outdoor










624-629 Portable Lights	634, 668 Adaptable Lights	716-719 Lanterns
630-632 Concrete Lights	636-667, 676-699 Wall-Floor Lights	720-723 Inground Lights
	670-674 Spike Lights	724 Wall Washers
	700-711 Step Lights	
	712-715 Ceiling Lights	

Pendant Lighting									
									
20331	20130	20128	2070	2071	2072	2073	20121	20122	20119
032	034	036	038	038	040	040	042	042	044
									
20120	20142	20143	20184	20161	20181	19112	20160	20131	20132
044	047	047	048	054	056	058	059	060	060
									
2001	2002	20254	20255	2035	2033	2034	18151	1900	1909EXP
070	072	076	076	080	080	080	084	086	086
									
1901	1902	1903	1947	1948	19236	20260	20261	2010	2011
088	088	088	090	090	092	094	094	100	100
									
2014	2015	2044	2045	2046	2047	2005	2009	19261	19254
102	102	106	106	106	106	110	112	114	114
									
180031-D	1956-D	2018	2019	2016	2017	180032	180030-D	180055	1954
116	117	118	118	120	120	122	122	124	126
									
1953	18149	18150	1612	1616	Z 63054-A	Z 63054-B	17003	1618	17001
127	128	130	130	130	132	132	134	135	136

Pendant Lighting									
									
17002	19203	1977	1975	1976	17010	17009	1911	1912	1913
136	138	139	140	140	142	142	144	144	144
									
1920	1921	1929	1930	19150	18139-B	18139-W	18138-B	1933	1931
146	146	146	146	150	152	152	153	154	155
									
1932	1964	20269	20268	20267	20266	20124	20125	19101	19100
155	176	208	210	210	210	212	212	214	214
									
19102	19176	19177	20351	18143	18142-BR	19207	17101	1998	1997
214	216	216	217	218	218	220	221	224	224
									
1969	2037	20126	20127	1980	1981	1982	19243	1965	1966
226	228	230	230	232	232	232	232	234	234
									
1970	1967	1968	1971	18121	14101	14102	19120	19121	19122
235	236	236	237	238	240	240	241	241	241
									
19175	19125	19242	1987	1985	1986	19240	19241	17053	17055
242	242	242	244	244	244	246	246	248	248






Pendant Lighting











									
17151	17150	17039	17040	17038	Z63132P	1515	1517	1516	18132-BR
250	251	252	252	252	255	256	256	256	259











									
1697	1696	14108-B	14108-R	16106	20239	20155	20153	20152	20154
260	260	264	264	265	266	268	269	270	270

									
19103	19108	20353	19106	19104	20233	20230	20236	20237	20241
272	272	274	276	276	280	281	282	282	284

									
20242	20234	20354	18181	17132	17129	17059	1652	20357	20358
285	286	288	290	290	291	294	294	296	296

									
1664	1665	1663	17065	1655	1653	18110	18112	1580	1582
298	298	298	300	302	302	304	304	306	306

									
1581	1658	1662	1660	1659	1657	180024	19210-OS	19211-CB	17210
306	308	264	310	311	312	312	318	318	320

									
17211-CB	16121	18144	19213	17109	18130	16119	16122	16123	16124
320	322	323	324	324	327	332	334	334	335

Pendant Lighting

									
20360	16129	16132	17157	17158	18164	18165	18166	17072	17154
336	337	337	344	344	345	345	345	346	346

























































									
180065	180066	180067	18192	18191	180050	180052	180053	180051	180080
348	348	348	350	350	352	352	352	353	354
























































									
180075	180076	1511-BL	1512-LG	1513-B	1993-W	1994-B	1991	180085	180090
355	355	356	356	356	358	358	358	360	360

									
180088	180100	1644	19245	1642	1679	1681	1678	1545	1637
360	362	362	364	364	366	366	366	369	370

									
1638	1683	1684	1505	20361	1548	1454	16118	1676	1464
370	372	372	373	373	374	374	374	376	378

									
1495									
380									









Ceiling Lighting									
									
20162	20169	20170	20173	20174	20336	20337	1906	1907	180054
054	066	066	068	068	082	082	089	089	124
									
1952	1617	1950	1951	20159	2078	2079	2080	2020	2021
126	148	157	157	158	160	160	160	162	162
									
2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
162	164	164	164	164	164	164	166	166	166
									
2064	2065	2074	2075	2040	2041	2042	2043	Z62130L-B	Z62130L-W
167	167	168	168	172	172	172	172	174	174
									
1963	1957	1961	17018	18148-B	19109	17068	17106	17108	19230
176	178	178	180	180	272	300	328	330	330
									
1546	19219	1566-B	1566-W	1569-B	1569-W				
368	382	384	384	384	384				

Wall Lighting									
									
20114	20115	20116	20117	20133	20167	20168	2003	20137	20136
050	050	051	051	062	064	064	074	078	078
									
20138	20338	20339	19201	19255	1935	1936	1945	1946	1910
078	082	082	092	114	156	156	184	185	186
									
19117	20141	20340	1923	1922	18153-S	18153-B	1941	1942	1943
186	188	188	189	189	190	190	192	192	192
									
1944	20343-L	20344-L	20346-L	20347-L	20348-L	17023-W	17024-W	20349	20350
192	194	194	196	196	196	199	199	200	200
									
1668	1669	18168	18169	18170	16155	16158	19208	19216	1995
202	202	204	204	204	206	206	220	220	222
									
1996	18123	Z60132	20352	20240	19250	19252	20355	17137	20356
222	238	254	262	266	278	278	288	292	293
									
17067	1585	1661	18162	18161	180022	180023	180021	180020	
300	308	310	314	314	316	316	316	316	

Wall Lighting

									
19215	17093	17107	16120	1484	16153	18136	17104	17105	18134-B
326	326	328	332	338	338	339	339	339	340

									
19217	18135	16161	1590	18127	1677	1465	19231	19218	20218
340	341	342	343	362	376	378	381	382	414











							
20219	20145	20149	20151	20148	180042	180043	180041
414	496	498	499	500	501	502	503

Floor Lighting


									
20123	20182	20135	2038	20147	20113	20111	20109	18179	20362
052	056	062	228	386	388	389	390	393	393

					
20213	1597	16179	1488	16180	20216
396	398	399	400	401	402











Table Lighting











									
20118	20134	2004	20270	20238	20231	20235	20232	20112	20110
052	062	074	208	267	280	286	286	388	389

									
20214	20217	20210	20211	20250	20251	20252	20253	20220	20221
396	402	404	404	406	407	408	409	410	410

				
20363	20223	20222	H11-WH	H06-WH
412	413	413	486	488

Fans

									
20256	20259	20257	20258	19136-B	19136	19135	19144	19140	19141
420	422	424	426	428	430	430	432	434	434

									
19142	19143	19139	19133	19132	19130	19131	19134	19137	19138
436	436	438	440	440	442	442	444	446	446

Hotel Lighting








									
H63	H64	H65	H66	H67	H68	H48-B	H48-C	H47	H69
454	455	456	456	456	456	458	458	458	460

									
H70	H54	H44	H41	17009	H35	H32	H33	H34-W	H60
460	462	463	464	465	466	467	467	468	468

									
H58	H46	H56	H30	H51	H62	20355	H57	H59	H25-W
470	470	471	472	473	474	476	478	478	480











									
H24-W	H15-W	H26-W	H26-B	H07-WH	H11-WH	H08-WH	H06-WH	180105	16185
480	482	484	484	486	486	488	488	490	491









									
16186	17141	17140	S107	S106	S105	S104	16192	16191	16189
492	492	492	493	493	493	493	494	494	494











						
20145	20149	20151	20148	180042	180043	180041
496	498	499	500	501	502	503

Architectural Lighting











									
2087	2088	2092	2091	20291	2094	2095	20179	20180	20177
510	510	511	511	511	512	512	513	513	513











									
20178	2081	2083B-1	2083B-C1	2083B-C2	2082B-1	2082B-C1	2082B-C2	2084B-1	2084B-C1
513	514	516	516	516	517	517	517	518	518

									
2084B-C2	2085B-1	2085B-C1	2085B-C2	2096	20103	20105	20104	20293	20322
518	519	519	519	520	520	520	520	520	521

									
20298	20299	20308	20276	20275	20280	20279	20284	20282	20283
521	521	522	526	526	528	528	529	529	529

									
20286	20285	19151	19152	20139	20140	19155	19156	19168	19167
529	529	530	530	530	530	530	530	532	532

									
19172	19169	19158	5158040W	5258040W	5358040W	5458040W	3158040B	3358040B	3458040B
532	532	532	538	540	542	544	546	548	550

									
81124B	19400	19405-L	19406	19403-L	19408	19411	19415	19413	19414
552	554	554	554	554	555	555	555	555	555

Architectural Lighting





									
19307	18304	S059	S054	S057	Z65644 T-W	Z65105 NT-BB	S065	S062	S063
556	557	558	559	559	560	560	561	562	562

									
S037	Ring B	Ring G	S064	Z12107 K-B	Z050106-B	Z050106-BR	Z12105 M-BB	Z12105 M-G	Z050112
563	563	563	563	564	564	564	565	565	565

									
S113	S069	Z63105 MA-BB	S033	S042	S043	180016	180012	180004	180009
566	567	568	569	569	569	570	570	570	570

									
180013	Z10103 BTR-W	Z10103 BTR-B	180015	180017	1928	1928-B	1927	1924	S102
571	571	571	571	571	572	572	574	574	576











									
S086	S094	S075	S097	S087	S072	S079	S078	Z11207 C-W	Z11107 C-W
577	578	579	582	584	584	585	585	586	586

									
S070	S089	S091	20144	Z11105 TR-B	Z10105-D9	Z10105 A-D	Z10105 TR-B	S111	S003
587	588	588	589	590	591	591	591	592	592










									
S046	S006	S060	S061	S011	S035	S022	S009	S020	S014
593	593	594	594	594	595	596	596	597	597

Architectural Lighting











									
S030	S025	S027	S029	S026	S047	S048	S109	S108	20273
598	598	598	598	598	599	599	599	599	600











									
20274	20272	180026	180027	180025	180028	20190	20193	20194	20197
600	601	602	602	603	603	606	606	606	606

									
Z7901 TR	20205	20203	20204	20196	20195	20198	20199	20201	20206
607	607	607	607	608	608	608	609	609	609

									
20325	20325-WG	20325-60D	20325-30D	20202	4052899594937	4062172148801	4052899595057	4055462217431	4062172107242
610	610	611	611	611	612	612	613	613	614

									
LS05	LS06	LS07	LS01	LS12	LS10	LS14	LS08	ACLS4524DA2	Z89104 LT
614	615	615	616	616	617	617	618	618	618

									
4062172177900	4062172177948	4052899545861	4052899545908	4052899605503	4052899605527	4052899605541	4052899605565	4052899557833	4052899557949
619	619	619	619	619	619	620	620	620	620

									
Z89100 VND	4008321189721	Z89404	4052899583603	4062172007559	4052899548190	4062172151252	4052899552906	87500284	LSCW350P
620	621	621	622	622	622	622	622	623	623

Outdoor Lighting

									
E218	E193	E194	E232	E233	E234	E231	E191	E192	E190
626	626	626	628	628	628	629	630	630	630

									
E253	E254	E250	E237	E249	E238	E239	E240	E243	E244
632	632	634	636	032	638	638	638	640	640

									
E245	E271	E268	E265	E266	E267	E263	E227	E168	E202
640	642	642	644	644	644	645	646	647	648






									
E201	E199	E197	E200	E198	E195	E100	E135	E156	E109
648	650	651	652	652	654	655	656	656	657

									
E159	E151	E150	E124	E123	E122	E121	E175	E176	E114
657	657	657	658	658	658	658	660	660	662

									
19168	E261	E262	E112	E111	E115	E127	E128	E148	E147
663	663	663	664	664	665	665	665	666	666

									
E149	E141	E173	E236	E235	E177-A	E177-B	Z67482	E217	E152
666	667	667	668	668	670	670	672	672	674

Outdoor Lighting











									
E153	E259	E260	E255	E256	E264	E222	E224	E225	E120
674	676	676	676	676	678	679	680	680	682

									
E134	E212	E211	E213	E210	E208	E207	E206	E205	E133
682	684	684	686	686	688	688	690	690	692

									
E132	E203	E204	E174	E221	E167	E166	E241-W	E241-G	E242-W
692	694	694	696	697	698	698	700	700	700

									
E242-G	E247-G	E247-W	E246-G	E246-W	E248	E183	E184	E181	E182
700	702	702	702	702	704	706	706	706	706

									
E230	E229	Z67388-C	Z67388-B	E187	E214	E215	E185	E186	E270
708	708	709	709	710	710	710	711	711	712

									
E269	E216	E219	E220	S112	S113	E172	E106	E105	Z69058-A
712	713	714	714	714	714	716	717	718	720

									
Z69058-B	Z69062	Z0800-BA	E178	E180	E179	E189	Z7055A-C	Z7055B-W	Z7055B-RGB
720	721	721	722	722	722	723	724	724	724



24V Lighting System Plug and Play

Explore more on page: 530



48V Magnetic Linear System

Explore more on page: 506



A great variety of units to choose from to compose the suitable luminaire for every space.







48V Soft Track Linear System


Explore more on page: 524








Power	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2880Lm
Cri	90
Dimensions	L: 60cm W: 60cm
Base	L: 25cm W: 5cm H: 8cm
Non Dimmable	☒
Material	Metal - Aluminium - Diffuser
Special Feature	Movable Tube Ø: 2.4cm
Color	Sandy Black / Code 20331
Color	Sandy White / Code 20330



Power	53W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4770Lm
Cri	90
Dimensions	L: 100cm W: 100cm
Base	L: 25cm W: 5cm H: 8cm
Non Dimmable	☒
Material	Metal - Aluminium - Diffuser
Special Feature	Movable Tube Ø: 2.4cm
Color	Sandy Black / Code 20333
Color	Sandy White / Code 20332




Power	80W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	7200Lm
Cri	90
Dimensions	L: 150cm W: 150cm
Base	L: 32cm W: 5cm H: 8cm
Non Dimmable	☒
Material	Metal - Aluminium - Diffuser
Special Feature	Movable Tube Ø: 2.4cm
Color	Sandy Black / Code 20335
Color	Sandy White / Code 20334

Design your Own Lighting


Create the ultimate style by combining the different colors and models available.
Available colors: Black / White

Shopping Guide


- A** Code 20334 - 20335
- B** Code 20333 - 20332
- C** Code 20331 - 20330



A








B





C


Our Suggestion


Become an artist and make your combination
Use your imagination to create your masterpiece with our limitless options.






Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 80+160cm H: 200cm
Base Ø: 16cm H: 3.5cm
Dimmable 
Material Aluminium - Acrylic
Special Feature Step Dimming 10%-40%-100%
Profile 2x3cm
Color White Matt / **Code 20129**





Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 80+160cm H: 200cm
Base Ø: 16cm H: 3.5cm
Dimmable 
Material Aluminium - Acrylic
Special Feature Step Dimming 10%-40%-100%
Profile 2x3cm
Color Black Matt / **Code 20130**




Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 55.5cm L: 122cm H: 205cm
Base Ø: 16cm H: 3.5cm
Dimmable 
Material Aluminium - Acrylic
Special Feature Step Dimming 10%-40%-100%
Profile Ø: 2cm
Color Black / **Code 20128**






Power 49W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3920Lm
Cri 80
Dimensions L: 90cm W: 50cm H: 90cm
Base Ø: 20cm H: 6cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature Profile 42cm , Ø: 2cm
Color Sandy Black - Gold Matt / **Code 2070**
Color Gold Matt / **Code 2071**






Power 68W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5440Lm
Cri 80
Dimensions L: 120cm W: 50cm H: 100cm
Base Ø: 20cm H: 6cm
Dimmable Triac
Material Aluminium - Silicon
Special Feature Profile 42cm , Ø: 2cm
Color Sandy Black - Gold Matt / **Code 2072**
Color Gold Matt / **Code 2073**





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 1.6cm H: 80cm
Base	Ø: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20121
Color	Gold Matt / Code 20122





Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 1.6cm L: 140cm H: 150cm
Base Ø: 5.5cm H: 15cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 135cm Cable Adjustable
Color Black Matt / **Code 20119**
Color Gold Matt / **Code 20120**




Design your Own Lighting

Create the ultimate style by combining the different colors and models available.
Available colors: Black Matt / Gold Matt

Shopping Guide

A Code 20119 - 20120



B Code 20121 - 20122



Our Suggestion

Become an artist and make your combination.
Use your imagination to create your masterpiece
with our limitless options.
Minimal design for luxury lighting


Tip Use gold or black color,
as well as different
elevations for a
grand effect.



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	90
Dimensions	Ø: 1cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / Code 20143
Color	Black Matt / Code 20142




Suggested Trimless Canopy **Code 20144**




Power 22W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1760Lm
Cri 80
Dimensions Ø: 1.6cm H: 119cm H: 300cm
Base Ø: 5.5cm H: 12cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color Black Matt / **Code 20184**







Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 60cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color Black Matt / **Code 20114**
Color Gold Matt / **Code 20115**



Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 1.6cm L: 17cm H: 100cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color Black Matt / **Code 20116**
Color Gold Matt / **Code 20117**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 1.6cm H: 46cm
Base Ø: 12cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20118**




Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 1.6cm H: 150cm
Base Ø: 16cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20123**






Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3200Lm
Cri 80
Dimensions Ø: 56cm H: 12.5cm
Base W: 58.5cm H: 3.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Acrylic Ø: 56cm THK: 1cm
Color Sandy Black / **Code 20162**




Power 70W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5600Lm
Cri 80
Dimensions L: 117cm W: 2cm H: 230cm
Base L: 117cm W: 2cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable,
Acrylic Ø: 56cm THK: 1cm
Acrylic Ø: 42cm THK: 1cm
Color Sandy Black / **Code 20161**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions L: 24cm W: 7.5cm H: 39cm
Base L: 26cm W: 6cm H: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Acrylic THK: 0.6cm
Color Black Matt / **Code 20181**




Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1875Lm
Cri 80
Dimensions L: 51cm W: 29cm H: 105cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 120cm Cable Available
Acrylic THK: 0.6cm
Color Black Matt / **Code 20182**





Indoor Led Lighting



Power	35W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2900Lm
Cri	80
Dimensions	Ø: 15cm W: 117cm H: 165cm
Base	L: 25.5cm W: 5cm H: 5cm
Non Dimmable	⊗
Material	Aluminium - Clear Plexiglass
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 19112




Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4160Lm
Cri	80
Dimensions	L: 99cm W: 32cm H: 21cm
Base	L: 72.5cm W: 21.5cm H: 3.5cm
Non Dimmable	⊗
Material	Aluminium - Iron - Acrylic
Special Feature	200cm Cable Adjustable Profile 1x3cm
Color	Gold Matt / Code 20160



Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1440Lm
Cri 80
Dimensions L: 110cm H: 205cm
Base Ø: 13cm H: 3.2cm
Dimmable ☒
Material Metal - Opal Glass
Special Feature Step Dimming 10%-40%-100%
Glass Ø: 16cm
Glass Ø: 11cm


Color Black Matt / **Code 20131**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions H: 78cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 140cm Cable Adjustable
Glass Ø: 16cm
Glass Ø: 11cm

Color Black Matt / **Code 20132**






Power 7.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
Dimensions L: 13.5cm H: 37cm
Base Ø: 8cm L: 3.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature Glass Ø: 11cm
Color Black Matt / **Code 20133**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
Dimensions H: 42cm
Base Ø: 14cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 100cm Cable Available
Glass Ø: 11cm
Color Black Matt / **Code 20134**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions H: 160cm
Base Ø: 22cm H: 0.5cm
Non Dimmable ☒
Material Metal - Opal Glass
Special Feature 200cm Cable Available
Glass Ø: 16cm
Glass Ø: 11cm
Color Black Matt / **Code 20135**







Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / Code 20167
Color	Grey / Code 20168






Power 5.6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 13cm H: 16.5cm
Base Ø: 6.5cm H: 5.5cm
Non Dimmable 
Material Metal - Acrylic
Color White Matt / **Code 20169**
Color Grey / **Code 20170**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 19cm H: 22.5cm
Base Ø: 6.5cm H: 6.5cm
Non Dimmable 
Material Metal - Acrylic
Color White Matt / **Code 20171**
Color Grey / **Code 20172**






Power 5.6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 14cm H: 7.2cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20173**
Color Grey / **Code 20174**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 19cm H: 10.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20175**
Color Grey / **Code 20176**




Indoor Led Lighting




Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 105cm W: 12.5cm H: 200cm
Base	L: 105cm W: 12.5cm H: 4.6cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2001






Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2002






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm L: 15cm H: 42cm
Base Ø: 12cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Ball Ø: 12.5cm
Color Black Matt - Gold Matt / **Code 2003**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 12.5cm H: 42cm
Base Ø: 15cm H: 0.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Opal Ball Ø: 12.5cm
Color Black Matt - Gold Matt / **Code 2004**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 16.5cm W: 25cm H: 42.5
Base Ø: 10cm
Non Dimmable ☒
Material Metal - Aluminium - Opal Glass
Special Feature 180cm Cable Adjustable
Color Black Matt / **Code 20254**
Color Gold Matt / **Code 20255**




Suggested Trimless Canopy **Code 20144**






Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 13.5cm W: 16.5cm H: 25cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20137**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 23.5cm W: 25cm H: 33cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Opal Glass
Color White / **Code 20136**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions L: 11cm W: 19cm H: 20cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Material Metal - Glass
Color Smoked Grey / **Code 20138**




Indoor Led Lighting




Power 28W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2240Lm
Cri 80
Dimensions L: 110cm H: 102cm
Base L: 24cm W: 6cm H: 3.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Spot Ø: 7.5cm H: 8cm
Spot Ø: 9.5cm H: 4cm
Color Sandy Black - Gold Matt / **Code 2035**



Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions L: 47.5cm H: 102cm
Base Ø: 12.5cm H: 3.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Spot Ø: 7.5cm H: 8cm
Color Sandy Black - Gold Matt / **Code 2033**
Gold Matt / **Code 2034**






Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2520Lm
Cri	90
Dimensions	Ø: 95cm H: 70cm
Base	Ø: 15cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic - Brass
Special Feature	Movable Profile Ø: 2.4cm
Color	Sandy Black - Brushed Brass / Code 20336
Color	Sandy Black / Code 20337



Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	900Lm
Cri	90
Dimensions	L: 10.5cm W: 25cm H: 80cm
Base	L: 8cm W: 25cm H: 5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic - Brass
Special Feature	Profile Ø: 2.4cm
Color	Sandy Black - Brushed Brass / Code 20338
Color	Sandy Black / Code 20339






Indoor Led Lighting





Power	6x7W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	4620Lm
Cri	80
Dimensions	Ø: 7cm H: 10cm
Base	Ø: 14cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	Average Height 120cm
Color	Black Matt - Gold / Code 18151







Power 4x4.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1980Lm
Cri 80
Dimensions Ø: 70cm H: 170cm
Base Ø: 20cm H: 6cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 38°
Special Feature 170cm Cable Adjustable
Color Sandy Black / **Code 1900** 



Power 5x4.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2200Lm
Cri 80
Dimensions L: 105cm W: 4cm H: 150cm
Base L: 105cm W: 4cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 38°
Special Feature 150cm Cable Adjustable
Color Sandy Black / **Code 1909EXP** 








Power 4.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 495Lm
Cri 80
Dimensions Ø: 4.8cm H: 4.8cm
Base Ø: 8cm H: 3cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 38°
Special Feature 200cm Cable Adjustable
Color Sandy Black / **Code 1902**
Color Sandy White / **Code 1901**
Color Copper - Sandy Black / **Code 1903**




Suggested Trimless Canopy **Code 20144**



Power 4.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 495Lm
Cri 80
Dimensions Ø: 4.8cm H: 8cm
Cutting Hole Ø: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 38°
Special Feature Movable
Color Sandy Black / **Code 1907**
Color Sandy White / **Code 1906**




Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions Ø: 102cm H: 200cm
Base Ø: 22cm H: 4.1cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 1x3cm
Color Black Matt / **Code 1947**




Power 85W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 8500Lm
Cri 80
Dimensions L: 163cm W: 44.5cm H: 200cm
Base L: 56cm W: 5cm H: 4cm
Dimmable Triac 
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1948**



Indoor Led Lighting





Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 110cm W: 50cm H: 80cm
Tube Ø: 2.4cm
Base L: 50cm W: 5cm H: 8cm
Non Dimmable ☒
Material Metal - Aluminium - Diffuser
Special Feature Movable Tube
Profile Ø: 2.4cm
200cm Cable Adjustable
Color Sandy Black / **Code 19236**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
Dimensions L: 10cm H: 60cm
Tube Ø: 2.4cm
Non Dimmable ☒
Material Metal - Aluminium - Diffuser
Special Feature Movable Tube
Profile Ø: 2.4cm
Requiers Remote Driver (Included)
Color Sandy Black / **Code 19201**






Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3360Lm
Cri 80
Dimensions Ø: 60cm H: 200cm
Base Ø: 18cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 20260**
Color White Matt / **Code 20261**



Power 55W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4400Lm
Cri 80
Dimensions Ø: 80cm H: 200cm
Base Ø: 25cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 20262**
Color White Matt / **Code 20263**



Power 84W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6720Lm
Cri 80
Dimensions Ø: 120cm H: 200cm
Base Ø: 28cm H: 5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 20264**
Color White Matt / **Code 20265**






Design your Own Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Black Matt / White Matt


Shopping Guide

- A** Code 20264 - 20265
- B** Code 20262 - 20263
- C** Code 20260 - 20261



Our Suggestion



Become an artist and make your combination.
Use your imagination to create your masterpiece with our limitless options.



Indoor Led Lighting


Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2400Lm
Cri 80
Dimensions Ø: 60cm H: 5cm
Base Ø: 7cm H: 20cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Profile 5x1.5cm

Color Brushed Gold Matt / **Code 2010**
Color Brushed Coffee / **Code 2011**



Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3200Lm
Cri 80
Dimensions Ø: 80cm H: 5cm
Base Ø: 7cm H: 20cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Profile 5x1.5cm


Color Brushed Gold Matt / **Code 2012**
Color Brushed Coffee / **Code 2013**





Power 30W / 40W / 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 9600Lm
Cri 80
Dimensions Ø: 60cm / Ø: 80cm / Ø: 100cm H: 5cm
Base Ø: 29cm H: 4.5cm
Dimmable Triac 
Material Aluminium - Silicon
Special Feature 200cm Cable Adjustable
Profile 5x1.5cm


Color Brushed Gold Matt / **Code 2014**
Color Brushed Coffee / **Code 2015**






Indoor Led Lighting


Power	30W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2400Lm
Cri	80
Dimensions	Ø: 40cm H: 5.5cm
Base	Ø: 16cm H: 3.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 2044
Color	Sandy White / Code 2045
Color	Brushed Gold Matt / Code 2046
Color	Brushed Coffee / Code 2047



Power	50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4000Lm
Cri	80
Dimensions	Ø: 60cm H: 5.5cm
Base	Ø: 18cm H: 3.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 2052
Color	Sandy White / Code 2053
Color	Brushed Gold Matt / Code 2054
Color	Brushed Coffee / Code 2055



Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	Ø: 80cm H: 5.5cm
Base	Ø: 18cm H: 3.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 2060
Color	Sandy White / Code 2061
Color	Brushed Gold Matt / Code 2062
Color	Brushed Coffee / Code 2063



Model Finishing

Brushed Gold Matt



Brushed Coffee



Sandy White




Sandy Black






Indoor Led Lighting




Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2000Lm
Cri 80
Dimensions Ø: 40cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm

Color Brushed Gold Matt / **Code 2005**




Power 36W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2880Lm
Cri 80
Dimensions Ø: 60cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm

Color Brushed Gold Matt / **Code 2006**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 80cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm


Color Brushed Gold Matt / **Code 2007**



Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions Ø: 110cm H: 4cm
Base Ø: 7cm H: 20cm
Dimmable Triac ☒
Material Aluminium - Acrylic
Special Feature 210cm Cable Adjustable
Profile 4x2cm



Color Brushed Gold Matt / **Code 2008**






Power	25W / 37W / 50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	8960Lm
Cri	80
Dimensions	Ø: 40cm / Ø: 60cm / Ø: 80cm H: 4cm
Base	Ø: 29cm H: 4.5cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable Profile 4x2cm
Color	Brushed Gold Matt / Code 2009






Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 80cm H: 35cm
Base Ø: 17cm H: 5cm
Non Dimmable ☒
Material Metal - Silicon
Special Feature 360° Lighting Tube Ø: 2.4cm
190cm Cable Adjustable
Color Gold Matt / **Code 19261**




Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions L: 120cm H: 40cm
Base Ø: 17cm H: 5cm
Non Dimmable ☒
Material Metal - Silicon
Special Feature 360° Lighting Tube Ø: 2.4cm
220cm Cable Adjustable
Color Gold Matt / **Code 19254**




Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2400Lm
Cri 80
Dimensions L: 35cm H: 70cm
Base Ø: 15cm L: 11.5cm
Non Dimmable ☒
Material Metal - Silicon
Special Feature 360° Lighting Tube Ø: 2.4cm
Color Gold Matt / **Code 19255**






Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 9450Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
Color Copper / **Code 180031**

Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 9450Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
Color Copper / **Code 180031-D**




Power 136W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 10.880Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
Base Ø: 25cm H: 5cm
Non Dimmable ☒
Material Metal - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 1956**

Power 136W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 10.880Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
Base Ø: 25cm H: 5cm
Dimmable Triac ☐
Material Metal - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 1956-D**




Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm H: 2cm
Base Ø: 18cm H: 3.5cm
Non Dimmable ☒
Material Aluminium - Silicon
Special Feature 155cm Cable Adjustable
Profile 2x1.5cm
Color Sandy Black / **Code 2018**
Color Sandy White / **Code 2019**






Power	36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2880Lm
Cri	80
Dimensions	Ø: 80cm H: 2cm
Base	Ø: 16cm H: 3cm
Non Dimmable	☒
Material	Aluminium - Silicon
Special Feature	155cm Cable Adjustable Profile 2x1.5cm
Color	Sandy Black / Code 2016
Color	Sandy White / Code 2017






Power 75W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5250Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm H: 2.4cm
Base Ø: 25cm H: 6.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Profile 2.4x1.5cm
Color White Matt / **Code 180032**




Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 9450Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Profile 2.4x1.5cm
Color White Matt / **Code 180030**

Power 135W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 9450Lm
Cri 80
Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
Base Ø: 24cm H: 5cm
Dimmable Triac ☉
Material Aluminium - Acrylic
Special Feature 150cm Cable Adjustable
Profile 2.4x1.5cm
Color White Matt / **Code 180030-D**







Power 52W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4950Lm
Cri 80
Dimensions Ø: 60cm / Ø: 33cm H: 15cm
Base Ø: 18cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Silicon
Special Feature 120cm Cable Adjustable
Color White Matt / **Code 180055**




Power 46W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4140Lm
Cri 80
Dimensions Ø: 46cm H: 11cm
Base Ø: 18cm H: 4.5cm
Non Dimmable ☒
Material Aluminium - Silicon
Color White Matt / **Code 180054**







Power 75W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4875Lm
Cri 80
Dimensions L: 138cm H: 30cm
Base Ø: 21cm H: 5cm
Non Dimmable ☒
Material Metal - PC Diffuser
Special Feature 150cm Cable Adjustable
Tube Ø: 2cm

Color Opal - Chrome / **Code 1954**




Power 84W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5460Lm
Cri 80
Dimensions Ø: 40cm H: 95cm
Base Ø: 23cm H: 5cm
Non Dimmable ☒
Material Metal - PC Diffuser
Special Feature Tube Ø: 2cm

Color Opal - Chrome / **Code 1952**




Power 90W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5850Lm
Cri 80
Dimensions L: 80cm W: 40cm
Base Ø: 21cm H: 5cm
Non Dimmable ☒
Material Metal - PC Diffuser
Special Feature 160cm Cable Adjustable
Tube Ø: 2cm

Color Opal - Chrome / **Code 1953**




Power	64W
Input	220-240V, 50/60Hz
Color Temperature	3200K
Lumen	5120Lm
Cri	80
Dimensions	L: 105cm W: 80cm
Base	Ø: 20cm H: 4cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Circle Ø: 15cm
Color	Black Matt / Code 18149





Power 4x24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7680Lm
Cri 80
Dimensions Ø: 45cm
Base L: 120cm W: 6.5cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 60cm Cable Adjustable
Optional Dimming DALI
Color Black Matt / **Code 18150**




Power 24W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1920Lm
Cri 80
Dimensions Ø: 45cm
Base L: 20cm W: 6cm H: 5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature 60cm Cable Adjustable
Optional Dimming DALI
Color Black Matt / **Code 1612**




Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions Ø: 45cm / Ø: 60cm
Base Ø: 24cm H: 4cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Special Feature 110cm Cable Adjustable
Profile 2x3.5cm
Color Black Matt / **Code 1616**






Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1000Lm
Cri	80
Dimensions	Ø: 62cm H: 120cm
Base	Ø: 19cm H: 4cm
Not Dimmable	☒
Material	Aluminium - Steel / Crystal Diffuser
Special Feature	120cm Cable Adjustable
Color	Black / Code Z63054-A




Power	40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2000Lm
Cri	80
Dimensions	Ø: 70cm H: 150cm
Base	Ø: 19cm H: 4cm
Not Dimmable	☒
Material	Aluminium - Steel / Crystal Diffuser
Special Feature	150cm Cable Adjustable
Color	Black / Code Z63054-B




Indoor Led Lighting



Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3360Lm
Cri 80
Dimensions L: 80cm W: 51cm H: 2.4cm
Base Ø: 18cm H: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Special Feature 110cm Cable Adjustable Profile 1.5x2.4cm
Color Black Matt / **Code 17003**




Power 56W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4480Lm
Cri 80
Dimensions Ø: 65cm H: 8cm
Base Ø: 18cm H: 4.5cm
Non Dimmable ☒
Material Metal - Acrylic
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1618**




Power 90W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7200Lm
Cri 80
Dimensions Ø: 55cm H: 14cm
Base Ø: 17cm H: 6.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 140cm Cable Adjustable
Color White Matt / **Code 17001**
Color Brown - Wood / **Code 17002**






Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1620Lm
Cri 90
Dimensions L: 120cm W: 35cm H: 25cm
Base L: 28cm W: 5cm H: 7.8cm
Non Dimmable ☒
Material Metal - Aluminium - Diffuser
Special Feature 200cm Cable Adjustable
Profile Ø: 2.4cm
Color Sandy Black - Old Steel / **Code 19203**




Power 43W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2360Lm
Cri 80
Dimensions Ø: 60cm H: 9.5cm
Base Ø: 18cm H: 6cm
Dimmable Triac ☒
Material Metal - Aluminium
Special Feature 200cm Cable Adjustable
Color White Matt / **Code 1977**



Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 80
Dimensions L: 76cm W: 40cm H: 17cm
Base Ø: 10cm H: 2.5cm
Non Dimmable ☒
Material Metal - Diffuser
Special Feature 200cm Cable Adjustable
Optional Dimming PhaseCut


Color White Matt / **Code 1976**
Color Black Matt / **Code 1975**






Suggested Trimless Canopy **Code 20144**






- | | |
|-------------------|---|
| Power | 6W |
| Input | 220-240V, 50/60Hz |
| Color Temperature | 3000K |
| Lumen | 660Lm |
| Cri | 80 |
| Dimensions | Ø: 12cm H: 7.5cm |
| Base | Ø: 8cm H: 3cm |
| Non Dimmable | <input checked="" type="checkbox"/> |
| Material | Metal - Aluminium |
| Beam Angle | 18° |
| Special Feature | 200cm Cable Adjustable
Stick Ø: 2.7cm H: 6cm |
| Color | Black Matt - White / Code 1911 |
| Color | Coffee Matt - White - Black Base / Code 1912 |
| Color | White Matt / Code 1913 |





Power 4.2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 462Lm
Cri 80
Dimensions L: 15.8cm H: 57.5cm
Base Ø: 8cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium
Beam Angle 38°
Special Feature Standard Length
Stick Ø: 2.5cm H: 15.8cm


Color Sandy Black / **Code 1921**
Color Sandy White / **Code 1920**



Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 770Lm
Cri 80
Dimensions L: 6.5cm W: 4.5cm H: 118.5cm
Base Ø: 8cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Standard Length
Cube L: 6.5cm H: 4.5cm


Color Sandy Black / **Code 1929**
Color Sandy White / **Code 1930**







Power 2x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
Dimensions Ø: 5cm H: 80-107cm L: 24cm
Base Ø: 8cm H: 2.5cm
Non Dimmable ☒
Material Metal
Beam Angle 45°
Color Black Matt / **Code 1617**







Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
Dimensions Ø: 25cm H: 7cm
Base Ø: 15cm H: 4.5cm
Non Dimmable ☒
Material Metal - Wood
Special Feature 200cm Cable Adjustable
Color Nature Wood - Black Matt / **Code 19150**









Power 96W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7680Lm
Cri 80
Dimensions L: 80cm W: 60cm H: 122cm
Base Ø: 20cm H: 4cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Gold Matt / **Code 1933**




Power 80W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6400Lm
Cri 80
Dimensions L: 60cm W: 40cm H: 110cm
Base Ø: 18cm H: 3.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Gold Matt / **Code 1931**
Sandy Black / **Code 1932**



Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1440Lm
Cri 80
Dimensions L: 17.5cm W: 7.5cm H: 60cm
Base W: 7.5cm H: 20cm
Dimmable Triac ☒
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 1936**
Color Gold Matt / **Code 1935**






Power 80W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6400Lm
Cri 80
Dimensions Ø: 60cm H: 71cm
Dimmable Triac ☐
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 1951**
Color Sandy White / **Code 1950**




Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 103cm W: 60cm H: 22cm
Base	L: 6cm W: 6cm H: 22cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Silicon
Special Feature	Profile Ø: 1.5cm
Color	Grey / Code 20159





Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 93cm W: 31cm H: 53.5cm
Base	L: 28cm W: 5cm H: 9.2cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.5cm
Color	Sandy Black / Code 2079
Color	Sandy White / Code 2078
Color	Gold Matt / Code 2080








Power	55W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2020
Color	Sandy White / Code 2021
Color	Gold Matt / Code 2022



Indoor Led Lighting





Power 42W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3360Lm
Cri 80
Dimensions L: 56cm W: 56cm H: 8.5cm
Base L: 14cm W: 14cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2023**
Color Sandy White / **Code 2024**
Color Gold Matt / **Code 2025**




Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2000Lm
Cri 80
Dimensions L: 46cm W: 46cm H: 6.5cm
Base L: 14cm W: 14cm H: 6.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2026**
Color Sandy White / **Code 2027**
Color Gold Matt / **Code 2028**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions L: 32cm W: 32cm H: 5.5cm
Base L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac ☐
Material Aluminium - Acrylic
Special Feature Profile 2x1.7cm
Color Sandy Black / **Code 2029**
Color Sandy White / **Code 2030**
Color Gold Matt / **Code 2031**




Power 38W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3040Lm
Cri 80
Dimensions L: 51cm W: 41cm H: 12cm
Base L: 21cm W: 5cm H: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2064**
Color Sandy White / **Code 2065**





Power 25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2000Lm
Cri 80
Dimensions Ø: 42.5cm H: 6cm
Base L: 35cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2074**
Color Sandy White / **Code 2075**





Power 31W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2480Lm
Cri 80
Dimensions Ø: 52.5cm H: 6cm
Base L: 43cm W: 5cm H: 4cm
Non Dimmable ☒
Material Metal - Aluminium - Silicon
Color Sandy Black / **Code 2076**
Color Sandy White / **Code 2077**






Indoor Led Lighting

Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2400Lm
Cri 80
Dimensions Ø: 40cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2040**
Color Sandy White / **Code 2041**
Color Brushed Gold Matt / **Code 2042**
Color Brushed Coffee / **Code 2043**



Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 60cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2048**
Color Sandy White / **Code 2049**
Color Brushed Gold Matt / **Code 2050**
Color Brushed Coffee / **Code 2051**



Power 60W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4800Lm
Cri 80
Dimensions Ø: 80cm H: 8.5cm
Dimmable Triac 
Material Aluminium - Acrylic
Color Sandy Black / **Code 2056**
Color Sandy White / **Code 2057**
Color Brushed Gold Matt / **Code 2058**
Color Brushed Coffee / **Code 2059**



Model Finishing

Brushed Gold Matt



Brushed Coffee




Sandy White




Sandy Black






Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1800Lm
Cri 80
Dimensions Ø: 37.5cm H: 5.7cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color White / **Code Z62130L-W**
Color Black / **Code Z62130L-B**




Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2880Lm
Cri 80
Dimensions Ø: 58cm H: 5.7cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color White / **Code Z62148L-W**
Color Black / **Code Z62148L-B**



Indoor Led Lighting




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 60cm H: 12.5cm
Base Ø: 6cm H: 16cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Color Brushed Copper / **Code 1964**




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4000Lm
Cri 80
Dimensions Ø: 60cm H: 12.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Color Brushed Copper / **Code 1963**





Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1800Lm
Cri	80
Dimensions	Ø: 40cm H: 8.5cm
Non Dimmable	☒
Material	Metal - Acrylic
Special Feature	Optional Dimming PhaseCut
Color	Black - Copper / Code 1957
Color	Black - Golden Leaf / Code 1961



Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2520Lm
Cri	80
Dimensions	Ø: 50cm H: 10cm
Non Dimmable	☒
Material	Metal - Acrylic
Color	Black - Copper / Code 1959
Color	Black - Golden Leaf / Code 1962

Model Finishing




Black - Golden Leaf




Black - Copper






Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2400Lm
Cri 80
Dimensions L: 50cm W: 46cm H: 10.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 17018**




Power 72W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 10.080Lm
Cri 80
Dimensions L: 63cm W: 63cm H: 8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Optional Dimming DALI
Color Sandy White / **Code 18148-W** 
Color Sandy Black / **Code 18148-B** 






Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions L: 10cm W: 48cm H: 55cm
Base W: 5.5cm H: 15.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x3cm
Color Black Matt / **Code 1945**




Power 36W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2880Lm
Cri 80
Dimensions L: 10cm W: 68cm H: 78cm
Base W: 5.5cm H: 18.5cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature Profile 1x3cm
Color Black Matt / **Code 1946**

Indoor Led Lighting




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1300Lm
Cri	80
Dimensions	Ø: 35cm H: 38cm L: 11.7cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	Optional Dimming PhaseCut
Color	Sandy Black - White Matt / Code 1910




Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 6.3cm W: 30cm H: 122.5cm
Base	L: 5cm W: 30cm H: 4cm
Non Dimmable	☒
Material	Aluminium - Diffuser
Special Feature	Optional Dimming PhaseCut
Color	Sandy Black / Code 1917






Slim 1.5 I


Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 694Lm
Cri 80
IP IP44
Dimensions L: 10cm W: 46cm H: 1.5cm
Non Dimmable ☒
Material Aluminium
Color White / **Code 20141**




Power 13W
Input 220V, 50/60Hz
Color Temperature 3000K
Lumen 1105Lm
Cri 80
Dimensions L: 5.5cm W: 30cm H: 7.5cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature Profile 3.4x8.5cm
Color Sandy Black / **Code 20340**





Power 2x3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 660Lm
Cri 80
Dimensions L: 2.7cm W: 5.5cm H: 13.5cm
Non Dimmable ☒
Material Aluminium - Diffuser
Color Sandy White - Black / **Code 1923**



Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 330Lm
Cri 80
Dimensions L: 2.7cm W: 8.5cm H: 13.5cm
Non Dimmable ☒
Material Aluminium - Diffuser
Color Sandy White - Black / **Code 1922**




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 6cm W: 23cm H: 30cm
Material Metal - Marble
Color White Marble / **Code 18153-S** 




Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 20cm H: 36cm
Material Metal - Marble
Color White Marble / **Code 18153-B** 







Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 20cm W: 6cm
Non Dimmable ☒
Material Metal - Mosaic - Acrylic
Color Grey / **Code 1942**
Color Pink / **Code 1943**
Color White / **Code 1941**
Color Blue / **Code 1944**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 15cm W: 6cm
Non Dimmable ☒
Material Metal - Mosaic - Acrylic
Color Grey / **Code 1938**
Color Pink / **Code 1939**
Color White / **Code 1937**
Color Blue / **Code 1940**

Model Finishing





Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 14cm H: 13cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Grey / **Code 20343-L**
Color Black Matt / **Code 20344-L**




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 10cm H: 9cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Grey / **Code 20343-S**
Color Black Matt / **Code 20344-S**


Model Finishing

Grey




Black Matt





Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 25cm H: 22cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Grey / **Code 20347-L**
Color Black Matt / **Code 20348-L**
Color Yellow / **Code 20346-L**



Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 10.5cm W: 16cm H: 14.5cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Grey / **Code 20347-S**
Color Black Matt / **Code 20348-S**
Color Yellow / **Code 20346-S**

Model Finishing

Grey

Black Matt

Yellow




Design your Own Wall Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Green / Blue / White


Shopping Guide

A Code 17024

B Code 17023





A






B

Our Suggestion


Become the designer of your home and make your combination.
Use your imagination to create your masterpiece with our limitless options. Light-
ing Art for your Wall.



Choose between three colors and
two shapes.



4



21

Bulb
Power
Input
Dimensions
Material


Color
Color
Color

2xG9 Led
MAX 7W
220-240V, 50/60Hz
L: 4cm W: 21cm
Metal - Acrylic

White Matt / **Code 17023-W**
Blue Matt / **Code 17023-BL**
Green Matt / **Code 17023-G**



5




27


Bulb
Power
Input
Dimensions
Material

Color
Color
Color


2xG9 Led
MAX 7W
220-240V, 50/60Hz
L: 5cm W: 27cm
Metal - Acrylic

White Matt / **Code 17024-W**
Blue Matt / **Code 17024-BL**
Green Matt / **Code 17024-G**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 18cm L: 6cm
Non Dimmable 
Material Metal - Brass - Acrylic
Color Brushed Brass / **Code 20349** 




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 24cm L: 6cm
Non Dimmable 
Material Metal - Brass - Acrylic
Color Brushed Brass / **Code 20350** 






Bulb
Power
Input
Dimensions
Material
Color


2xG9 Led
MAX 7W
220-240V, 50/60Hz
Ø: 21.5cm L: 5cm
Metal - Leather
Brown / **Code 1669** 



Bulb
Power
Input
Dimensions
Material
Color

2xG9 Led
MAX 7W
220-240V, 50/60Hz
Ø: 26.5cm L: 5cm
Metal - Leather
Brown / **Code 1668** 





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Dimensions	Ø: 16cm L: 11cm H: 20cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Marble
Color	White Marble - Sandy Black / Code 18168
Color	White Marble - Copper Rusty / Code 18170
Color	White Marble - Sandy White / Code 18169

Model Finishing



White Marble
Black Matt




White Marble
Copper Rusty




White Marble
White Mat






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions L: 9cm W: 9cm H: 30cm
Non Dimmable ☒
Material Metal
Color White Matt / **Code 16155**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 14cm W: 27cm H: 15cm
Material Metal
Color White Matt / **Code 16158**





Bulb 3xE27
Power MAX 20W
Input 220-240V, 50/60Hz
Base Ø: 15cm H: 3cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Opal Glass Ø: 20cm H: 25cm
Glass Ø: 25cm H: 20cm
Glass Ø: 25cm H: 20cm
Color Black Matt / **Code 20269**




Bulb 1xE27
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 36cm
Material Metal - Concrete - Glass
Special Feature 120cm Cable Available
Color Black Matt / **Code 20270**



Bulb 1xE27
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 25cm
Base Ø: 12cm H: 2cm
Material Metal - Opal Glass
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 20268**




Bulb 1xE27
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 20cm
Base Ø: 12cm H: 2cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 20267**




Bulb 1xE27
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 20cm
Base Ø: 12cm H: 2cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 20266**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 25cm
Base Ø: 10cm H: 2.5cm
Material Metal - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 20124**
Color White Matt / **Code 20125**






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions Ø: 20.5cm H: 43cm
Base Ø: 13cm H: 5cm
Dimmable Triac 
Material Aluminium - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 19101**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions Ø: 16cm H: 43.5cm
Base Ø: 13cm H: 5cm
Dimmable Triac 
Material Aluminium - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 19100**




Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1440Lm
Cri 80
Dimensions Ø: 16cm H: 54cm
Base Ø: 13cm H: 5cm
Dimmable Triac 
Material Aluminium - Opal Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt / **Code 19102**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 44cm
Base Ø: 12cm H: 2.5cm
Material Glass - Metal
Special Feature 150cm Cable Adjustable
Color Grey - Antique Brass / **Code 19176**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 35cm
Base Ø: 12cm H: 2.5cm
Material Glass - Metal
Special Feature 150cm Cable Adjustable
Color Grey - Antique Brass / **Code 19177**



Bulb 2xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 18cm H: 95cm
Base Ø: 12cm H: 2.5cm
Material Metal - Brass - Opal Glass
Special Feature Standard Length
Glass Ø: 18cm
Glass Ø: 9cm
Color Black Matt - Brushed Brass / **Code 20351**




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions W: 20cm H: 50cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature 150cm Cable Adjustable
Opal Glass Ø: 12cm
Color Bronze / **Code 18142-BR**




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions W: 11cm H: 23cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature 150cm Cable Adjustable
Opal Glass Ø: 8cm
Color Bronze / **Code 18143**







Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 22cm
Base Ø: 8cm H: 2cm
Material Metal - Brass - Opal Glass
Special Feature 150cm Cable Adjustable
Opal Glass Ø: 12cm
Color Black - Brass / **Code 19207**





Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 22cm L: 25cm
Base Ø: 8cm H: 2cm
Material Metal - Brass - Opal Glass
Special Feature 200cm Cable Adjustable
Opal Glass Ø: 12cm
Color Black Matt - Brass / **Code 19208**




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm L: 12cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Gold Matt / **Code 19216**



Bulb 3xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 110cm H: 60cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature 120cm Cable Adjustable
Opal Glass Ø: 12cm / Ø: 8cm
Color Black Matt / **Code 17101**




Bulb 1xE14 / 1xG9
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 33cm H: 21cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm / Ø: 10cm
Color Gold Matt / **Code 1995**




Bulb 1xE14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 17.5cm W: 23cm H: 20cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 15cm
Color Gold Matt / **Code 1996**






Bulb 5xE14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 115cm W: 15cm H: 34cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature 200cm Cable Adjustable
Opal Glass Ø: 15cm
Color Gold Matt / **Code 1998**



Bulb 2xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 50cm W: 25cm H: 34cm
Base Ø: 8cm H: 3cm
Material Metal - Opal Glass
Special Feature 200cm Cable Adjustable
Opal Glass Ø: 25cm / Ø: 20cm
Color Gold Matt / **Code 1997**







Bulb 1xE27
Power MAX 5W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 100-140cm
Material Net - Opal Glass
Special Feature Glass Ø: 25cm
Color Black / **Code 1969**



Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color


1xE27
MAX 15W
220-240V, 50/60Hz
Ø: 29cm H: 33cm
Ø: 12cm H: 2.5cm
Metal - Acrylic
200cm Cable Adjustable
Black Matt / **Code 2037**




Bulb
Power
Input
Dimensions
Material
Special Feature
Color

1xE27
MAX 15W
220-240V, 50/60Hz
Ø: 29cm W: 64cm H: 170cm
Metal - Acrylic
200cm Cable Available
Black Matt / **Code 2038**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 36cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 42cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Gold Matt - Champagne / **Code 20127**






Bulb 1xE14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Champagne - Chrome / **Code 1982**
Color White - Chrome / **Code 1980**
Color Smoked Grey - Chrome / **Code 1981**



Bulb 4xE14
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 20cm H: 150cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Smoked Grey - Black / **Code 19243**







Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 80
Dimensions Ø: 14cm H: 35cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 150cm Cable Adjustable
Color Gold Matt - Clear Glass / **Code 1966**
Color Black Matt - Smoked Grey / **Code 1965**




Suggested Trimless Canopy **Code 20144**




Power 3x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1350Lm
Cri 80
Dimensions L: 105cm W: 14cm H: 135cm
Base L: 105cm W: 6.5cm H: 2.7cm
Non Dimmable ☒
Material Aluminium - Glass - Acrylic
Special Feature 100cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 1970**






Bulb 1xGU10 Led
Power MAX 5W
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm H: 33.5cm
Base Ø: 10cm H: 3.5cm
Material Metal - Aluminium - Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Smoked Glass / **Code 18121**




Bulb 1xGU10 Led
Power MAX 5W
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm L: 16cm W: 7cm H: 48cm
Base L: 2.5cm W: 7cm H: 48cm
Material Metal - Aluminium - Glass
Color Black Matt - Smoked Glass / **Code 18123**





Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 19cm H: 30cm
Ø: 10cm H: 2.5cm
Glass
150cm Cable Adjustable
Smoked Grey / **Code 14101**



Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 24cm H: 22cm
Ø: 10cm H: 2.5cm
Glass
150cm Cable Adjustable
Smoked Grey / **Code 14102**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color
Color
Color


1xGU10 Led
MAX 9W
220-240V, 50/60Hz
Ø: 12.5cm H: 19cm
Ø: 8cm H: 2.5cm
Metal - Aluminium - Glass
200cm Cable Adjustable
Light Yellow - Sandy Black / **Code 19122**
Light Blue - Sandy Black / **Code 19121**
Light Grey - Sandy Black / **Code 19120**




Suggested Trimless Canopy **Code 20144**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 28cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Ink Blue - Brass - Black Matt / **Code 19175**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 30cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Clear Glass - Brass - Black Matt / **Code 19125**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 20cm H: 150cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Clear Glass - Brass - Black Matt / **Code 19242**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 32cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Chrome - Smoked Grey / **Code 1987**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm H: 42cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Chrome - Smoked Grey / **Code 1985**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 50cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Chrome - Smoked Grey / **Code 1986**






Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm H: 170cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19240**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 170cm
Base Ø: 50cm H: 3cm
Material Metal - Glass
Special Feature 120cm Cable Adjustable
Color Black Matt - Smoked Grey / **Code 19241**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Chrome Glass / **Code 17053**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 31cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Chrome Glass / **Code 17055**




Suggested Trimless Canopy **Code 20144**







Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm H: 120cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Glass
Special Feature 90cm Cable Adjustable
Color Black Matt - Chrome Glass / **Code 17151**




Bulb 5xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Chrome Glass / **Code 17150**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 37cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Clear Glass - Chrome / **Code 17039**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 15cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Clear Glass - Chrome / **Code 17040**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 15cm H: 43cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 200cm Cable Adjustable
Color Clear Glass - Chrome / **Code 17038**







Bulb 2xE14
Power MAX 8W
Input 220-240V, 50/60Hz
Dimensions W: 26cm H: 35cm
Material Aluminium - Crystal Glass
Color Brass / **Code Z60132**




Bulb 8xE14
Power MAX 8W
Input 220-240V, 50/60Hz
Dimensions Ø: 55cm H: 120cm
Material Aluminium - Crystal Glass
Special Feature 80cm Cable Adjustable
Color Brass / **Code Z63132P**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 29cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1515**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 30cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1517**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 23cm
Base Ø: 10cm H: 2cm
Material Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Champagne / **Code 1516**






Bulb	8xG9 Led
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 120cm H: 65-85cm
Base	Ø: 10cm
Material	Metal- Clear Glass
Special Feature	Clear Glass Ø: 12cm
Color	Bronze / Code 18132-BR 




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 70cm H: 80cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Color Black Matt - Transparent Glass / **Code 1697**




Bulb 5xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 112cm W: 95cm H: 80cm
Base Ø: 12cm H: 2.5cm
Material Metal - Glass
Color Black Matt - Transparent Glass / **Code 1696**







Bulb	1xG9 Led
Power	MAX 9W
Input	220-240V, 50/60Hz
Dimensions	Ø: 5cm L: 13cm H: 39cm
Base	Ø: 8cm H: 2cm
Material	Metal - Marble - Glass
Color	Gold Matt / Code 20352 









Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 4.5cm H: 6.5cm
Base	Ø: 6cm H: 4cm
Material	Metal
Special Feature	150cm Cable Adjustable
Color	Black / Code 14108-B 
Color	Red / Code 14108-R 




Suggested Trimless Canopy **Code 20144**




Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 31cm H: 43cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Glass
Special Feature	200cm Cable / Chain Adjustable
Color	Bronze / Code 16106







Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 65cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Black / **Code 20155**



Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Black / **Code 20153**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 45cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20152**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 60cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20154**




Suggested Trimless Canaby **Code 20144**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural Bamboo / **Code 19103**
Color Black / **Code 19108**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 80cm W: 60cm H: 37cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black / **Code 19109**






Bulb	1xE27
Power	MAX 10W
Input	220-240V, 50/60Hz
Dimensions	Ø: 45cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Polyester
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20353 






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color White - Natural Bamboo / **Code 19106**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color Black - Natural Bamboo / **Code 19104**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 1.5cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 150cm Cable Adjustable
Color White - Natural Bamboo / **Code 19107**
Color Black - Natural Bamboo / **Code 19105**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19250**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black - Natural Bamboo / **Code 19252**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19251**
Black - Natural Bamboo / **Code 19253**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20233**




Bulb 1xE14
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 39cm
Material Metal - Rattan
Special Feature 120cm Cable Available
Color Natural / **Code 20231**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 50cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20230**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Brown / **Code 20236**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 48cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20237**




Suggested Trimless Canopy **Code 20144**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 72cm W: 40cm H: 10cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20241**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20242**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Rattan
Special Feature 200cm Cable Adjustable
Color Natural / **Code 20234**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Material Metal - Thread String Cord - Fabric
Special Feature 120cm Cable Available
Shade Ø: 30cm H: 20cm
Color Light Beige / **Code 20235**




Bulb 1xE14
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 28cm
Material Metal - Rattan
Special Feature 120cm Cable Available
Color Black Matt - Natural / **Code 20232**





Led
Bulb
Power
Input
Color Temperature
Lumen
Dimensions
Base
Switch
Material
Special Feature
Color


3W
1xE27
MAX 40W
220-240V, 50/60Hz
3000K
240Lm
L: 25cm W: 15.5cm H: 28cm
Ø: 12cm H: 2.5cm
2/Switch On-Off
Metal - Bush
Shade Ø: 15.5cm H: 15cm
Stick Ø: 2.8cm L: 36cm
Black Matt - Natural / **Code 20355**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 25W
220-240V, 50/60Hz
Ø: 40cm H: 40cm
Ø: 8cm H: 2cm
Metal - Bush - Burlap
150cm Cable Adjustable
Natural / **Code 20354**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 55cm H: 70cm
Base Ø: 8cm H: 2cm
Material Rattan
Special Feature 150cm Cable Adjustable
Color Natural / **Code 18181**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 100cm
Base Ø: 8cm H: 2cm
Material Metal - Straw
Special Feature 50cm Chain Adjustable
Color Natural Straw / **Code 17129**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 40cm
Base Ø: 10cm H: 2.5cm
Material Bamboo
Special Feature 200cm Cable Adjustable
Color Natural / **Code 17132**




Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 16cm H: 28cm
Material Metal- Bush
Color Natural / **Code 17137**



Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 22cm H: 30cm
Material Metal- Bush - Fabric
Color Natural - White - Black / **Code 20356**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 30cm
Base Ø: 10cm H: 2.5cm
Material Wood
Special Feature 100cm Cable Adjustable
Color Wood - Chrome / **Code 17059**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions W: 33cm H: 33cm
Base Ø: 12cm H: 2.5cm
Material Wood
Special Feature 150cm Cable Adjustable
Color Wood / **Code 1652**




Suggested Trimless Canopy **Code 20144**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 32cm H: 50cm
Base	Ø: 8cm H: 2cm
Material	Metal - Fabric Shade
Special Feature	150cm Cable Adjustable
Color	Gold Matt - White / Code 20358 
Color	Black Matt - White / Code 20357 






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 27cm
Base Ø: 8cm H: 2cm
Material Clay
Special Feature 100cm Cable Adjustable
Color Natural / **Code 1664**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 27cm
Base Ø: 8cm H: 2cm
Material Clay
Special Feature 100cm Cable Adjustable
Color Natural / **Code 1665**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 27cm
Base Ø: 8cm H: 2cm
Material Clay
Special Feature 100cm Cable Adjustable
Color Natural / **Code 1663**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 20cm W: 12cm H: 18cm
Base Ø: 8cm H: 2cm
Material Metal - Clay
Color White - Copper Rusty / **Code 17067** 





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 18cm
Base Ø: 8cm H: 2cm
Material Metal - Clay
Special Feature 100cm Cable Adjustable
Color White - Copper Rusty / **Code 17065** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 8cm H: 12cm
Base Ø: 8cm H: 2cm
Material Metal - Clay
Color White - Copper Rusty / **Code 17068** 






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 16cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 100cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1655**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm H: 100cm
Base W: 105cm W: 6.5cm H: 2.7cm
Material Concrete
Special Feature 85cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 1653**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 14cm H: 29cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 18110**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 24cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 18112**




Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 23cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1580**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 14.5cm H: 26cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1582**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 13cm H: 30cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1581**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 15cm W: 15cm H: 13.5cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 100cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1658**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 26cm W: 14.5cm H: 36cm
Base L: 2.5cm W: 10cm H: 30cm
Material Metal - Concrete
Color Concrete - Black Matt Base / **Code 1585**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 36cm
Base Ø: 10cm H: 2.5cm
Material Metal - Concrete
Special Feature 100cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1660**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 38cm H: 115cm
Base Ø: 38cm H: 2.5cm
Material Metal - Concrete
Special Feature 80cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 1662**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 33cm W: 12cm H: 41cm
Base L: 2.5cm W: 10cm H: 30cm
Material Metal - Concrete
Color Concrete - Black Matt Base / **Code 1661**



Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 12cm H: 100cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Concrete
Special Feature 70cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 1659**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 5cm H: 8cm
Base Ø: 10cm H: 2.5cm
Material Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Chrome Base / **Code 1657**





Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
Dimensions Ø: 7cm H: 40cm
Base Ø: 12cm H: 2.5cm
Material Concrete
Special Feature 100cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 180024**




Suggested Trimless Canopy **Code 20144**






Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
Dimensions L: 15cm
Base Ø: 12cm H: 2cm
Material Metal - Concrete
Special Feature 200cm Cable Adjustable
Tube Ø: 7cm H: 40cm
Color Concrete - Black Matt Base / **Code 18162**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 5cm H: 10cm
Base L: 2.7cm W: 8.3cm H: 8.3cm
Material Metal - Concrete
Special Feature 120cm Cable Adjustable
Color Concrete - Black Matt Base / **Code 18161**







Bulb 2xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 7.5cm W: 7cm H: 16cm
Material Concrete
Color Concrete / **Code 180022**




Bulb 1xG9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
Material Concrete
Color Concrete / **Code 180023**



Bulb 1xG9
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 13cm H: 15cm
Material Concrete
Color Concrete / **Code 180021**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 30cm H: 17cm
Material Concrete
Color Concrete / **Code 180020**



Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6300Lm
Cri 80
Dimensions Ø: 5.3cm L: 141 cm
Base Ø: 8cm H: 2cm
Non Dimmable 
Material Aluminium - PC Diffuser
Special Feature 200cm Cable Adjustable
Optional Dimming DALI


Color Old Steel / **Code 19210-OS** 
Color Sandy Black / **Code 19210-B** 
Color Sandy White / **Code 19210-W** 




Power 50W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 5500Lm
Cri 90
Dimensions Ø: 5.3cm L: 141 cm
Base Ø: 8cm H: 2cm
Non Dimmable 
Material Aluminium - ABS
Special Feature 200cm Cable Adjustable
Optional Dimming DALI

Color Copper Rusty - Sandy Black / **Code 19211-CB** 
Color Sandy White - Sandy Black / **Code 19211-WB** 







Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6300Lm
Cri 80
Dimensions L: 142cm W: 4.8cm H:7.8cm
Base Ø: 8cm H: 2cm
Non Dimmable ☒
Material Aluminium - PC Diffuser
Special Feature 200cm Cable Adjustable
Optional Dimming DALI
Color Old Steel / **Code 17210**




Power 18W + 36W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 7560Lm
Cri 80
Dimensions L: 142cm W: 4.8cm H:7.8cm
Base Ø: 8cm H: 2cm
Non Dimmable ☒
Material Aluminium
Special Feature 200cm Cable Adjustable
Optional Dimming DALI
Color Copper Rusty - Sandy Black / **Code 17211-CB**
Color Old Steel - Gold Matt / **Code 17211-OG**






Bulb 5xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Base Ø: 8cm H: 2cm
Material Metal - Leather
Color Black Matt - Copper Rusty / **Code 16121**




Power 45W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 6300Lm
Cri 80
Dimensions L: 142cm W: 4.8cm H: 7.8cm
Base Ø: 8cm H: 2cm
Non Dimmable ☒
Material Aluminium - PC Deffuser - Leather
Special Feature 100cm Cable Adjustable
Optional Dimming DALI
Color Old Steel / **Code 18144**




Bulb	3xGU10
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 100cm W: 6cm H: 60cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	120cm Cable Adjustable
Color	Black Matt - Brass / Code 19213 
Color	Black Matt - Copper Rusty / Code 17109 






Bulb 1 x GU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 38cm W: 8.3cm H: 25cm
Base L: 2.7cm W: 8.3cm H: 12cm
Material Metal - Brass
Color Black Matt - Brass / **Code 19215**




Bulb 2xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 12.5cm W: 22cm H: 14.5cm
Material Metal
Color Black Matt - Gold Matt / **Code 17093**



Bulb 2xGU10 , 1xG9 Led
Power MAX 25W , MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 120cm W: 8cm H: 100cm
Material Metal - Brass - Opal Glass
Special Feature Standard Length
Opal Glass Ø: 8cm
Color Black Matt - Brass / **Code 18130**




Bulb 1xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 118cm
Base Ø: 8cm H: 2cm
Material Metal
Color Copper Rusty / **Code 17106**




Bulb 1xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions H: 18cm
Base Ø: 5cm H: 2cm
Material Metal
Color Old Steel / **Code 17107**






Bulb 5xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 100cm W: 70cm H: 30cm
Base Ø: 8cm H: 2cm
Material Metal - Leather
Color Copper Rusty / **Code 17108**
Old Steel / **Code 19230**







Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 110cm W: 18cm H: 130cm
Metal Shade Ø: 18cm
Material Metal - Leather
Special Feature 150cm Cable Adjustable
Color Copper Rusty / **Code 16119**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 48cm W: 25cm H: 60cm
Metal Shade Ø: 25cm
Base L: 2.7cm W: 8.3cm H: 12cm
Material Metal
Special Feature 100cm Cable Adjustable
Color Copper Rusty / **Code 16120**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 25cm
Base Ø: 8cm H: 2cm
Material Metal
Special Feature 120cm Cable Adjustable
Color Old Steel / **Code 16122** 
Copper Rusty - Brown Twist Cable / **Code 16123** 




Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 115cm W: 18cm H: 31cm
Base Ø: 8cm H: 2cm
Material Metal - Wood
Special Feature 120cm Cable Adjustable
Color Copper Rusty - Old Steel / **Code 16124** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 43cm H: 70-90cm
Base Ø: 8cm H: 2cm
Material Metal
Special Feature 120cm Cable Adjustable Movable
Color Old Steel / **Code 20360**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 46cm H: 29cm
Base Ø: 8cm H: 2cm
Material Metal
Special Feature 200cm Cable Adjustable
Color Old Steel / **Code 16129**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 46cm H: 29cm H: 110cm
Base Ø: 8cm H: 2cm
Material Metal - Leather
Special Feature 100cm Cable Adjustable
Color Old Steel / **Code 16132**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 33cm L: 15cm
Base Ø: 8cm H: 2cm
Material Metal
Color Copper Rusty / **Code 1484** [↗](#)




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 40cm H: 40cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Black Matt - Copper Rusty / **Code 18136** [↗](#)





Bulb 1xE14
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 8cm L: 14cm
Material Metal
Color Old Steel / **Code 16153** [↗](#)





Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 26cm L: 11cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Copper Rusty / **Code 17105** [↗](#)
Color Black Matt / **Code 17104** [↗](#)




Bulb 3xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 24cm H: 63cm
Base Ø: 10cm H: 2cm
Material Metal - Opal Glass
Special Feature Opal Glass Ø: 8cm
Color Black / **Code 18134-B** 




Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm L: 16cm H: 30cm
Material Metal - Brass - Opal Glass
Special Feature Opal Glass Ø: 12cm
Color Old Steel - Brass / **Code 19217** 





Bulb 1xE14
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 32cm W: 15cm H: 42cm
Base W: 8.3cm H: 12cm
Material Metal - Aluminium
Color Black Matt - Copper Mat / **Code 18135** 



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 22cm H: 40cm
Base Ø: 8cm H: 2cm
Material Metal
Color Copper Rusty / **Code 16161** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm L: 47cm H: 25cm
Base L: 2.5cm W: 8cm H: 16cm
Material Brass
Color Rusty Bronze / **Code 1590** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 15cm
Base Ø: 12cm H: 2cm
Material Marble
Special Feature 100cm Cable Adjustable
Color White Marble / **Code 17157**
Color Black Marble / **Code 17158**




Suggested Trimless Canopy **Code 20144**



Bulb 1xE14
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 17.5cm H: 19cm
Base Ø: 12cm H: 2cm
Material Marble - Metal
Special Feature 100cm Cable Adjustable
Color Black Marble - Pink / **Code 18164**
Color Black Marble - Rusty Bronze / **Code 18165**
Color White Marble - Blue / **Code 18166**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 15cm H: 27cm
Base Ø: 12cm H: 2cm
Material Aluminium - Leather
Special Feature 100cm Cable Adjustable
Color Black Matt / **Code 17072**




Bulb 5xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Base Ø: 12cm H: 2cm
Material Aluminium - Leather
Special Feature 100cm Cable Adjustable
Color Black Matt / **Code 17154**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 26cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Green Matt / **Code 180065**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 20cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 180066**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 28cm H: 22cm
Base Ø: 10cm H: 4.5cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Blue Matt / **Code 180067**




Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 16cm H: 31cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 18192**
Color White Matt / **Code 18193**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23.5cm H: 25cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 18191**
Color White Matt / **Code 18190**




Indoor Lighting




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 34cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Saumon Matt - White Matt / **Code 180050**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 25cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt - White Matt / **Code 180052**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 23cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color White Matt - Saumon Matt / **Code 180053**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 24cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Saumon Matt - Bronze / **Code 180051**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 16.5cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color White Matt - Copper / **Code 180080**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm H: 25cm
Base Ø: 10cm H: 4.5cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Grey Matt / **Code 180075**
Color Pink Matt / **Code 180076**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 34cm H: 36cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1511-W**
Color Black Matt / **Code 1511-B**
Color Blue Matt / **Code 1511-BL**
Color Light Green / **Code 1511-LG**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 34cm H: 32cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1512-W**
Color Black Matt / **Code 1512-B**
Color Blue Matt / **Code 1512-BL**
Color Light Green / **Code 1512-LG**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 41cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 1513-W**
Color Black Matt / **Code 1513-B**
Color Blue Matt / **Code 1513-BL**
Color Light Green / **Code 1513-LG**

Model Finishing



Black

Light Green


Blue

White




Suggested Trimless Canopy **Code 20144**






Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm L: 105cm H: 170cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal - Leather - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1993-B**
Color White Matt / **Code 1993-W**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 38cm H: 170cm
Base Ø: 38cm H: 2.5cm
Material Metal - Leather - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1994-B**
Color White Matt / **Code 1994-W**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 22cm
Base Ø: 10cm H: 2cm
Material Metal - Leather - Wood
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1990**
Color Grey Matt / **Code 1991**
Color White Matt / **Code 1992**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 33cm H: 23cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180085**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 23cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color White Matt / **Code 180090**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 28cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180088**
Color White Matt / **Code 180086**




Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 21.5cm H: 24cm
Base Ø: 12cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt - Copper / **Code 180100**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 31cm W: 21.5cm H: 35cm
Base Ø: 12cm H: 2cm
Material Metal - Aluminium
Color Black Matt - Copper / **Code 18127**




Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 35cm H: 38cm
Base Ø: 12cm H: 2cm
Material Metal - Acrylic
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1644**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 2cm
Material	Metal
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 19245 
Color	Yellow / Code 1642 






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 16cm W: 16cm H: 16cm
Base Ø: 10cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1679**




Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 105cm W: 16cm H: 120cm
Base L: 105cm W: 6.5cm H: 2.7cm
Material Metal
Special Feature 100cm Cable Adjustable
Color Black Matt / **Code 1681**




Bulb 4xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions W: 40cm H: 40cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 1678**







Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 70cm H: 14cm
Material Metal - Opal Glass
Color Black Matt / **Code 1546**



Bulb 3xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 65cm H: 22cm
Base Ø: 12cm H: 2.5cm
Material Metal - Opal Glass
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 1545**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 68cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 120cm Cable Adjustable
Color White Matt - Gold / **Code 1637**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 68cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 120cm Cable Adjustable
Color White Matt / **Code 1638**



Indoor Lighting



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 25cm
Base Ø: 10cm H: 2.5cm
Material Metal - Stainless Steel
Special Feature 150cm Cable Adjustable
Color Gold - Black Matt Base / **Code 1683**
Color Copper - Black Matt Base / **Code 1684**


Model Finishing



Gold




Copper




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 31cm
Base Ø: 10cm H: 2cm
Material Metal
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code 1505**
Color Gold / **Code 20361**




Suggested Trimless Canopy **Code 20144**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 36cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Alumunium
Special Feature 150cm Cable Adjustable
Color Black Matt - White / **Code 1548**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 15cm H: 23cm
Base Ø: 10cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt - Bronze / **Code 1454**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 21cm H: 25cm
Base Ø: 12cm H: 2cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Black Matt - Bronze / **Code 16118**




Suggested Trimless Canopy **Code 20144**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm H: 16.5cm
Base Ø: 10cm H: 2cm
Material Metal
Special Feature 120cm Cable Adjustable
Color Black Matt / **Code 1676**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 35cm W: 29cm H: 28cm
Base Ø: 10cm H: 2cm
Material Metal
Color Black Matt / **Code 1677**




Indoor Lighting




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 14cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt - Bronze / **Code 1464** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 34cm W: 22cm H: 24cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature Shade Ø: 22cm H: 9cm
Color Black Matt - Bronze / **Code 1465** 







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 36cm H: 21cm
Base Ø: 10cm H: 2cm
Material Aluminium
Special Feature 150cm Cable Adjustable
Color Black Matt - White / **Code 1495**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 130cm W: 25cm H: 55cm
Base L: 2.7cm W: 8cm H: 30cm
Material Metal
Special Feature Shade Ø: 25cm
Color Black Matt / **Code 19231**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 80-110cm
Base Ø: 9cm H: 2cm
Material Metal - Aluminium
Color Black Matt - White / **Code 19219**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 60-100cm W: 20cm H: 85cm
Base Ø: 8cm H: 2cm
Material Metal - Aluminium
Special Feature Shade Ø: 20cm
Color Black Matt - White / **Code 19218**







Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 80cm
Material Aluminium
Color White Matt / **Code 1566-W**
Color Black Matt / **Code 1566-B**



Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 40cm
Material Aluminium
Color White Matt / **Code 1567-W**
Color Black Matt / **Code 1567-B**



Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 25cm
Material Aluminium
Color White Matt / **Code 1568-W**
Color Black Matt / **Code 1568-B**



Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 16cm
Material Aluminium
Special Feature Angle 30°
Color White Matt / **Code 1569-W**
Color Black Matt / **Code 1569-B**







Model Finishing




White



Black



Floor-Table Collection




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions H: 125cm
Base L: 15cm W: 15cm H: 5cm
Non Dimmable ☒
Material Aluminium - Wood
Special Feature 120cm Cable Available
Movable

Color Black - Wooden Base / **Code 20147**







Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 10cm H: 50cm
Base Ø: 14cm H: 1cm
Non Dimmable ☒
Material Metal - Aluminium
Color Sandy Black / **Code 20112**



Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
Dimensions L: 39cm W: 13cm H: 47cm
Base L: 21cm W: 13cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Profile 1.5x2x33cm Movable
Color Sandy Black / **Code 20110**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
Dimensions Ø: 12cm H: 155cm
Base Ø: 21cm H: 1cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Sandy Black / **Code 20113**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
Dimensions L: 49cm W: 18cm H: 164cm
Base L: 28cm W: 18cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 150cm Cable Available Profile 1.5x2x33cm Movable
Color Sandy Black / **Code 20111**






Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	Ø: 21cm H: 155cm
Base	Ø: 21cm H: 1cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	150cm Cable Available Lamp Ø: 6.5cm Movable
Color	Sandy Black / Code 20109







Power 20W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 1.6cm H: 150cm
Base Ø: 16cm H: 0.5cm
Non Dimmable
Material Metal - Aluminium - Acrylic
Special Feature 150cm Cable Available
Color Black Matt / **Code 20123**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
Dimensions Ø: 1.6cm H: 46cm
Base Ø: 12cm H: 0.5cm
Non Dimmable
Material Metal - Aluminium - Acrylic
Color Black Matt / **Code 20118**




Bulb 3xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions H: 156cm
Base L: 15cm W: 15cm H: 15cm
Material Metal - Marble - Opal Glass
Special Feature 150cm Cable Available
Opal Glass Ø: 8cm
Color White Marble - Gold Matt / **Code 18179**
Color Black Marble - Black Matt / **Code 20362**




Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm W: 64cm H: 170cm
Material Metal - Acrylic
Special Feature 200cm Cable Available
Color Black Matt / **Code 2038**






Bulb 1xE27
Power MAX 40W
Dimensions H: 150cm
Base Ø: 25cm H: 2cm
Material Metal - Wood - Fabric Shade
Special Feature 150cm Cable Available
Shade Ø: 36cm H: 24cm
Color Black Matt / **Code 20213**
Color White Matt / **Code 20212**




Bulb 1xE14
Power MAX 40W
Dimensions H: 37cm
Base Ø: 16cm H: 0.5cm
Material Metal - Wood - Fabric Shade
Special Feature 120cm Cable Available
Shade Ø: 23cm H: 16cm
Color Black Matt / **Code 20214**
Color White Matt / **Code 20215**







Bulb 3xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 90cm W: 68cm H: 190cm
Material Metal - Wood - Fabric Shade
Special Feature 150cm Cable Available
Shade Ø: 55cm H: 15cm
Color Natural Wood - Black Matt / **Code 1597**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 45cm H: 150cm
Material Wood - Silk Shade
Special Feature 150cm Cable Available
Shade Ø: 41cm H: 26cm
Color Natural Wood - White Shade / **Code 16179**




Bulb 1xE27
Power MAX 40W
Dimensions Ø: 70cm H: 180cm
Material Wood - Fabric Shade
Special Feature 130cm Cable Available
Shade Ø: 50cm H: 20cm
Color Natural Wood - Black Shade / **Code 1488** 



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 176cm
Material Wood - Fabric Shade
Special Feature 130cm Cable Available
Shade Ø: 42cm H: 27cm
Color Natural Wood - Beige Shade / **Code 16180**




Bulb 1xE14
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 17cm H: 42cm
Base Ø: 13cm H: 2cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt - Gold Matt / **Code 20217**





Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 45cm H: 159cm
Base Ø: 25cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color Black Matt - Gold Matt / **Code 20216**







Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / Code 20210
Color	Gold Matt / Code 20211









Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 40cm
Base Ø: 14cm H: 0.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color White - Brushed Brass / **Code 20252**



Bulb 1xE27
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 44cm
Base Ø: 11cm H: 19cm
Material Metal - Marble - Glass
Special Feature 150cm Cable Available
Color White Marble - Champagne - Brushed Brass / **Code 20253**





Bulb 1xE14
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 18cm W: 11cm H: 18cm
Base Ø: 12cm H: 2cm
Material Metal - Aluminium
Color White Matt - Gold Matt / **Code 20218**
Color Gray Matt - Gold Matt / **Code 20219**



Bulb 1xE14
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions L: 24cm H: 44cm
Base Ø: 13cm H: 2.5cm
Material Metal - Aluminium
Special Feature 150cm Cable Available
Color White Matt - Gold Matt / **Code 20221**
Color Gray Matt - Gold Matt / **Code 20220**









Bulb
Power
Input
Dimensions
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 30cm H: 50cm
Metal - Thread String Cord - Fabric
120cm Cable Available
Shade Ø: 30cm H: 20cm
Light Beige / **Code 20235**




Bulb
Power
Input
Dimensions
Material
Special Feature
Color

1xE14
MAX 25W
220-240V, 50/60Hz
Ø: 23cm H: 28cm
Metal - Rattan
120cm Cable Available
Natural / **Code 20232**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 30cm H: 52cm
Ø: 15cm H: 2cm
Metal - Rattan
120cm Cable Available
Shade Ø: 30cm H: 20cm
Black / **Code 20238**



Bulb
Power
Input
Dimensions
Material
Special Feature
Color


1xE14
MAX 25W
220-240V, 50/60Hz
Ø: 20cm H: 39cm
Metal - Rattan
120cm Cable Available
Natural / **Code 20231**




Fans

HOW TO CHOOSE YOUR CEILING FAN

STEP 1 SIZE / DIMENSIONS




STEP 2 LIGHT



STEP 3 DESIGN / CONCEPT




WHY CHOOSE A ZAMBELIS FAN




MOTOR DC ADVANTAGES






- | | |
|-------------------|--|
| Led Light Source | 15W |
| Input | 220-240V, 50/60Hz |
| Color Temperature | 3000K, 4000K, 6000K |
| Lumen | 1500Lm |
| Cri | 80 |
| dB | 20 |
| Dimensions | 52" Ø: 132cm H: 37.5-50cm |
| Air Flow | 147.4m³ min |
| Night Mode | Time Setting 1h / 2h / 4h / 8h |
| Material | Metal - Acrylic - Wood |
| Special Feature | 2 Down Rods 12.5-25cm
Summer & Winter Function |
| Motor Feature | DC Motor 40W
5 Speeds |
| Color | Coffee Matt - Cherry Wood Blades / Code 20256 |






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	60" Ø: 152cm H: 32-44.5cm
Air Flow	211.7m³ min
Night Mode	Time Setting 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 55W 5 Speeds
Color	Black Matt - Solid Wood Blades / Code 20259






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	54" Ø: 137cm H: 21cm
Air Flow	195m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	TUYA WiFi Remote Control Summer & Winter Function
Motor Feature	DC Motor 40W 5 Speeds
Color	Black Matt - ABS Blades / Code 20257






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	64" Ø: 163cm H: 37.5-50cm
Air Flow	178m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 70W 3 Speeds
Color	Black Matt - Black Blades / Code 20258






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	175.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt / Code 19136-B






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	175.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt - Cherry Wood Blades / Code 19136




Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 37.5-50cm
Air Flow	175.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Polycarbonate - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt - Cherry Wood Blades / Code 19135






Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 30cm
Air Flow	141m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Polycarbonate - Wood
Special Feature	Summer Function
Motor Feature	AC Motor 55W 3 Speeds
Color	Black Matt - Cherry Wood Blades / Code 19144







Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	156.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Natural Wood Blades / Code 19140
Color	Black Matt - Natural Wood Blades / Code 19141





Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm
Motor Feature	Summer Function AC Motor 62W 3 Speeds
Color	Coffee Matt - Cherry Wood Blades / Code 19143
Color	Chrome Matt - Natural Wood Blades / Code 19142






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - PaLm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Coffee Matt - Natural PaLm Leaf Blades / Code 19139




Indoor Ceiling Fans



Led Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	152m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - ABS Blades
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 61W 3 Speeds
Color	White / Code 19133




Double Face Blades




Led Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	23
Dimensions	42" Ø: 107cm H: 38-50.5cm
Air Flow	144m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Plywood (MDF)
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 58W 3 Speeds
Color Double Face	White Matt - Maple Wood Blades White Matt - White Matt Blades / Code 19132





Led Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	20
Dimensions	47" Ø: 120cm H: 37-49.5cm
Air Flow	156.3m³ / min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Polycarbonate - ABS
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Maple Blades / Code 19130
Color	Chrome Matt - Maple Blades / Code 19131






Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 36-48.5cm
Air Flow	164m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Plywood (MDF)
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 58W 3 Speeds
Color	Chrome Matt - Silver / Code 19134



Indoor Ceiling Fans




Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	25
Dimensions	49" Ø: 124cm H: 26cm
Air Flow	168m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Polycarbonate - Plywood (MDF)
Special Feature	Summer Function
Motor Feature	AC Motor 55W 3 Speeds
Color Double Face	White Matt - Maple Wood Blades
	White Matt - White Blades / Code 19137
Color	Chrome Matt - Brown Wood Blades / Code 19138




Double Face Blades







Hotel Lighting




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 40cm
Non Dimmable ☒
Base Ø: 8cm H: 3cm
Switch On/Off
Material Metal - Aluminium - Silicon
Special Feature Stick Ø: 2.9cm L: 9.5cm
Color Brushed Brass / **Code H63**



Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 10cm H: 30cm
Base Ø: 8cm H: 2cm
Material Metal - Opal Glass
Color Gold Matt / **Code H64**




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 4-12.5cm W: 7.8cm H: 18.3cm
Depth	4.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	15.8x5.7cm
Special Feature	USB Charger
	Stick Ø: 2.8cm H: 11cm
Color	Black Matt / Code H65
Color	Chrome Matt / Code H66
Color	Brushed Brass / Code H67



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 7cm-16cm W: 5.5cm H: 15cm
Base	L: 3cm W: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 10cm
Color	Brushed Brass / Code H68



	Power	3W
	Input	220-240V, 50/60Hz
	Color Temperature	3000K
	Lumen	240Lm
	Cri	80
	Dimensions	Ø: 8cm H: 12cm
	Base	Ø: 8cm H: 3cm
	Non Dimmable	<input checked="" type="checkbox"/>
	Switch	On/Off
	Material	Metal - Aluminium
	Special Feature	Stick Ø: 3cm H: 12cm
	Color	Black Matt / Code H48-B
	Color	Chrome Matt / Code H48-C
	Color	Copper / Code H47

Model Finishing



Copper




Black Matt




Chrome Matt






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 34cm W: 4cm H: 12cm
Depth 5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Cutting Hole 8.6x3.2cm
Special Feature Stick Ø: 2.5cm H: 6cm
Color Black / **Code H69**





Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 20-50cm
Base Ø: 10cm H: 3cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature USB Charger
Stick Ø: 1.2cm H: 8cm
Color Black / **Code H70**






Power 3W + 5W + 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240+800Lm
Cri 80
Dimensions L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable ☒
Switch 2 Switch On/Off
Material Metal - Aluminium - Acrylic
Special Feature Up/Down Light
Stick Ø: 2.8cm H: 10cm

Color Black Matt / **Code H54**
Color White Matt / **Code H52**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions W: 8cm H: 19cm
Depth 6.5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Cutting Hole 17x6cm
Special Feature Stick W: 4cm H: 14cm

Color Black Matt / **Code H43**
Color Brushed Copper / **Code H44**





Power 3W + 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240+350Lm
Cri 80
Dimensions L: 8-12cm W: 14cm H: 20cm
Non Dimmable ☒
Switch 2 Switch On/Off
Material Metal - Aluminium
Special Feature Back Light
Stick Ø: 1.5cm H: 8cm
Color Black Matt / **Code H41**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 150Lm
Cri 80
Dimensions Ø: 1.8cm H: 28cm
Base Ø: 8cm H: 3cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature 130cm Cable Adjustable
Color Black Matt / **Code 17009**




Suggested Trimless Canopy **Code 20144**






Led	3W
Bulb	1xG9
Power	MAX 25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 15cm W: 29cm H: 19cm
Non Dimmable	☒
Material	Metal - Aluminium
Switch	On/Off
Color	White Matt / H34-W 




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 11cm W: 14cm H: 22cm
Non Dimmable	☒
Material	Metal - Aluminium - Plastic
Switch	On/Off
Special Feature	USB Charger Shade Ø: 8.5cm H: 6.5cm
Color	Shandy White / Code H60







Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 255Lm
Cri 80
Dimensions L: 16.4cm Ø: 13cm H: 13.5cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature USB Charger
Stick Ø: 3cm H: 24cm
Color White Matt / **Code H58**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions W: 12cm H: 12cm
Depth 8cm
Non Dimmable ☒
Material Aluminium
Cutting Hole Ø: 7.5cm
Switch On/Off
Color White Matt / **Code H45**
Color Black Matt / **Code H46**




Power 3W + 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 765Lm
Cri 80
Dimensions Ø: 15cm L: 6.5cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Acrylic
Special Feature Back Light
Stick Ø: 2.8cm H: 10cm
Color White Matt / **Code H56**



Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Base Ø: 8cm L: 3cm
Non Dimmable ☒
Switch On/Off
Material Metal - Aluminium
Special Feature Flex 20cm
Color Chrome / **Code H30**




Led 3W
Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 595Lm
Cri 80
Dimensions L: 25cm W: 24cm H: 28.2cm
Base W: 15cm H: 8cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Fabric Shade
Special Feature Shade L: 16.4cm W: 24cm H: 13cm
Stick Ø: 3x27cm
Color Chrome - Light Beige / **Code H51**




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 12cm W: 6cm H: 16.2cm
Base	L: 3cm W: 6cm H: 15cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Shade Ø: 8.5cm H: 6.5cm
Color	Sandy White - Natural Wood / Code H62
Color	Sandy Black - Brown Wood / Code H61






Led	3W
Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Dimensions	L: 25cm W: 15.5cm H: 28cm
Base	Ø: 12cm H: 2.5cm
Switch	2/Switch On-Off
Material	Metal - Bush
Special Feature	Shade Ø: 15.5cm H: 15cm Stick Ø: 2.8cm L: 36cm
Color	Black Matt - Natural / Code 20355




Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 40cm
Base	Ø: 8cm H: 2cm
Material	Metal - Bush - Burlap
Special Feature	150cm Cable Adjustable
Color	Natural / Code 20354





Led
Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Dimensions L: 25cm W: 17cm H: 28cm
Base Ø: 12cm H: 2.5cm
Non Dimmable ☒
Switch 2/Switch On-Off
Material Metal - Aluminium - Fabric Shade
Special Feature Shade Ø: 17cm H: 14.5cm
Stick Ø: 2.8cm L: 36cm


Color Black Matt / **Code H57**



Led
Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
Dimensions L: 14.5cm W: 20cm H: 20cm
Non Dimmable ☒
Switch 2 On/Off
Material Metal - Aluminium - Fabric Shade
Special Feature USB Charger
Shade L: 12cm W: 20cm H: 11cm
Stick Ø: 2.8cm H: 8.5cm


Color Black Matt / **Code H59**





Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 24-40cm W: 20cm H: 30cm
Base L: 2.5cm W: 11cm H: 14cm
Material Metal - Fabric Shade
Special Feature Shade Ø: 13-20cm H: 15cm
Color Chrome Matt - Black Shade / **Code H24-B**
Color Chrome Matt - Beige Shade / **Code H24-W**
Color Bronze - Black Shade / **Code H25-B**
Color Bronze - Beige Shade / **Code H25-W**





Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 17.8cm W: 20cm H: 21cm
Base	L: 2.5cm W: 12cm H: 12cm
Material	Metal - Fabric Shade
Special Feature	Shade L: 13.5cm W: 20cm H: 14.5cm
Color	Chrome - Light Beige Shade / Code H15-W
Color	Chrome - Black Shade / Code H15-B




Chrome
Light Beige Shade



Chrome
Black Shade





Led	3W
Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 24cm W: 19cm H: 34cm
Base	L: 3cm W: 12cm H: 16cm
Non Dimmable	⊗
Switch	2 On/Off
Material	Metal - Fabric Shade
Special Feature	Shade W: 13-19cm H: 20.5cm
Color	Chrome - Light Beige Shade / Code H26-W
Color	Chrome - Black Shade / Code H26-B




Chrome
Light Beige Shade



Chrome
Black Shade






Led	3W
Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 24cm W: 19cm H: 33cm
Base	L: 3cm W: 12cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Fabric Shade
Special Feature	Shade W: 13-19cm H: 20cm
Color	Chrome Matt - Light Beige Shade / Code H07-WH




Mirror




Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 23cm W: 14cm H: 33cm
Base	L: 21cm W: 14cm H: 2.5cm
Material	Metal - Mirror - Fabric Shade
Special Feature	120 Cable Available Shade L: 16cm W: 12cm H: 23cm
Color	Chrome Matt - Light Beige Shade / Code H11-WH







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 27-36cm W: 19cm H: 30cm
Base L: 3cm W: 12cm H: 15cm
Material Metal - Fabric Shade
Special Feature Shade L: 13-19cm H: 20cm
Color Chrome Matt - Light Beige Shade / **Code H08-WH**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 32-40cm W: 19cm H: 52cm
Base L: 16cm W: 22cm H: 1cm
Material Metal - Fabric Shade
Special Feature 120cm Cable Available
Shade L: 13-19cm H: 20cm
Color Chrome Matt - Light Beige Shade / **Code H06-WH**







Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 11cm W: 7cm H: 10.5cm
Base L: 2.5cm W: 11cm H: 7cm
Material Aluminium
Special Feature Cylinder Ø: 6cm H: 7cm
Color White Matt / **Code 180105**




Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 13cm W: 7.5cm H: 12cm
Base L: 3cm W: 7.5cm H: 12cm
Material Aluminium
Special Feature Cylinder Ø: 6.5cm H: 7cm
Color Dark Grey / **Code 16185**




Bulb 4xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 21cm W: 21cm H: 13cm
Base L: 21cm W: 21cm H: 3cm
Material Aluminium
Special Feature Cylinder Ø: 6.5cm H: 7cm
Color Dark Grey / **Code 16186**




Bulb 3xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
Dimensions L: 45cm W: 6cm H: 11.8cm
Base L: 45cm W: 6cm H: 3cm
Material Metal - Aluminium
Special Feature Cylinder Ø: 6cm L: 8.2cm
Color Black Matt - Brushed Brass / **Code S107**
Color Black Matt / **Code S106**





Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 8cm H: 17cm
Base Ø: 8cm H: 2.5cm
Material Metal
Color Dark Brown / **Code 17141**





Bulb 2xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 33cm W: 12cm H: 20cm
Base Ø: 12cm H: 3cm
Material Metal
Color Dark Brown / **Code 17140**





Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 11.8cm
Base Ø: 6cm H: 2.8cm
Material Metal - Aluminium
Special Feature Cylinder Ø: 6cm L: 8.2cm
Color Black Matt - Brushed Brass / **Code S105**
Color Black Matt / **Code S104**



Bulb 3xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 15cm W: 57cm H: 10cm
Base L: 3cm W: 57cm H: 8cm
Material Metal - Aluminium
Color Nickel Matt - Chrome / **Code 16192**




Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 10cm L: 15cm H: 12cm
Base Ø: 10cm H: 2cm
Material Metal - Aluminium
Color Nickel Matt - Chrome / **Code 16191**




Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 10cm L: 17cm H: 8cm
Base Ø: 8cm H: 2.5cm
Material Metal - Aluminium
Color Black Matt - Chrome / **Code 16189**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
Dimensions L: 7.2cm W: 60cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium
Special Feature IP 44
Profile Ø: 0.8cm
Color Sandy Black / **Code 20145**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1040Lm
Cri 80
Dimensions L: 7.2cm W: 90cm H: 6.2cm
Base Ø: 6.2cm L: 7.2cm
Non Dimmable ☒
Material Aluminium
Special Feature IP 44
Profile Ø: 0.8cm
Color Sandy Black / **Code 20146**






Bulb 1xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 16.7cm W: 16cm H: 16.7cm
Base L: 8cm W: 3cm H: 8cm
Material Aluminium - Opal Glass
Special Feature IP 44
Color Brushed Brass / **Code 20149**




Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 6cm W: 60cm H: 6cm
Non Dimmable ☒
Material Metal - Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 20150**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1100Lm
Cri 80
Dimensions L: 4cm W: 60cm H: 2cm
Non Dimmable ☒
Material Stainless Steel - Acrylic
Special Feature IP 44 - Click on Mirror
Remote Driver Included


Color Anodized Stainless Steel / **Code 20148**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1040Lm
Cri 80
Dimensions L: 6.8cm W: 47cm H: 7cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 180042**



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1100Lm
Cri 80
Dimensions L: 8cm W: 36cm H: 4cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 180043**



Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
Dimensions L: 8cm W: 55cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Acrylic
Special Feature IP 44
Color Chrome / **Code 180041**



Architectural Lighting




4.8
VOLT
**MAGNETIC
SYSTEM**



COLOR VARIETY UPON REQUEST

SMART CONTROLS

SAVING ENERGY



SLIM LUMINAIRES

CUSTOMIZE
ARCHITECTURAL LIGHTING



EASY CHANGES



SMOOTH SNAP MOUNTING




Power 12W
Input 48V
Color Temperature 3000K
Lumen 1320Lm
Cri 80
Dimensions L: 328mm W: 23mm H: 45mm
Beam Angle 120°
DALI Dimmable ☐
Material Aluminium - PC Diffuser
Color Sandy Black / **Code 2087**
OSRAM

Power 12W
Input 48V
Color Temperature 3000K
Lumen 1320Lm
Cri 80
Dimensions L: 328mm W: 23mm H: 45mm
Beam Angle 120°
Non Dimmable ☒
Material Aluminium - PC Diffuser
Color Sandy Black / **Code 2086**
OSRAM



Power 20W
Input 48V
Color Temperature 3000K - 4000K
Lumen 2200Lm
Cri 80
Dimensions L: 652mm W: 23mm H: 45mm
Beam Angle 120°
DALI Dimmable ☐
Material Aluminium - PC Diffuser
Special Feature 4 Pole
Color 3000K Sandy Black / **Code 2089**
Color 4000K Sandy Black / **Code 2089-4B**
Color 3000K Sandy White / **Code 2089-3W**
OSRAM


Power 20W
Input 48V
Color Temperature 3000K
Lumen 2200Lm
Cri 80
Dimensions L: 652mm W: 23mm H: 45mm
Beam Angle 120°
Not Dimmable ☒
Material Aluminium - PC Diffuser
Special Feature 4 Pole
Color Sandy Black / **Code 2088**
OSRAM




Power 10W
Input 48V
Color Temperature 3000K
Lumen 1100Lm
Cri 80
Dimensions L: 150mm W: 23mm H: 95mm
Beam Angle Asymmetric 50°
DALI Dimmable ☐
Material Aluminium - Acrylic
Color Sandy Black / **Code 2092-D**
OSRAM
Power 10W
Input 48V
Color Temperature 3000K
Lumen 1100Lm
Cri 80
Dimensions L: 150mm W: 23mm H: 95mm
Beam Angle Asymmetric 50°
Non Dimmable ☒
Material Aluminium - Acrylic
Color Sandy Black / **Code 2092**
OSRAM



Power 8W
Input 48V
Color Temperature 3000K - 4000K
Lumen 1020Lm
Cri 80
Dimensions L: 220mm W: 23mm H: 45mm
Beam Angle 30°
DALI Dimmable ☐
Material Aluminium - Acrylic
Color 3000K Sandy Black / **Code 2091**
Color 4000K Sandy Black / **Code 2091-4B**
Color 3000K Sandy White / **Code 2091-3W**
OSRAM



Power 8W
Input 48V
Color Temperature 3000K
Lumen 1020Lm
Cri 80
Dimensions L: 220mm W: 23mm H: 45mm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium - Acrylic
Color Sandy Black / **Code 2090**
OSRAM




Power 12W
Input 48V
Color Temperature 3000K
Lumen 1320Lm
Cri 80
Dimensions L: 220mm W: 23mm H: 53mm
Beam Angle 30°
DALI Dimmable ☐
Material Aluminium - Acrylic
Color Sandy Black / **Code 20291**
OSRAM
Power 12W
Input 48V
Color Temperature 3000K
Lumen 1320Lm
Cri 80
Dimensions L: 220mm W: 23mm H: 53mm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium - Acrylic
Color Sandy Black / **Code 20290**
OSRAM




Power 7W
Input 48V
Color Temperature 3000K
Lumen 770Lm
Cri 80
Dimensions Ø: 37mm H: 87mm
Beam Angle 32°
DALI Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 20400BD**
Sandy White / **Code 20401WD**
CREE



Power 5W
Input 48V
Color Temperature 3000K
Lumen 550Lm
Cri 80
Dimensions Ø: 27mm H: 145mm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 20179**
Gold / **Code 20180**
OSRAM




Power 5W
Input 48V
Color Temperature 3000K
Lumen 550Lm
Cri 80
Dimensions Ø: 26mm H: 125mm
Beam Angle 24°
DALI Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 2094**
CREE




Power 5W
Input 48V
Color Temperature 3000K
Lumen 550Lm
Cri 80
Dimensions Ø: 26mm H: 125mm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 2093**
CREE




Power 12W
Input 48V
Color Temperature 3000K
Lumen 1320Lm
Cri 80
Dimensions Ø: 120mm H: 110mm
Beam Angle 38°
Non Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 20177**
Sandy White / **Code 20178**
OSRAM



Power 15W
Input 48V
Color Temperature 3000K
Lumen 1650Lm
Cri 80
Dimensions Ø: 45mm H: 200mm
Beam Angle 24°
DALI Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 2095-D**
CREE



Power 15W
Input 48V
Color Temperature 3000K
Lumen 1650Lm
Cri 80
Dimensions Ø: 45mm H: 200mm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Color Sandy Black / **Code 2095**
CREE



Power 7W
Input 48V
Color Temperature 3000K
Lumen 770Lm
Cri 80
Dimensions Ø: 30mm H: 500mm
Beam Angle 24°
DALI Dimmable ☐
Material Aluminium
Special Feature 100cm Cable Adjustable
Color Sandy Black / **Code 2081-D**
CREE



Power 7W
Input 48V
Color Temperature 3000K
Lumen 770Lm
Cri 80
Dimensions Ø: 30mm H: 500mm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Special Feature 100cm Cable Adjustable
Color Sandy Black / **Code 2081**
CREE

CASAMBI READY wireless control for DALI luminaires

The Zambelis 48V tracks are compatible with CASAMBI control system, which permits bidirectional communication between control device and luminaires, making it possible for the user to create scenes, regulate the system from smart devices, etc.

With the CASAMBI control system and its Control wireless variants, the user has total control over the installation, with all the features available in low voltage alternatives. The 48V system does not mean relinquishing the leading edge in control for architectural lighting.

Power by :
CASAMBI
Available App on :
[App Store] [Google Play]







TRIMLESS Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2083B-1	1m	Sandy Black
2083W-1	1m	Sandy White
2083B-2	2m	Sandy Black
2083W-2	2m	Sandy White
2083B-3	3m	Sandy Black
2083W-3	3m	Sandy White


Corner Code	Plane	Color
2083B-C1	Vertical	Sandy Black
2083W-C1	Vertical	Sandy White
2083B-C2	Horizontal	Sandy Black
2083W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104

Accessories



End Cap
Material Plastic
Color Black / **Code 2099-B**
Color White / **Code 2099-W**



PC Cover 3m
Material Plastic
Color Black Gloss / **Code 20107**





SURFACE Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2082B-1	1m	Sandy Black
2082W-1	1m	Sandy White
2082B-2	2m	Sandy Black
2082W-2	2m	Sandy White
2082B-3	3m	Sandy Black
2082W-3	3m	Sandy White


Corner Code	Plane	Color
2082B-C1	Vertical	Sandy Black
2082W-C1	Vertical	Sandy White
2082B-C2	Horizontal	Sandy Black
2082W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories




End Cap
Material Metal
Color Black / **Code 20100-B**
Color White / **Code 20100-W**




End Cap
Material Plastic
Color Black / **Code 2098-B**
Color White / **Code 2098-W**




Surface Mounted Kit (2pcs)
Material Stainless Steel
Code 2082SP



PC Cover 3m
Material Plastic
Color Black Gloss / **Code 20107**




Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102-B



Straight Mechanic Connector
Material Aluminium
Code 2097-B





RECESSED Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2084B-1	1m	Sandy Black
2084W-1	1m	Sandy White
2084B-2	2m	Sandy Black
2084W-2	2m	Sandy White
2084B-3	3m	Sandy Black
2084W-3	3m	Sandy White


Corner Code	Plane	Color
2084B-C1	Vertical	Sandy Black
2084W-C1	Vertical	Sandy White
2084B-C2	Horizontal	Sandy Black
2084W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories



End Cap
Material Metal
Color Black / **Code 20108-B**
Color White / **Code 20108-1W**



End Cap
Material Metal
Color Black / **Code 20108-B**
Color White / **Code 20108-W**



Recessed Accessorie Kit (2pcs)
Material Stainless Steel
Code 20106





SURFACE SHORT Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color
2085B-1	1m	Sandy Black
2085W-1	1m	Sandy White
2085B-2	2m	Sandy Black
2085W-2	2m	Sandy White
2085B-3	3m	Sandy Black
2085W-3	3m	Sandy White


Corner Code	Plane	Color
2085B-C1	Vertical	Sandy Black
2085W-C1	Vertical	Sandy White
2085B-C2	Horizontal	Sandy Black
2085W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories



End Cap
Material Plastic
Color Black / **Code 20101-B**
Color White / **Code 20101-W**




Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102




Straight Mechanic Connector
Material Aluminium
Code 2097

Accessories for All Tracks


Color : Black (RAL 9005)




Feeder for 48V Magnetic Tracks
Code 2096 / Color Black
Code 2096-W / Color White




Inner Connector for 48V Magnetic Tracks
Code 20103 / Color Black
Code 20103-W / Color White





Flex Connector with Cable for 48V Magnetic Tracks
Code 20105 / Color Black
Code 20105-W / Color White




Corner Connector for 48V Magnetic Tracks
Code 20104 / Color Black
Code 20104-W / Color White




Wireless Control for 48V Magnetic Tracks
Bluetooth DALI
Code 20293

Power by :
CASAMBI
Available App on :
 


Remote Drivers



Remote Driver 60W
48V
5Years Guarantee
ON-OFF / **Code 20295**
DALI KIT / **Code 20322**
PUSH BUTTON KIT / **Code 20300**
BLUETOOTH KIT / **Code 20303**




Remote Driver 100W
48V
5Years Guarantee
ON-OFF / **Code 20296**
DALI KIT / **Code 20298**
PUSH BUTTON KIT / **Code 20301**
BLUETOOTH KIT / **Code 20304**



Remote Driver 150W
48V
5Years Guarantee
ON-OFF / **Code 20297**
DALI KIT / **Code 20299**
PUSH BUTTON KIT / **Code 20302**
BLUETOOTH KIT / **Code 20305**


Ceiling Drivers



Surface Mount Base with Driver for Surface Magnetic Track
Power 75W
Input 220-240 , 50-60Hz
Output 48V
Color Sandy Black
Guarantee 5Years
ON-OFF / **Code 20306-B**
DALI KIT / **Code 20308-B**
PUSH BUTTON KIT / **Code 20310-B**
BLUETOOTH KIT / **Code 20312-B**



Surface Mount Base with Driver for Surface Magnetic Track
Power 150W
Input 220-240 , 50-60Hz
Output 48V
Color Sandy Black
Guarantee 5Years
ON-OFF / **Code 20307-B**
DALI KIT / **Code 20309-B**
PUSH BUTTON KIT / **Code 20311-B**
BLUETOOTH KIT / **Code 20313-B**




Surface Mount Base with Driver for Surface Magnetic Track
Power 75W
Input 220-240 , 50-60Hz
Output 48V
Color Sandy White
Guarantee 5Years
ON-OFF / **Code 20306-W**
DALI KIT / **Code 20308-W**
PUSH BUTTON KIT / **Code 20310-W**
BLUETOOTH KIT / **Code 20312-W**



Surface Mount Base with Driver for Surface Magnetic Track
Power 150W
Input 220-240 , 50-60Hz
Output 48V
Color Sandy White
Guarantee 5Years
ON-OFF / **Code 20307-W**
DALI KIT / **Code 20309-W**
PUSH BUTTON KIT / **Code 20311-W**
BLUETOOTH KIT / **Code 20313-W**




Pendant Drivers



Pendant Base with Driver for Surface Magnetic Track
Power 75W
Input 220-240 , 50-60Hz
Output 48V
Special Feature 200cm Cable Available
Color Sandy Black
Guarantee 5Years
ON-OFF / **Code 20314-B**
DALI KIT / **Code 20316-B**
PUSH BUTTON KIT / **Code 20318-B**
BLUETOOTH KIT / **Code 20320-B**



Pendant Base with Driver for Surface Magnetic Track
Power 150W
Input 220-240 , 50-60Hz
Output 48V
Special Feature 200cm Cable Available
Color Sandy Black
Guarantee 5Years
ON-OFF / **Code 20315-B**
DALI KIT / **Code 20317-B**
PUSH BUTTON KIT / **Code 20319-B**
BLUETOOTH KIT / **Code 20321-B**





Pendant Base with Driver for Surface Magnetic Track
Power 75W
Input 220-240 , 50-60Hz
Output 48V
Special Feature 200cm Cable Available
Color Sandy White
Guarantee 5Years
ON-OFF / **Code 20314-W**
DALI KIT / **Code 20316-W**
PUSH BUTTON KIT / **Code 20318-W**
BLUETOOTH KIT / **Code 20320-W**




Pendant Base with Driver for Surface Magnetic Track
Power 150W
Input 220-240 , 50-60Hz
Output 48V
Special Feature 200cm Cable Available
Color Sandy White
Guarantee 5Years
ON-OFF / **Code 20315-W**
DALI KIT / **Code 20317-W**
PUSH BUTTON KIT / **Code 20319-W**
BLUETOOTH KIT / **Code 20321-W**







48
VOLT
**SOFT
TRACK**



Power 9W
Input 48V
Color Temperature 3000K
Lumen 990Lm
Cri 90
Dimensions L: 23.7cm W: 2.2cm H: 2.5cm
Base W: 11.4cm H: 2.8cm L: 2.3cm
Material Aluminium - Acrylic
Color Sandy Black / **Code 20276**
OSRAM



Power 7W
Input 48V
Color Temperature 3000K
Lumen 770Lm
Cri 90
Stick Ø: 3.5cm H: 9.5cm
Base W: 11.4cm H: 2.8cm L: 2.3cm
Beam Angle 24°
Material Aluminium
Special Feature Movable
Color Sandy Black / **Code 20275**
OSRAM



LED Strip 2.5m

Power 14W/m
Input 48V
Color Temperature 3000K
Lumen 1150Lm/m
Cri 90
Length 250cm
Color Black Base / **Code 20277**
OSRAM


LED Strip 5m

Power 14W/m
Input 48V
Color Temperature 3000K
Lumen 1150Lm/m
Cri 90
Legth 500cm
Color Black Base / **Code 20278**
OSRAM






Soft Track : 10m
Color Black / **Code 20280**




Ceiling Profile : 1m
Material Aluminium
Color Black / **Code 20279**



End Cap for 48V Soft Track
Dimensions L: 3.9cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / **Code 20284**



Corner Connector for 48V Soft Track
Dimensions L: 4.8cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / **Code 20282**




T Connector for 48V Soft Track
Dimensions L: 7.1cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / **Code 20283**




Adjustable Wire for 48V Soft Track with Accessories
Length 200cm
Material Metal
Color Sandy Black / **Code 20286**



Cover for 48V Soft Track
Dimensions L: 16.4cm W: 3.7cm H: 7.6cm
Material Plastic
Special Feature Rotate 360°
Color Black / **Code 20285**




Tooling for Cutting Soft Track
Code 20281




Surface Mount Base for 48V Soft Track System
Power 100W
Input 220-240V , 50/60Hz
Output 48V
Dimensions L: 32cm W: 6cm H: 4.2cm
Non Dimmable ☒
Guarantee 5Years
Color Sandy Black / **Code 20292**


Design your own Lighting




Power	3W
Input	24V
Color Temperature	3000K
Lumen	285Lm
Cri	80
Dimensions	Ø: 10cm H: 7.6cm
Dimmable Triac	☐
Material	Aluminium - PC Diffuser
Special Feature	Plug & Play With Jack System
Color	Sandy Black / Code 19152
Color	Sandy White / Code 19151



Ceiling / Wall Base for 24V Light System	
Power	200W
Input	220-240V, 50/60Hz
Output	24V
Dimensions	L: 25cm W: 12cm H: 7.6cm
Non Dimmable	☒
Material	Aluminium
Driver	Inlcuded
Special Feature	Plug & Play With Jack System
Color	Sandy Black / Code 20139



Ceiling / Wall Base for 24V Light System	
Power	150W
Input	220-240V, 50/60Hz
Output	24V
Dimensions	Ø: 15.5cm H: 7.6cm
Non Dimmable	☒
Material	Aluminium
Driver	Inlcuded
Special Feature	Plug & Play With Jack System
Color	Sandy Black / Code 20140




Ceiling / Wall Base for 24V Light System	
Power	100W
Input	220-240V, 50/60Hz
Output	24V
Dimensions	Ø: 15.5cm H: 7.6cm
Non Dimmable	☒
Material	Aluminium
Driver	Inlcuded
Special Feature	Plug & Play With Jack System
Color	Sandy Black / Code 19154
Color	Sandy White / Code 19153

Ceiling / Wall Base for 24V Light System	
Power	100W
Input	220-240V, 50/60Hz
Output	24V
Dimensions	Ø: 15.5cm H: 7.6cm
Dimmable Triac	○
Material	Aluminium
Driver	Inlcuded
Special Feature	Plug & Play With Jack System Remote Control Included

Color	Sandy Black / Code 19156
Color	Sandy White / Code 19155



Design your own Lighting



Power 5W
Input 24V
Color Temperature 3000K
Lumen 475Lm
Cri 80
Dimensions Ø: 6cm H: 10cm
Dimmable Triac ☐
Material Aluminium - PC Diffuser
Special Feature Plug & Play With Jack System
Color Sandy Black / **Code 19168**
Sandy White / **Code 19167**



Power 20W
Input 24V
Color Temperature 3000K
Lumen 1600Lm
Cri 80
Dimensions Ø: 22.3cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature Plug & Play With Jack System
Color Sandy Black / **Code 19172**
Sandy White / **Code 19171**




Power 7W
Input 24V
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 11cm H: 3.8cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature Plug & Play With Jack System
Color Sandy Black / **Code 19170**
Sandy White / **Code 19169**



Power		4W	10W	18W	24W	30W
Input	24V					
Color Temperature	3000K					
Lumen		280Lm	700Lm	1260Lm	1680Lm	2100Lm
Cri	80					
Dimensions	Ø: 1.5cm	27cm	57cm	97cm	127cm	157cm
Dimmable Triac	<input type="radio"/>					
Material	Aluminium - Diffuser					
Special Feature	Plug & Play With Jack System					
Color	Sandy Black / Code	19158	19160	19162	19164	19166
Color	Sandy White / Code	19157	19159	19161	19163	19165








Customize Architectural Lighting


- Different Dimming: On-Off, Dali, Bluetooth
- Different CCT: 2200K - 6500K
- Different Colors
- Different Levels of Lumen Output
- Different Dimension Upon Request



48mm LED profile luminaire, made of an extruded alumunium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed, providing direct light emission through a diffuser made either of satined polycarbonate for an aLmost homegeneous emission of light. Luminaire equipped with the latest generation of well known **LED** boards with small color tolerance.





34mm LED profile luminaire, made of an extruded alumunium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed mounting, providing direct light emission through PMMA diffuser. Luminaire equipped with the latest generation of well known **LED** boards with small color tolerance.



In the following Electrical Table, you may find Watt and Lumen Output, High Efficiency (HE) 200Lm/W - 3357Lm/m, High Output (HO) 188Lm/W - 5640Lm/m accordingly to the length of our LED profile

Set HO				Set HE			
		Lumen				Lumen	
Length (cm)	Watt	3000K	4000K	Length (cm)	Watt	3000K	4000K
58	18	2565	2700	58	10	1577	1660
86	27	3848	4050	86	15	2366	2490
114	36	5130	5400	114	20	3154	3320
142	45	6413	6750	142	25	3943	4150
170	54	7695	8100	170	30	4731	4980
198	63	8978	9450	198	35	5520	5810
226	72	10260	10800	226	40	6308	6640
254	81	11543	12150	254	45	7097	7470
282	90	12825	13500	282	50	7885	8300
310	99	14108	14850	310	55	8674	9130
338	108	15390	16200	338	60	9462	9960





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
51	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
51	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
51	114 = 114cm				G = Sandy Grey
51	142 = 142cm				
51	170 = 170cm				
51	198 = 198cm				
51	226 = 226cm				
51	254 = 254cm				
51	282 = 282cm				
51	310 = 310cm				
51	338 = 338cm				

Guide to Create your Code by Choosing : 51 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
52	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
52	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
52	114 = 114cm				G = Sandy Grey
52	142 = 142cm				
52	170 = 170cm				
52	198 = 198cm				
52	226 = 226cm				
52	254 = 254cm				
52	282 = 282cm				
52	310 = 310cm				
52	338 = 338cm				

Guide to Create your Code by Choosing : 52 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the folowing items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
53	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
53	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
53	114 = 114cm				
53	142 = 142cm				
53	170 = 170cm				
53	198 = 198cm				
53	226 = 226cm				
53	254 = 254cm				
53	282 = 282cm				
53	310 = 310cm				
53	338 = 338cm				

Guide to Create your Code by Choosing : 53 - Length - Driver - Kelvin - Set - Body Color






Fill in your code using the folowing items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
54	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
54	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
54	114 = 114cm				
54	142 = 142cm				
54	170 = 170cm				
54	198 = 198cm				
54	226 = 226cm				
54	254 = 254cm				
54	282 = 282cm				
54	310 = 310cm				
54	338 = 338cm				

Guide to Create your Code by Choosing : 54 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
31	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
31	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
31	114 = 114cm				
31	142 = 142cm				
31	170 = 170cm				
31	198 = 198cm				
31	226 = 226cm				


Guide to Create your Code by Choosing : 31 - Length - Driver - Kelvin - Set - Body Color

Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
32	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
32	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
32	114 = 114cm				
32	142 = 142cm				
32	170 = 170cm				
32	198 = 198cm				
32	226 = 226cm				

Guide to Create your Code by Choosing : 32 - Length - Driver - Kelvin - Set - Body Color








Fill in your code using the folowing items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
33	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
33	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
33	114 = 114cm				
33	142 = 142cm				
33	170 = 170cm				
33	198 = 198cm				
33	226 = 226cm				
33	254 = 254cm				
33	282 = 282cm				
33	310 = 310cm				
33	338 = 338cm				

Guide to Create your Code by Choosing : 33 - Length - Driver - Kelvin - Set - Body Color






Fill in your code using the folowing items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
34	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
34	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
34	114 = 114cm				
34	142 = 142cm				
34	170 = 170cm				
34	198 = 198cm				
34	226 = 226cm				
34	254 = 254cm				
34	282 = 282cm				
34	310 = 310cm				
34	338 = 338cm				

Guide to Create your Code by Choosing : 34 - Length - Driver - Kelvin - Set - Body Color





LED circle luminaire, made of a curved extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant mounting, providing direct light emission through satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards. Driver ON/OFF

Fill in your code using the following items from the table.

Ceiling Circle			
Code	Diameter	Kelvin	Body Color
81	06 = 60cm	3 = 3000K	W = Sandy White
81	09 = 90cm	4 = 4000K	B = Sandy Black
81	12 = 120cm		
81	18 = 180cm		


Guide to Create your Code by Choosing : 81 - Diameter - Kelvin - Body Color

Pendant Circle			
Code	Diameter	Kelvin	Body Color
82	06 = 60cm	3 = 3000K	W = Sandy White
82	09 = 90cm	4 = 4000K	B = Sandy Black
82	12 = 120cm		
82	18 = 180cm		

Guide to Create your Code by Choosing : 82 - Diameter - Kelvin - Body Color

High Output			
Diameter (cm)	Watt	3000K (Lumen)	4000K (Lumen)
60	54	7267	7650
90	81	10858	11430
120	116	14449	15210
180	161	21660	22800





Dimensions
Description
Color
Color

L: 300cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Black / **Code 19400**
White / **Code 19401**



Dimensions
Description
Color
Color

L: 200cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Black / **Code 19400-2M**
White / **Code 19401-2M**




Dimensions
Description
Color
Color

L: 17cm W: 10cm H: 3.4cm
T Connector for 3 Circuit Lighting Track
100-240V
Black / **Code 19408**
White / **Code 19409**



Dimensions
Description
Color
Color

L: 3.2cm H: 3.2cm
End Cap for 3 Circuit Lighting Track
100-240V
Black / **Code 19410**
White / **Code 19411**



Dimensions
Description
Color
Color

L: 100cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Black / **Code 19400-1M**
White / **Code 19401-1M**



Dimensions
Description
Special Feature
Color
Color
Color
Color

L: 10cm W: 10cm H: 3.4cm
Corner for 3 Circuit Lighting Track
100-240V
Right Corner / Left Corner
Black-Right / **Code 19404-R**
Black-Left / **Code 19404-L**
White-Right / **Code 19405-R**
White-Left / **Code 19405-L**



Dimensions
Description
Color
Color

Ø: 11.2cm H: 3.2cm
Surface Mount Base for Track Spots
100-240V
Black / **Code 19412**
White / **Code 19413**



Dimensions
Description
Color
Color

L: 7cm H: 2.6cm
Inner Connector for 3 Circuit Lighting Track
100-240V
Black / **Code 19415**
White / **Code 19416**



Dimensions
Description
Color
Color

L: 17cm H: 3.4cm
Live Connector for 3 Circuit Lighting Track
100-240V
Black / **Code 19406**
White / **Code 19407**



Dimensions
Description
Special Feature
Color
Color
Color
Color


L: 10cm H: 3.4cm
Feeder for 3 Circuit Lighting Track
100-240V
Right Feeder / Left Feeder
Black-Right / **Code 19402-R**
Black-Left / **Code 19402-L**
White-Right / **Code 19403-R**
White-Left / **Code 19403-L**



Dimensions
Description
Material
Color


200cm
Adjustable Wire for 3 Circuit Lighting Track
100-240V
Metal
Metallic / **Code 19414**





Power 40W
Input 220-240V, 50/60Hz
Color Temperature 3000K / 4000K
Cri 80
Dimensions Ø: 11cm H: 24.5cm
Non Dimmable ☒
Material Aluminium
Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18307	3000K	5120Lm	Black
18308	3000K	5120Lm	White
18309	4000K	5280Lm	Black
18310	4000K	5280Lm	White



Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K / 4000K
Cri 80
Dimensions Ø: 6.5cm H: 21cm
Non Dimmable ☒
Material Aluminium
Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18303	3000K	2400Lm	Black
18304	3000K	2400Lm	White
18305	4000K	2475Lm	Black
18306	4000K	2475Lm	White






Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 13cm
Material Aluminium
Special Feature 3 Phase Track Light
Color Black Matt / **Code S059**
Color White Matt / **Code S058**

Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 90
Dimensions Ø: 6cm H: 13cm
Beam Angle 15° / 24° / 40°
Material Aluminium
Special Feature 3 Phase Track Light
Included LED Driver

Color Black Matt / **Code S059-15**
Color Black Matt / **Code S059-24**
Color Black Matt / **Code S059-40**
Color White Matt / **Code S058-15**
Color White Matt / **Code S058-24**
Color White Matt / **Code S058-40**

OSRAM




Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 20cm
Cylinder Ø: 6cm H: 13cm
Base Ø: 6cm H: 3cm
Material Aluminium
Color Black Matt / **Code S055**
Color White Matt / **Code S054**

Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 90
Dimensions Ø: 6cm H: 20cm
Cylinder Ø: 6cm H: 13cm
Base Ø: 6cm H: 3cm
Beam Angle 15° / 24° / 40°
Material Aluminium
Special Feature Included LED Driver

Color Black Matt / **Code S055-15**
Color Black Matt / **Code S055-24**
Color Black Matt / **Code S055-40**
Color White Matt / **Code S054-15**
Color White Matt / **Code S054-24**
Color White Matt / **Code S054-40**

OSRAM





Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 17cm
Cylinder Ø: 6cm H: 13cm
Base Ø: 6cm
Cutting Hole Ø: 5cm
Material Aluminium
Special Feature Recessed Track Light
Color Black Matt / **Code S057**
Color White Matt / **Code S056**

Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 90
Dimensions Ø: 6cm H: 17cm
Cylinder Ø: 6cm H: 13cm
Base Ø: 6cm
Beam Angle 15° / 24° / 40°
Cutting Hole Ø: 5cm
Material Aluminium
Special Feature Recessed Track Light
Included LED Driver


Color Black Matt / **Code S057-15**
Color Black Matt / **Code S057-24**
Color Black Matt / **Code S057-40**
Color White Matt / **Code S056-15**
Color White Matt / **Code S056-24**
Color White Matt / **Code S056-40**

OSRAM







Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
Dimensions Ø: 7cm L: 4cm H: 10cm
Beam Angle 36°
Dimmable Triac
Material Aluminium
Special Feature 3 Phase Track Light
Included Honeycomb
Color Sandy Black / **Code Z65644 T-B**
Color Sandy White / **Code Z65644 T-W**



Bulb 1xGU10 Led
Power MAX 10W
Input 220-240V, 50/60Hz
Dimensions Ø: 6.8cm H: 10cm
Material Aluminium
Special Feature 3 Phase Track Light
Color Brushed Brass / **Code Z65105 NT-BB**
Color Metal Grey / **Code Z65105 NT-G**



Power 20W
Input 220-240V, 50/60Hz
Lumen 2000Lm
Cri 80
Dimensions Ø: 7cm H: 13.5cm
Material Aluminium
Special Feature 3 Phase Track Light
Driver on Track




Power 38W
Input 220-240V, 50/60Hz
Lumen 3648Lm
Cri 80
Dimensions Ø: 9cm H: 16.5cm
Material Aluminium
Special Feature 3 Phase Track Light
Driver on Track

Fill in your code using the folowing items from the table.

3 Phase Track Light			
Code	Kelvin	Body Color	Beam Angle
S065-	3 = 3000K	W = Sandy White	15 = 15°
S066-	4 = 4000K	B = Sandy Black	24 = 24°
			36 = 36°

Guide to Create your Code by Choosing : Kelvin - Body Color - Beam Angle





Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 13cm
Material Aluminium
Special Feature 3 Phase Track Light
Color Black Matt / **Code S062**

Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1000Lm
Cri 90
Dimensions Ø: 6cm H: 13cm
Beam Angle 15° / 24° / 40°
Material Aluminium
Special Feature 3 Phase Track Light
Included LED Driver
Color Black Matt / **Code S062-15**
Color Black Matt / **Code S062-24**
Color Black Matt / **Code S062-40**
OSRAM




Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 12cm
Material Aluminium
Special Feature 3 Phase Track Light
Color Black Matt / **Code S038**
Color White Matt / **Code S037**




Material Aluminium
Color Black / **Code Ring B**

Material Aluminium
Color Gold / **Code Ring G**




Bulb 1xGU10
Power MAX 40W
Dimensions Ø: 6cm H: 13cm
Base Ø: 6cm H: 3cm
Material Aluminium
Special Feature 200cm Cable Adjustable
Color Black Matt / **Code S063**


Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 90
Dimensions Ø: 6cm H: 13cm
Base Ø: 6cm H: 3cm
Beam Angle 15° / 24° / 40°
Material Aluminium
Special Feature 200cm Cable Adjustable
Included LED Driver
Color White Matt / **Code S063-15**
Color White Matt / **Code S063-24**
Color White Matt / **Code S063-40**



Bulb 1xGU10
Power MAX 35W
Dimensions Ø: 6cm H: 9cm
Material Metal
Special Feature 3 Phase Track Light
Color Copper Rusty / **Code S067**
Color Brashed Brass / **Code S064**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm
Cri 80
Dimensions Ø: 6cm H: 6.5cm
Beam Angle 35°
Dimmable Triac 
Material Aluminium
Color White Matt / **Code Z12107 K-W**
Color Black Matt / **Code Z12107 K-B**
***Ring** Black / **Code Z050106-B**
***Ring** Brass / **Code Z050106-BR**
*Reflector must be ordered seperately



Color Brass / **Code Z050106-BR**
Material Plastic



Color Black / **Code Z050106-B**
Material Plastic



Bulb 1xGU10 Led
Power MAX 10W
Input 220-240V, 50/60Hz
Dimensions Ø: 7.5cm H: 13.5cm
Material Aluminium
Special Feature GU10 Lampholder Included
Color Metal Grey / **Code Z12105 M-G**
Color White / **Code Z12105 M-W**
Color Brushed Brass / **Code Z12105 M-BB**
***Ring** Black / **Code Z050112-B**
*Reflector must be ordered seperately




Color Black / **Code Z050112-B**
Material Plastic





Color Black / **Code Z050112-B**
Material Plastic





Bulb 1xGU10 Led
Power MAX 10W
Input 220-240V, 50/60Hz
Dimensions Ø: 7.5cm H: 40cm
Material Aluminium
Special Feature 200cm Trasparent Cable Adjustable
GU10 Lampholder Included

Color Brushed Brass / **Code Z63105 MA-BB**
Color Black Matt / **Code Z63105 MA-B**
Color White Matt / **Code Z63105 MA-W**
***Ring** Black / **Code Z050112-B**
***Reflector must be ordered seperately**



Bulb 1xGU10
Power MAX 40W
Dimensions Ø: 6.3cm H: 11.4cm
Material Aluminium
Special Feature GU10 Lampholder Included

Color Black Matt / **Code S001**
Color White Matt / **Code S002**
Color White Matt - Gold Matt / **Code S033**



Bulb 1xGU10
Power MAX 40W
Dimensions L: 9cm W: 9cm H: 11.5cm
Material Aluminium
Special Feature GU10 Lampholder Included

Color White Matt / **Code S039**
Color Black Matt / **Code S040**
Color Gold Matt / **Code S041**
Color White Matt - Gold Matt / **Code S042**
Color Black Matt - Copper Matt / **Code S043**
Color Copper Matt / **Code S044**



White Mat



White Matt
Gold Matt



Gold Matt



Black Matt



Black Matt
Copper Matt




Copper Matt

Architectural Lighting | Led Spot Collection

Power 1x2W COB LED
Input 2.8V / 350mA
Color Temperature 3000K
Lumen 200Lm
Cri 80
IP 65
Dimensions Ø: 3.7cm H: 4.1cm
Beam Angle 24°
Cutting Hole Ø: 3.2cm
Material Aluminium
Suggested Driver V350 for 1-8 Fixture LSCW350P for 1 Fixture
Color Sandy White / **Code 180016**



Power 1x5W COB LED
Input 10V / 500mA
Color Temperature 3000K
Lumen 580Lm
Cri 80
Dimensions Ø: 5.8cm H: 5cm
Beam Angle 25°
Cutting Hole Ø: 5cm
Material Aluminium
Suggested Driver V500 for 1-3 Fixture / Series Connection LSCW500P for 1 Fixture
Color Sandy White / **Code 180012**



Power 1x7W COB LED
Input 20V / 350mA
Color Temperature 2700K
Lumen 630Lm
Cri 80
Dimensions Ø: 5cm H: 8.7cm
Cutting Hole Ø: 4.5cm
Beam Angle 24°
Material Aluminium
Suggested Driver LSCW350P for 1 Fixture
Color Sandy White / **Code 180013**



Power 1x5W COB LED
Input 8.5V / 500mA
Color Temperature 3000K
Lumen 580Lm
Cri 80
Dimensions Ø: 3.5cm H: 6.1cm
Cutting Hole Ø: 3.5cm
Beam Angle 36°
Material Aluminium
Suggested Driver LSCW500P for 1 Fixture
Color Sandy White / **Code Z10103 BTR-W**




Power 1x5W COB LED
Input 8.5V / 500mA
Color Temperature 3000K
Lumen 580Lm
Cri 80
Dimensions Ø: 3.5cm H: 6.1cm
Cutting Hole Ø: 3.5cm
Beam Angle 36°
Material Aluminium
Suggested Driver LSCW500P for 1 Fixture
Color Sandy White - Black / **Code Z10103 BTR-B**



Power 1x7W COB LED
Input 20V / 350mA
Color Temperature 3000K
Lumen 800Lm
Cri 80
Dimensions L: 4cm W: 4cm H: 8cm
Beam Angle 24°
Cutting Hole 4x4cm
Material Aluminium
Suggested Driver LSCW350P for 1 Fixture
Color Sandy White / **Code 180004**




Power 1x7W COB LED
Input 20V / 350mA
Color Temperature 3000K
Lumen 800Lm
Cri 80
Dimensions Ø: 5.8cm H: 7.3cm
Beam Angle 15°
Cutting Hole Ø: 5cm
Material Aluminium
Suggested Driver LSCW350P for 1 Fixture
Special Feature Movable
Color Sandy White / **Code 180010**



Power 1x7W COB LED
Input 20V / 350mA
Color Temperature 3000K
Lumen 800Lm
Cri 80
Dimensions Ø: 4cm H: 10cm
Beam Angle 36°
Cutting Hole Ø: 4.5cm
Base Ø: 6cm
Material Aluminium
Suggested Driver LSCW350P for 1 Fixture
Special Feature Movable
Color Sandy White / **Code 180015**
Color Sandy Black / **Code 180017**




CODE	mA	Watt	V
V350	350	11	2-32
V500	500	16	2-32
V700	700	17	2-25




Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	990Lm
Cri	80
Dimensions	Ø: 4.5cm H: 9.8cm
Beam Angle	15-30° Adjustable
Cutting Hole	Ø: 5cm
Base	Ø: 5.5cm
Material	Aluminium
Special Feature	Recessed Zoomable Spot Included LED Driver
Color	Sandy White - Black / Code 1928
Color	Sandy Black / Code 1928-B





Power 2x9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1620Lm
Cri 80
Dimensions Ø: 14cm H: 11.3cm
Beam Angle 18°
Cutting Hole Ø: 12.8cm
Material Aluminium
Special Feature Movable
Included LED Driver



Color Sandy White / **Code 1927**
Color Sandy Black / **Code 1926**





Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
Dimensions Ø: 6.6cm H: 10cm
Beam Angle 18°
Cutting Hole Ø: 6cm
Material Aluminium
Special Feature Included LED Driver

Color Sandy White / **Code 1925**
Color Sandy Black / **Code 1924**







Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 350Lm
Cri 90
Dimensions L: 5.2cm W: 5.2cm H: 5.6cm
Cutting Hole 4.3 x 4.3cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 6cm
Driver Included (135mA)
Color Sandy White / **Code S098**





Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 90
Dimensions L: 12.8cm W: 5.2cm H: 5.6cm
Cutting Hole 12 x 4.3cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 6cm
Driver Included (250mA)
Color Sandy White / **Code S100**





Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 950Lm
Cri 90
Dimensions L: 9cm W: 9cm H: 5.6cm
Cutting Hole 8 x 8cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 6cm
Driver Included (350mA)
Color Sandy White / **Code S102**







Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 150Lm
Cri 90
Dimensions L: 4.5cm W: 4.5cm H: 5cm
Cutting Hole 3.5 x 3.5cm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium
Depth Required 5.5cm
Driver Included (700mA)
Color Sandy White - Black / **Code S084**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 350Lm
Cri 89.6
Dimensions L: 7.5cm W: 4.5cm H: 5cm
Cutting Hole 6.5 x 3.5cm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium
Depth Required 5.5cm
Driver Included (350mA)
Color Sandy White - Black / **Code S085**




Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 770Lm
Cri 90
Dimensions L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole 13.5 x 3.5cm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium
Depth Required 5.5cm
Driver Included (600mA)
Color Sandy White - Black / **Code S086**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 270Lm
Cri 90
Dimensions Ø: 4cm H: 5.8cm
Cutting Hole Ø: 3.3cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 6.5cm
Driver Included (700mA)
Color White Matt - Black Matt / **Code S092**



Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 90
Dimensions Ø: 6cm H: 8.2cm
Cutting Hole Ø: 5.1cm
Beam Angle 40°
Non Dimmable ☒
Material Aluminium
Depth Required 9cm
Driver Included (160mA)
Color White Matt - Black Matt / **Code S093**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1050Lm
Cri 90
Dimensions Ø: 7.5cm H: 10cm
Cutting Hole Ø: 6.8cm
Beam Angle 38°
Non Dimmable ☒
Material Aluminium
Depth Required 11cm
Driver Included (350mA)
Color White Matt - Black Matt / **Code S094**




S073 S074




S075




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 90
Dimensions Ø: 5.5cm H: 9.1cm
Cutting Hole Ø: 5.2cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 9.5cm
Driver Included (160mA)
Color White Matt / **Code S073**



Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 90
Dimensions Ø: 7.5cm H: 9.8cm
Cutting Hole Ø: 7.2cm
Beam Angle 31°
Non Dimmable ☒
Material Aluminium
Depth Required 10.5cm
Driver Included (250mA)
Color White Matt / **Code S075**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 90
Dimensions Ø: 5.5cm H: 9.1cm
Cutting Hole Ø: 5.2cm
Beam Angle 24°
Non Dimmable ☒
Material Aluminium
Depth Required 9.5cm
Driver Included (160mA)
Color Black Matt / **Code S074**





Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 90
Dimensions Ø: 7.5cm H: 9.8cm
Cutting Hole Ø: 7.2cm
Beam Angle 31°
Non Dimmable ☒
Material Aluminium
Depth Required 10.5cm
Driver Included (250mA)
Color Black Matt / **Code S076**









Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 90
Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
Cutting Hole Ø: 6.2cm
Beam Angle 22°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 8cm
Driver Included (135mA)
Color Sandy White / **Code S095**





Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 675Lm
Cri 90
Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
Cutting Hole Ø: 8.2cm
Beam Angle 36°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 10.5cm
Driver Included (200mA)
Color Sandy White / **Code S096**





Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1125Lm
Cri 90
Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
Cutting Hole Ø: 8.2cm
Beam Angle 36°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 12cm
Driver Included (350mA)
Color Sandy White / **Code S097**








Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 90
Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
Cutting Hole Ø: 6.2cm
Beam Angle 22°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 8cm
Driver Included (135mA)
Color Sandy Black / **Code S095-B**
Color Copper Matt / **Code S095-C**
Color Gold Matt / **Code S095-G**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 675Lm
Cri 90
Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
Cutting Hole Ø: 8.2cm
Beam Angle 36°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 10.5cm
Driver Included (200mA)
Color Sandy Black / **Code S096-B**
Color Copper Matt / **Code S096-C**
Color Gold Matt / **Code S096-G**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1125Lm
Cri 90
Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
Cutting Hole Ø: 8.2cm
Beam Angle 36°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 12cm
Driver Included (350mA)
Color Sandy Black / **Code S097-B**
Color Copper Matt / **Code S097-C**
Color Gold Matt / **Code S097-G**




Wall Washer
Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 388Lm
Cri 90
IP 54
Dimensions L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole 14 x 3.5cm
Beam Angle 20°
Non Dimmable ☒
Material Aluminium
Depth Required JT : 5.5cm
Driver Included (600mA)
Color White Matt / **Code S087**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 975Lm
Cri 90
Dimensions Ø: 6.2cm H: 8.3cm
Base Ø: 7.3cm
Cutting Hole Ø: 6.6cm
Beam Angle 33°
Non Dimmable ☒
Material Aluminium
Depth Required JT : 3.5cm
Driver Included (300mA)
Color White Matt - Black Matt Reflector / **Code S079**



Wall Washer
Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 388Lm
Cri 80
IP 54
Dimensions Ø: 10.3cm H: 3.2cm
Cutting Hole Ø: 8.5cm
Beam Angle 20°
Non Dimmable ☒
Material Aluminium
Depth Required JT : 3.5cm
Driver Included (250mA)
Color White / **Code S072**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 910Lm
Cri 90
IP 54
Dimensions Ø: 8.3cm H: 8.5cm
Cutting Hole Ø: 7.6cm
Beam Angle 32°
Non Dimmable ☒
Material Aluminium
Depth Required JT : 9cm
Driver Included (300mA)
Color Black Matt / **Code S078**
Color White Matt / **Code S077**




Power 2x7W
Input 10V / 700mA
Color Temperature 3000K
Lumen 1040Lm
Cri 90
Dimensions L: 16.8cm W: 9cm H: 9cm
Cutting Hole 8.2 x 16.4cm
Beam Angle 36°
Material Aluminium
Depth Required JT: 9cm
Required Driver V700 / Series Connection
Special Feature Movable
Stick Ø: 4cm

Color Sandy White - Black / **Code Z11207-W**
Color Sandy Black - Gold / **Code Z11207-B**




Power 7W
Input 10V / 700mA
Color Temperature 3000K
Lumen 520Lm
Cri 90
Dimensions Ø: 9.1cm H: 9cm
Cutting Hole Ø: 8.2cm
Beam Angle 36°
Material Aluminium
Depth Required JT: 9cm
Required Driver LSCW700P for 1 Fixture
Special Feature Movable
Stick Ø: 4cm

Color Sandy White - Black / **Code Z11107-W**
Color Sandy Black - Gold / **Code Z11107-B**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 750Lm
Cri 90
Dimensions Ø: 7cm H: 8.3cm
Cutting Hole Ø: 6cm
Beam Angle 38°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 9cm
Driver Included (250mA)
Color White Matt - Black Matt Reflector / **Code S070**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1125Lm
Cri 90
Dimensions Ø: 8.5cm H: 10.3cm
Cutting Hole Ø: 7.8cm
Beam Angle 30°
Non Dimmable ☒
Material Aluminium
Depth Required JT: 11cm
Driver Included (350mA)
Color White Matt - Black Matt Reflector / **Code S071**





Down Light
Dimensions
Cutting Hole
Material
Depth Required
Color
Color


Ø: 8.5cm H: 4.2cm
Ø: 8.5cm
Aluminium - Plastic Reflector
10cm
Sandy White - Black Reflector / **Code S089**
Sandy White - White Reflector/ **Code S088**



Down Light
Dimensions
Cutting Hole
Material
Depth Required
Color
Color

L: 7.8cm W: 7.8cm H: 4.4cm
7.8 x 7.8cm
Aluminium
10cm
Sandy White - Black Reflector / **Code S091**
Sandy White - White Reflector/ **Code S090**

Installation Manual



Trimless Canopy **Code 20144**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 11cm
Cutting Hole Ø: 8.2cm
Material Aluminium
Depth Required JTl: 11cm
Special Feature GU10 Lampholder Included
Movable

Color Black / **Code Z11105 TR-B**
Color White / **Code Z11105 TR-W**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 6.8cm H: 5.7cm
Cutting Hole Ø: 6.2cm
Material Aluminium
Depth Required JTl: 10cm
Special Feature GU10 Lampholder Included

Color Sandy White - Black / **Code Z10105-D9**


Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 6.9cm H: 4.9cm
Cutting Hole Ø: 6.4cm
Material Aluminium
Depth Required JTl: 13cm
Special Feature GU10 Lampholder Included


Color Sandy White - Black / **Code Z10105-AD**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 6cm H: 4cm
Cutting Hole Ø: 6cm
Material Aluminium
Depth Required JTl: 12cm
Special Feature GU10 Lampholder Included

Color Black / **Code Z10105 TR-B**
Color White / **Code Z10105 TR-W**





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 440Lm
Cri 90
IP 54
Dimensions Ø: 8cm H: 4cm
Cutting Hole Ø: 7.3cm
Beam Angle 20°
Non Dimmable ☒
Material Aluminium - Glass
Depth Required JT: 4.5cm
Driver Included
Color Black / **Code S110**
Color White / **Code S111**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 8.5cm H: 4.5cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JT: 10.5cm
Special Feature GU10 Lampholder Included
Color Black Matt / **Code S046**
Color White Matt / **Code S045**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
IP 44
Dimensions Ø: 8.3cm H: 3.7cm
Cutting Hole Ø: 7cm
Material Aluminium
Depth Required JT: 9.7cm
Special Feature GU10 Lampholder Included
Color White / **Code S003**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
IP 44
Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
Cutting Hole Ø: 7cm
Material Aluminium
Depth Required JT: 11.7cm
Special Feature GU10 Lampholder Included
Color White / **Code S005**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
IP 44
Dimensions Ø: 8.3cm H: 3.7cm
Cutting Hole Ø: 7cm
Material Aluminium
Depth Required JT: 9.7cm
Special Feature GU10 Lampholder Included
Color Brushed Chrome Matt / **Code S004**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
IP 44
Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
Cutting Hole Ø: 7cm
Material Aluminium
Depth Required JT: 11.7cm
Special Feature GU10 Lampholder Included
Color Brushed Chrome Matt / **Code S006**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 9cm H: 4cm
Cutting Hole Ø: 8cm
Material Aluminium
Depth Required JTL: 10cm
Special Feature GU10 Lampholder Included
Movable


Color White - Black / **Code S060**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8.4cm W: 8.4cm H: 4cm
Cutting Hole Ø: 7.6cm
Material Aluminium
Depth Required JTL: 10cm
Special Feature GU10 Lampholder Included
Movable

Color White - Black / **Code S061**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 8.3cm H: 5.5cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JTL: 10.5cm
Special Feature GU10 Lampholder Included

Color Gold / **Code S035**
Color Black / **Code S007**
Color White / **Code S008**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 8.6cm H: 4cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JTL: 9cm
Special Feature GU10 Lampholder Included
Movable

Color White / **Code S012**

Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 8.6cm H: 4cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JTL: 9cm
Special Feature GU10 Lampholder Included
Movable

Color Black / **Code S011**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 10cm W: 10cm H: 4cm
Cutting Hole L: 9.2cm W: 9.2cm
Material Aluminium
Depth Required JTL: 9.5cm
Special Feature GU10 Lampholder Included Movable
Color White / **Code S021**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 10cm W: 10cm H: 4cm
Cutting Hole L: 9.2cm W: 9.2cm
Material Aluminium
Depth Required JTL: 9.5cm
Special Feature GU10 Lampholder Included Movable
Color White - Black / **Code S022**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 10cm H: 4cm
Cutting Hole Ø: 9.2cm
Material Aluminium
Depth Required JTL: 9.5cm
Special Feature GU10 Lampholder Included Movable
Color White / **Code S019**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 10cm H: 4cm
Cutting Hole Ø: 9.2cm
Material Aluminium
Depth Required JTL: 9.5cm
Special Feature GU10 Lampholder Included Movable
Color White - Black / **Code S020**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
Cutting Hole L: 7.5cm W: 7.5cm
Material Aluminium
Depth Required JTL: 13.5cm
Special Feature GU10 Lampholder Included
Color White / **Code S010**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
Cutting Hole L: 7.5cm W: 7.5cm
Material Aluminium
Depth Required JTL: 13.5cm
Special Feature GU10 Lampholder Included
Color Black / **Code S009**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8.5cm W: 8.5cm H: 2cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JTL: 7.5cm
Special Feature GU10 Lampholder Included Movable
Color White / **Code S013**




Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8.5cm W: 8.5cm H: 2cm
Cutting Hole Ø: 7.5cm
Material Aluminium
Depth Required JTL: 7.5cm
Special Feature GU10 Lampholder Included Movable
Color Black / **Code S014**






Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 12cm H: 7cm
Cutting Hole L: 12.2cm W: 12.2cm
Material Gypsum
Depth Required JTL: 14cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S030**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 8cm H: 6cm
Cutting Hole L: 8.2cm W: 8.2cm
Material Gypsum
Depth Required JTL: 12cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S047**







Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 8cm H: 6cm
Cutting Hole L: 8.2cm W: 8.2cm
Material Gypsum
Depth Required JTL: 12cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S048**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 12cm H: 6.1cm
Cutting Hole L: 12.2cm W: 12.2cm
Material Gypsum
Depth Required JTL: 11.5cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S025**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 10cm W: 10cm H: 3cm
Cutting Hole L: 10.2cm W: 10.2cm
Material Gypsum
Depth Required JTL: 9cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S027**



Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions L: 12cm W: 12cm H: 6.2cm
Cutting Hole L: 12.2cm W: 12.2cm
Material Gypsum
Depth Required JTL: 11.5cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S029**


Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 22cm W: 22cm H: 10.5cm
Cutting Hole L: 22.2cm W: 22.2cm
Material Gypsum
Depth Required JTL: 4cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S109**




Bulb 1xGU10
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 19cm W: 19cm H: 7.8cm
Cutting Hole L: 19.2cm W: 19.2cm
Material Gypsum
Depth Required JTL: 10.5cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S108**




Bulb 1xGU10
Power MAX 50W
Input 220-240V, 50/60Hz
Dimensions Ø: 10cm H: 3.3cm
Cutting Hole Ø: 10.2cm
Material Gypsum
Depth Required JTL: 8.5cm
Special Feature GU10 Lampholder Included
Color Pure White / **Code S026**




Bulb 1xE27
Power MAX 40W
Input 220-240V , 50/60Hz
Dimensions L: 16.6cm W:38.7cm H: 10.9cm
Material Gypsum - Glass
Color Pure White / **Code 20273**



Bulb 1xE14
Power MAX 40W
Input 220-240V , 50/60Hz
Dimensions L: 11cm W: 22cm H: 8.5cm
Material Gypsum
Color Pure White / **Code 20274**




Power 9.2W
Input 220-240V , 50/60Hz
Color Temperature 3000K
Lumen 460Lm
Cri 80
Dimensions Ø: 25cm L: 5.5cm
Material Gypsum
Color Pure White / **Code 20272**




Power 7.5W
Input 220-240V , 50/60Hz
Color Temperature 3000K
Lumen 375Lm
Cri 80
Dimensions Ø: 15cm L: 4.1cm
Material Gypsum
Color Pure White / **Code 20271**







Bulb 1xG9
Power MAX 25W
Input 220-240V , 50/60Hz
Dimensions L: 14.5cm W: 32cm H: 5.5cm
Material Gypsum
Color Pure White / **Code 180026**



Bulb 1xG9
Power MAX 25W
Input 220-240V , 50/60Hz
Dimensions L: 10cm W: 20cm H: 6cm
Material Gypsum
Color Pure White / **Code 180027**



Bulb 1xG9
Power MAX 25W
Input 220-240V , 50/60Hz
Dimensions L: 8.5cm W: 20cm H: 12cm
Material Gypsum
Color Pure White / **Code 180025**



Bulb 1xG9
Power MAX 25W
Input 220-240V , 50/60Hz
Dimensions L: 13cm W: 15cm H: 13cm
Material Gypsum
Color Pure White / **Code 180028**






2m Profile + Opal PC Cover, Aluminium




End Caps



Side Hanging End Caps




Top Hanging Kit




Profile Set	
20190	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 2pcs Side Hanging End Caps
20191	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 6pcs Top Hanging Kit

2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips




Profile Set	
20193	2m Aluminium Profile + 2m Opal PC Cover
20193-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips


2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips



Profile Set	
20194	2m Aluminium Profile + 2m Opal PC Cover
20194-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips




Profile Set	
20197	2m Aluminium Profile + 2m Opal PC Cover
20197-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + PC Black Diffuser Cover , Aluminium




End Caps




Profile Set	
Z 7901TR	2m Aluminium Profile + 2m PC Black Diffuser Cover Complete with 2pairs End Caps

2m Profile + Opal PC Cover , Aluminium




End Caps




Profile Set	
20205	2m Aluminium Profile + 2m Opal PC Cover
20205-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover , Aluminium



End Caps



Profile Set	
20203	2m Aluminium Profile + 2m Opal PC Cover
20203-E	2pcs End Caps with Hole , 2pcs End Caps without Hole


2m Profile + Opal PC Cover , Aluminium




End Caps



Profile Set	
20204	2m Aluminium Profile + 2m Opal PC Cover
20204-E	2pcs End Caps with Hole , 2pcs End Caps without Hole



2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips

Profile Set	
20196	2m Aluminium Profile + 2m Opal PC Cover
20196-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips



2m Profile + Opal PC Cover, Aluminium
2m Profile + Clear PC Cover, Aluminium



End Caps




Metal Clips

Profile Set	
20199	2m Aluminium Profile + 2m Opal PC Cover
20199-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips
20200	2m Aluminium Profile + 2m Clear PC Cover



2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips

Profile Set	
20195	2m Aluminium Profile + 2m Opal PC Cover
20195-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips



2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips

Profile Set	
20201	2m Aluminium Profile + 2m Opal PC Cover
20201-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips



2m Profile + Opal PC Cover, Aluminium



End Caps




Metal Clips

Profile Set	
20198	2m Aluminium Profile + 2m Opal PC Cover
20198-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips



2m Profile + Opal PC Cover, Aluminium




End Caps




Metal Clips


Profile Set	
20206	2m Aluminium Profile + 2m Opal PC Cover
20206-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips




Profile Set	
20325	2m Aluminium Profile + 2m Opal PC Cover + 4pcs Metal Clips






Profile Set	
20325-60D	2m Aluminium Profile + 2m Clear PC Diffuser Cover (Degrees 60°) + 4pcs Metal Clips




Profile Set	
20325-WG	2m Aluminium Profile + 2m PMMA Lens Cover (Wall Grazer) + 4pcs Metal Clips



Profile Set	
20325-30D	2m Aluminium Profile + 2m PMMA Lens Cover (Degrees 30°) + 4pcs Metal Clips





-OSRAM PRODUCT BASIC FLEX 24V 4.6W/m

OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4052899594937	20	2700	85	4.6W/m	437
4052899594951	20	3000	85	4.6W/m	437
4052899594975	20	4000	85	4.6W/m	437
4052899594999	65	2700	85	4.6W/m	437
4052899595019	65	3000	85	4.6W/m	437
4062172020886	65	4000	85	4.6W/m	437


Lumen Efficiency 95Lm/W
SDCM 3
Ra 85
LEDs/m 60
Voltage DC24V
Width IP20 8mm , IP65 11.1mm
Unit cut 100mm
Life Span 25000H
Waterproof Rate IP20 + IP65

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT BASIC FLEX 24V 10.8W/m

OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172148801	20	2700	85	10.8W/m	1026
4062172148825	20	3000	85	10.8W/m	1026
4062172148849	20	4000	85	10.8W/m	1026
4062172148924	65	2700	85	10.8W/m	1026
4062172148948	65	3000	85	10.8W/m	1026
4062172020923	65	4000	85	10.8W/m	1026


Lumen Efficiency 95Lm/W
SDCM 3
Ra 85
LEDs/m 60
Voltage DC24V
Width IP20 8mm , IP65 11.1mm
Unit cut 100mm
Life Span 25000H
Waterproof Rate IP20 + IP65

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 ,621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT 24V 8.88W/m

OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4052899595057	20	3000	85	8.88W/m	923
4052899595071	20	4000	85	8.88W/m	923


Lumen Efficiency 104Lm/W
SDCM 3
Ra 85
LEDs/m 70
Voltage DC24V
Width 8mm
Unit cut 100mm
Life Span 25000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT LUMINENT 24V 9.6W/m SHORTPITCH

OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4055462217431	20	3000	85	9.6W/m	1000
4055462217455	20	4000	85	9.6W/m	1000


Lumen Efficiency 105Lm/W
SDCM 3
Ra 85
LEDs/m 240
Voltage DC24V
Width 8mm
Unit cut 25mm
Life Span 25000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-OSRAM PRODUCT TECHFLEX 15.5W/m 2000Lm/m

OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172107242	20	3000	85	15.5W/m	2000
4062172107266	20	4000	85	15.5W/m	2060


Lumen Efficiency 129Lm/W
SDCM 3
Ra 85
LEDs/m 140
Voltage DC24V
Width 8mm
Unit cut 100mm
Life Span 50000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP 2400K 12W/m CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS05	20	2400	90	12W/m	1200


Lumen Efficiency 100Lm/W
SDCM 3
Ra 90
LEDs/m 120
Voltage DC24V
Width 10mm
Unit cut 50mm
Life Span 20000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP TW (2700K-6500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
		2700	90	12W/m	816
LS06	20	6500	90	12W/m	1050
		2700+6500	90	24W/m	1866


Lumen Efficiency 78Lm/W
SDCM 3
Ra 90
LEDs/m 120
Voltage DC24V
Width 10mm
Unit cut 100mm
Life Span 20000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP DIM TO WARM (2100K-3500K) CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS07	20	2100-3500	90	12W/m	MAX 1050


Lumen Efficiency 88Lm/W
Ra 90
LEDs/m 120
Voltage DC24V
Width 10mm
Unit cut 100mm
Life Span 20000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers



Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-LED STRIP COB 5W + 10W CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS01	20	2700	90	5W/m	510
LS02	20	2700	90	10W/m	950
LS03	20	3000	90	10W/m	1000
LS04	20	4000	90	10W/m	1105

Lumen Efficiency 110Lm/W
SDCM 3
Ra 90
SMD Type COB
LEDs/m 480
Voltage DC24V
Width 10mm
Unit cut 50mm
Life Span 20000H
Waterproof Rate IP20

*5 Years Guarantee when combined with OSRAM drivers

Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618




-LED STRIP 24V 16W/mRGBW

Code	IP	Kelvin	CRI	Watt	Lm/m
LS12	20	3000	80	16W/m	832

Lumen Efficiency 52Lm/W
SDCM 3
Ra 80
LEDs/m 60
Voltage DC24V
Width 12mm
Unit cut 100mm
Life Span 54000H
Waterproof Rate IP20

Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 4 DT8+Switch Dali MCU TW . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620



-LED STRIP 24V 18W/m with OPTICS 20°x 45°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS10	67	3000	90	18W/m	1583
LS11	67	4000	90	18W/m	1597

Lumen Efficiency 103Lm/W
SDCM 3
Ra 90
LEDs/m 48
Voltage DC24V
Width 18.5mm
Unit cut 125mm
Life Span 50000H
Waterproof Rate IP67

*5 Years Guarantee when combined with OSRAM drivers



Aluminium Profile
Code ALMLS10-11



Angle Mounting Clips
Code CLIPLS10-11

Dimming Options


- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-RUBBER LED STRIP 9W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS14	67	3000	90	9W/m	468
LS15	67	4000	90	9W/m	495

Lumen Efficiency 55Lm/W
SDCM 3
Ra 90
LEDs/m 112
Voltage DC24V
Unit cut 55.5mm
Life Span 20000H
Waterproof Rate IP67
Special Feature UV resistant
Chemical resistant



Aluminium Profile 1m
Code ALMLS14-15



End Cap
Code ECLS14-15



Flexible Profile
Code FPLS14-15



Feeder Cap
Code FCLS14-15

Dimming Options


- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



-RUBBER LED STRIP 6W/m IP67


Code	IP	Kelvin	CRI	Watt	Lm/m
LS08	67	2700	95	6W/m	240
LS09	67	3000	95	6W/m	256

Lumen Efficiency 42Lm/W
SDCM 3
Ra 95
LEDs/m 480
Voltage DC24V
Unit cut 25mm
Life Span 20000H
Waterproof Rate IP67
Special Feature UV resistant
Chemical resistant



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 , 621
- 2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620
- 3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 620
- 4. 1-10 Dimming : 1-10 Driver 24V+Switch MCU 1-10 . Suitable with 1-10V Drivers to Page : 619
- 5. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618



Power 45W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.5cm H: 3.05cm L: 18.7cm
DALI Dimming PushButton-DALI2
1 CHANNELS
Material Plastic
Special Feature IP 20
Color White / **Code ACLS4524DA2**




Power 80W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.5cm H: 3.05cm L: 16.5cm
DALI Dimming PushButton-DALI2
1 CHANNELS
Material Plastic
Special Feature IP 20
Color White / **Code ACLS8024DA2**



Power 150W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.5cm H: 3.05cm L: 29cm
DALI Dimming PushButton-DALI2
1 CHANNELS
Material Plastic
Special Feature IP 20
Color White / **Code ACLS15024DA2**



Power 100-200W
Input 100-240V, 50/60Hz
Output 24V
Dimensions W: 4.5cm H: 2.1cm L: 4.5cm
DALI Dimming Dali/Dimmer to Triac Converter
Material Plastic
Special Feature IP 20
Color White / **Code Z 89104LT**



Power 50W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 3.2cm H: 2.2cm L: 34.5cm
DALI Dimming DT6-DT8 DALI 1-4 CHANNELS
Material Plastic
Special Feature IP 20
Color White / **Code 4062172177900**



Power 160W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5.1cm H: 3.5cm L: 30cm
DALI Dimming DT6-DT8 DALI 1-4 CHANNELS
Material Plastic
Special Feature IP 20
Color White / **Code 4062172177948**



Power 100W
Input 220-240V, 0-60Hz
Output 24V
Dimensions W: 5cm H: 3.4cm L: 24cm
1-10 Dimming OPTOTRONIC DIM P
Material Metal
Special Feature IP 67
Color Metal / **Code 4052899545861**



Power 250W
Input 220-240V, 0-60Hz
Output 24V
Dimensions W: 6.8cm H: 4cm L: 26.6cm
1-10 Dimming OPTOTRONIC DIM P
Material Metal
Special Feature IP 67
Color Metal / **Code 4052899545908**




Power 30W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 2.7cm L: 14.5cm
Non Dimmable ELEMENT 30/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605503**




Power 60W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 3.1cm L: 20.1cm
Non Dimmable ELEMENT 60/220-240/24 G2
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605527**




Power 120W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4.1cm H: 3.1cm L: 26cm
Non Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605541**




Power 180W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 4cm H: 3.1cm L: 30cm
Non Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code 4052899605565**




Power 240W
Input 220-240V, 50/60Hz
Dimensions W: 4.2cm H: 2cm L: 17.2cm
Bluetooth Dimming 
OT BLE DIM 0-100%
Material Plastic
Special Feature IP 20
Color Whitel / **Code 4052899557833**




Power 182W
Input 220-240V, 50/60Hz
Dimensions W: 4.2cm H: 2cm L: 17.2cm
DMX Dimming 
OT DMX RGBW DIM 0-100%
Material Plastic
Special Feature IP 20
Color Whitel / **Code 4052899557949**




Power 100W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5cm H: 3cm L: 23cm
Dimmable Triac 
Material Metal
Special Feature IP 20
Color Metal / **Code Z89100VND**




Power 200W
Input 220-240V, 50/60Hz
Output 24V
Dimensions W: 5cm H: 3cm L: 28.7cm
Dimmable Triac 
Material Metal
Special Feature IP 20
Color Metal / **Code Z89200VND**




Input 220-240V, 50/60Hz
Dimensions W: 5cm H: 8cm L: 8cm
DALI Dimming 
DALI MCU Switch
Material Plastic
Special Feature IP 20
Color White / **Code 4008321189721**





Input 220-240V, 50/60Hz
Dimensions W: 5cm H: 8cm L: 8cm
DALI Dimming 
DALI MCU Tunable White Switch
Material Plastic
Special Feature IP 20
Color White / **Code 4052899465916**



Input 220-240V, 50/60Hz
Dimensions W: 4cm H: 8cm L: 8cm
1-10 Dimming 
DIM MCU Switch
Material Plastic
Special Feature IP 20
Color White / **Code 4050300347424**



Power 7W
Input 220-240V, 50/60Hz
Color Temperature 6000K
Lumen 400Lm
Cri 80
Dimensions W: 11cm H: 6.5cm L: 35.2cm
Not Dimmable 
Material Plastic
Special Feature Emergency Light / Battery Requires IP 65
Operation Time 3h
Color White / **Code Z89404**



Coins 50					
Code	Description	Kelvin	CRI	Watt	Lumen
4052899583603	PL-CN50-COB-900-927-15D-G1	2700	90	12.90W	1400
4052899583627	PL-CN50-COB-900-927-24D-G1	2700	90	12.90W	1400
4052899583641	PL-CN50-COB-900-927-40D-G1	2700	90	12.90W	1400
4052899541153	PL-CN50-COB-900-930-15D-G1	3000	90	12.90W	1400
4052899541191	PL-CN50-COB-900-930-24D-G1	3000	90	12.90W	1400
4052899541757	PL-CN50-COB-900-930-40D-G1	3000	90	12.90W	1400
4052899541795	PL-CN50-COB-900-940-15D-G1	4000	90	12.90W	1400
4052899541771	PL-CN50-COB-900-940-24D-G1	4000	90	12.90W	1400
4052899541818	PL-CN50-COB-900-940-40D-G1	4000	90	12.90W	1400
4052899605763	PL-CN50-COB-900-D2W-24D-G1	Dim to Warm	90	12.90W	1400
4052899605787	PL-CN50-COB-900-D2W-40D-G1	Dim to Warm	90	12.90W	1400


Life Span : 50000H

*7 Years Guarantee when combined with OSRAM drivers




Power 18W
Input 220-240V, 50/60Hz
Output 350mA
Dimensions W: 5.3cm H: 3cm L: 9.5cm
PhaseCut Dimming 
Material Plastic
Special Feature IP 20
Color White / **Code 4062172007559**




Power 18W
Input 220-240V, 50/60Hz
Output 100-1050mA
Dimensions W: 5.3cm H: 3cm L: 9.5cm
DALI Dimming 
Material Plastic
Special Feature IP 20
Color White / **Code 4052899548190**



Power 10W
Input 220-240V, 50/60Hz
Output 150-700mA
Dimensions W: 3cm H: 2.2cm L: 16.6cm
DALI Dimming 
Material Plastic
Special Feature IP 20
Color White / **Code 4062172151252**



Power 15W
Input 220-240V, 50/60Hz
Output 350mA
Dimensions W: 4.3cm H: 2.2cm L: 9cm
Not Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code 4052899552906**




Constant Current Drivers

Power 10W
Input 220-240V, 50/60Hz
Output 500mA
Forward Voltage 14-28V
Dimensions W: 3cm H: 2.1cm L: 13.9cm
Dimmable PhaseCut , 1-10V
Material Plastic
Special Feature IP 20
Color White / **Code 87500284**




Power 10W
Input 220-240V, 50/60Hz
Output 350mA
Forward Voltage 10-20V
Dimensions W: 3cm H: 2.1cm L: 13.9cm
Dimmable PhaseCut , 1-10V
Material Plastic
Special Feature IP 20
Color White / **Code 87500283**




Power 15W
Input 220-240V, 50/60Hz
Output 700mA
Forward Voltage 10-21.5V
Dimensions W: 3cm H: 2.1cm L: 13.9cm
PhaseCut Dimming 
Material Plastic
Special Feature IP 20
Color White / **Code 89800257**




Power 7W
Input 220-240V, 50/60Hz
Output 350mA
Forward Voltage 2.7-19.2V
Dimensions W: 2.6cm H: 2cm L: 3.6cm
Not Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code LSCW350P**




Power 7W
Input 220-240V, 50/60Hz
Output 500mA
Forward Voltage 2.7-12.8V
Dimensions W: 2.6cm H: 2cm L: 3.6cm
Not Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code LSCW500P**




Power 7W
Input 220-240V, 50/60Hz
Output 700mA
Forward Voltage 2.7-9.6V
Dimensions W: 2.6cm H: 2cm L: 3.6cm
Not Dimmable 
Material Plastic
Special Feature IP 20
Color White / **Code LSCW700P**






Outdoor Lighting



Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 375Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 22cm
3 Steps Dimming 10% , 50% , 100%
Duration 15h , 10h , 7h
Material Aluminium - Difusser
Special Feature Portable Table Lamp
USB Cable & Adaptor Included


Color Black / **Code E218**



Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 70Lm
Cri 80
IP 54
Dimensions Ø: 10.5cm H: 38cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminium - Difusser
Special Feature Shade Ø: 11cm H: 11cm
Portable Table Lamp
USB Cable & Adaptor Included


Color Sandy White / **Code E193**
Sandy Black / **Code E194**







Power 2W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 99Lm
Cri 80
IP 54
Dimensions W: 33.8cm H: 111cm
Base Ø: 24cm
3 Steps Dimming 25%, 50%, 100%
Duration 20h, 10h, 5h
Material Aluminium - PC Difusser
Special Feature Ball Ø: 18cm
Portable Floor Lamp
USB Cable & Adaptor Included

Color Black / **Code E232**



Power 1.5W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 99Lm
Cri 80
IP 54
Dimensions W: 19.4cm H: 27.9cm
Base Ø: 10cm
3 Steps Dimming 25%, 50%, 100%
Duration 20h, 10h, 5h
Material Aluminium - PC Difusser
Special Feature Ball Ø: 18cm
Portable Table Lamp
USB Cable & Adaptor Included


Color Black / **Code E233**
Color White / **Code E234**




Power 1.5W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 99Lm
Cri 80
IP 44
Dimensions Ø: 18cm
3 Steps Dimming 25%, 50%, 100%
Duration 20h, 10h, 5h
Material Aluminium - PC Difusser
Special Feature Portable Table Lamp
USB Cable & Adaptor Included
80cm Cable Adjustable

Color Black / **Code E231**






Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions L: 16cm W: 15cm H: 30cm
Base L: 23cm W: 21cm
Material Concrete
Color Natural Concrete / **Code E191**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions L: 16cm W: 15cm H: 70cm
Base L: 23cm W: 21cm
Material Concrete
Color Natural Concrete / **Code E192**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions L: 28cm W: 10cm H: 35cm
Base L: 37cm W: 19cm
Material Concrete
Color Natural Concrete / **Code E190**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 380Lm
Cri 80
IP 65
Dimensions L: 9.7cm W: 9.1cm H: 10.5cm
Beam Angle 36°
Dimmable Triac 
Material Concrete - Aluminium
Color Natural Concrete / **Code E253**



Power 2x4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 65
Dimensions L: 9.7cm W: 9.1cm H: 20cm
Beam Angle 36°
Dimmable Triac 
Material Concrete - Aluminium
Color Natural Concrete / **Code E254**





Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 38°
Material Aluminium
Color Dark Grey / **Code E250**




Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 12°
Material Aluminium
Color Dark Grey / **Code E250-12D**




Wall / Ground Base
Material Aluminium
Color Dark Grey / **Code E251**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 54
Dimensions Ø: 15cm L: 5.5cm
Material Aluminium - PC Diffusser
Color Graphite / **Code E237**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions Ø: 15cm H: 100cm
Material Aluminium - PC Diffusser
Color Graphite / **Code E249**






Power 2 x 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 11cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Light
Color Graphite / **Code E238**




Power 2 x 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 17.5cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Light
Color Graphite / **Code E239**




Power 2 x 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1600Lm
Cri 80
IP 65
Dimensions L: 3.1cm W: 30cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Light
Color Graphite / **Code E240**






Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 44
Dimensions L: 6.7cm W: 19cm H: 17.5cm
Material Metal - Diffuser
Color Graphite / **Code E243**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 54
Dimensions L: 10.5cm W: 24cm H: 5.5cm
Material Aluminium - PC Diffuser
Special Feature Up-Down
Color Graphite / **Code E244**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 9.2cm W: 22.4cm H: 22.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E245**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 12.8cm W: 18.3cm H: 20cm
Material Aluminium - Glass
Color Dark Brown / **Code E271**





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 530Lm
Cri 80
IP 65
Dimensions L: 16.5cm W: 16cm H: 5cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Light
Color Dark Brown / **Code E268**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 9.6cm W: 30cm H: 12cm
Material Aluminium - Opal PC Diffuser
Special Feature Up - Down Light
Color Dark Grey / **Code E265**
Dark Brown / **Code E266**



Power 16W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
IP 65
Dimensions Ø: 18.3cm L: 13cm
Material Aluminium - Opal PC Diffuser
Color Dark Brown / **Code E267**



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 12.6cm W: 15cm H: 28cm
Material Aluminium - Opal PC Diffuser
Color Dark Brown / **Code E263**





50

6.5

Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2400Lm
Cri 80
IP 65
Dimensions L: 7.5cm W: 50cm H: 6.5cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E227**

IP 65

LED




22

3.2



Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 54
Dimensions L: 7.5cm W: 22cm H: 3.2cm
Material Aluminium - Tempered Glass
Color Sandy White / **Code E168**


IP 54

LED




Power 9W LED
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E202**









Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
IP 65
Dimensions L: 9cm W: 9.5cm H: 26.5cm
Material Alumunium - Clear Diffuser
Color Sandy Black / **Code E201**








Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.8cm W: 16cm H: 10-16cm
Material Aluminium - PC Diffuser
Special Feature Movable
Color Graphite / **Code E199**




Power 4.2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 336Lm
Cri 80
IP 65
Dimensions L: 6cm W: 11cm H: 11cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E197**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.8cm W: 18cm H: 11-18cm
Material Aluminium - PC Diffuser
Special Feature Movable
Color Sandy White / **Code E200**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.8cm W: 7cm H: 18.8cm
Material Aluminium - PC Diffuser
Special Feature Movable
Color Sandy White / **Code E198**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 810Lm
Cri 80
IP 65
Dimensions L: 7.2cm W: 16cm H: 15.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E195**



Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
IP 44
Dimensions L: 14.5cm W: 11cm H: 11.5cm
Material Aluminium - Clear Glass
Color Sandy Black / **Code E100**





Power 2x3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 6.5cm W: 11cm H: 17.5cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E135**
Color Sandy White / **Code E156**



Power 2x3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 8.2cm W: 8cm H: 8cm
Material Aluminium - Tempered Glass
Special Feature Movable
Color Graphite / **Code E109**
Color Sandy White / **Code E159**




Bulb 2xGU10
Power MAX 15W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Tempered Glass
Diffuser
Color Sandy White / **Code E151**




Bulb 1xGU10
Power MAX 15W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Glass Diffuser
Color Sandy White / **Code E150**







Bulb 2xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Glass Diffuser
Color Graphite / **Code E124**



Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Glass Diffuser
Color Graphite / **Code E123**




Bulb 2xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 15cm
Material Aluminium - Glass Diffuser
Color Graphite / **Code E122**




Bulb 1xGU10
Power MAX 35W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.2cm W: 6.5cm H: 9cm
Material Aluminium - Glass Diffuser
Color Graphite / **Code E121**






Power 2x8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1280Lm
Cri 80
IP 54
Dimensions L: 8.1cm W: 6cm H: 24cm
Material Alumunium - Tempered Glass
Color Graphite / **Code E176**




Power 1x8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 640Lm
Cri 80
IP 54
Dimensions L: 7.5cm L: 6.9cm H: 13.5cm
Material Alumunium - Tempered Glass
Color Graphite / **Code E175**






Power 2x3W
Input 220-240V, 50/60Hz
Color Temperatur 3000K
Lumen 540Lm
Cri 80
IP 54
Dimensions L: 11cm W: 13cm H: 14.8cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E114**




Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 44
Dimensions L: 12cm W: 22cm H: 9cm
Material Alumunium - Tempered Glass
Color Graphite / **Code E146**




Power 2x13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2080Lm
Cri 80
IP 65
Dimensions L: 10.6cm W: 22cm H: 9cm
Material Aluminium - Tempered Glass
Special Feature Up - Down Lamp
Color Dark Grey / **Code E261**
Color Dark Brown / **Code E262**







Power 2x3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 7cm W: 8cm H: 14cm
Material Alumunium
Color Graphite / **Code E112**




Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
IP 54
Dimensions L: 7cm W: 8cm H: 8cm
Material Alumunium
Color Graphite / **Code E111**



Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 8.4cm W: 30cm H: 12.7cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E115**




Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 16.5cm W: 16.5cm H: 17.1cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E127**




Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 9.8cm W: 30cm H: 18.7cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E128**







Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 10.5cm W: 22cm H: 13cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E148**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 54
Dimensions L: 8cm W: 19cm H: 12cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E141**



Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 14.5cm W: 29cm H: 14cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E147**




Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 7cm W: 24cm H: 14cm
Material Alumunium - PC Diffuser
Color Graphite / **Code E149**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 54
Dimensions Ø: 13cm W: 16cm H: 17.3cm
Material Alumunium - Opal Avrylic
Color Graphite / **Code E173**






Bulb 1xGU10
Power MAX 11W
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 8cm L: 14.3cm
Base Ø: 7cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E236**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
IP 65
Dimensions Ø: 8cm L: 16.2cm
Base Ø: 7cm
Optic 32°
Material Aluminium - Tempered Glass
Color Graphite / **Code E235**




Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
IP 65
Dimensions Ø: 8cm L: 16.2cm
Base Ø: 7cm
Optic 12°
Material Aluminium - Tempered Glass
Color Graphite / **Code E235-12D**





Power 2.1W
Color Temperature 2700K
Lumen 168Lm
Cri 80
IP 54
Dimensions H: 8.5cm
Beam Angle 10-60°
Material Aluminium - Stainless Steel
Special Feature Stick Ø: 3.2cm H: 8cm
Required Remote Driver 700mA
Spike Included

Color Sandy Black / **Code E177-A**



Power 2.1W
Input 220-240V, 50/60Hz
Color Temperature 2700K
Lumen 168Lm
Cri 80
IP 54
Dimensions H: 8.5cm
Base Ø: 6.6cm H: 4.2cm
Beam Angle 10°-60°
Material Aluminium - Stainless Steel
Special Feature Stick Ø: 3.2cm H: 8cm
Spike Included

Color Sandy Black / **Code E177-B**






Power 11W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm
Cri 80
IP 65
Dimensions Ø: 7cm L: 13cm H: 27cm
Beam Angle 20°-60°
Material Aluminium
Special Feature Spike Included
Color Graphite / **Code Z67482**




Bulb 1xGU10
Power MAX 5W
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 6cm H: 16cm
Material ABS - PC Diffuser
Special Feature Movable
Spike Included
Color Black / **Code E217**





Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
IP 65
Dimensions Ø: 5.6cm H: 15cm
Optic 36°
Material Aluminium - Tempered Glass
Special Feature Movable
Spike Included


Color Graphite / **Code E152**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 450Lm
Cri 80
IP 65
Dimensions Ø: 6.1cm H: 9cm
Optic 36°
Material Aluminium - Tempered Glass
Special Feature Movable
Spike Included

Color Graphite / **Code E153**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 65
Dimensions L: 5cm W: 10cm H: 60
Material Aluminium - Pc Diffuser
Color Graphite / **Code E259**
Color Rusty Brown / **Code E260**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 5cm W: 10cm H: 25
Material Aluminium - Pc Diffuser
Color Graphite / **Code E255**
Color Rusty Brown / **Code E256**




Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 65
Dimensions L: 5cm W: 10cm H: 25
Material Aluminium - Pc Diffuser
Color Graphite / **Code E257**
Color Rusty Brown / **Code E258**






Power 9W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 720Lm
Cri 80
IP 65
Dimensions Ø: 10.7 H: 60cm
Material Aluminium - Opal PC Diffuser
Color Dark Brown / **Code E264**




Power 2x3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 540Lm
Cri 80
IP 54
Dimensions Ø: 12cm H: 45cm
Material Aluminium
Special Feature Movable
Color Sandy Black / **Code E222**








Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1170Lm
Cri 80
IP 54
Dimensions L: 13.2cm W: 18.2cm H: 11.4cm
Material Aluminium - PC Diffuser
Color Graphite - Wood / **Code E224**




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1170Lm
Cri 80
IP 54
Dimensions L: 22cm W: 12.5cm H: 60cm
Material Aluminium - PC Diffuser
Color Graphite - Wood / **Code E225**









Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 54
Dimensions L: 12cm W: 7cm H: 65cm
Material Aluminium
Color Graphite / **Code E212**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
IP 54
Dimensions L: 12cm W: 7cm H: 25cm
Material Aluminium
Color Graphite / **Code E211**






Power 2.2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 165Lm
Cri 80
IP 54
Dimensions L: 14cm W: 14cm H: 50cm
2 Steps Dimming 15% , 100%
Duration 24h , 7h
Material Aluminium
Special Feature Solar Bollard Lamp
Color Graphite / **Code E213**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 595Lm
Cri 80
IP 54
Dimensions Ø: 15cm H: 50cm
Material Aluminium - Clear Glass
Special Feature Movable
Color Graphite / **Code E210**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 54
Dimensions L: 15cm W: 5.5cm H: 78cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E208**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
IP 54
Dimensions L: 12cm W: 15cm H: 5.5cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E207**






Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 54
Dimensions L: 17cm W: 6cm H: 78cm
Base W: 10cm L: 10cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E206**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 800Lm
Cri 80
IP 54
Dimensions L: 19.5cm W: 6cm H: 20.7cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E205**







Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
IP 54
Dimensions Ø: 11cm H: 25cm
Material Aluminium
Color Graphite / **Code E133**




Power 3x5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
IP 54
Dimensions Ø: 12cm H: 45cm
Material Aluminium
Color Graphite / **Code E132**







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 23cm
Material Aluminium
Color Graphite / **Code E203**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 80cm
Material Aluminium
Color Graphite / **Code E204**






Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1080Lm
Cri 80
IP 54
Dimensions Ø: 20cm L: 30.2cm H: 100cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E174**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 540Lm
Cri 80
Dimensions L: 26.5cm H: 91cm
Base L: 7.5cm W: 7.5cm
Material Aluminium
Special Feature Profile 4.5x4.5cm Movable
Color Sandy Black - Wood / **Code E221**






Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions L: 14cm W: 12cm H: 21.8cm
Material Aluminium - Clear Glass
Color Graphite / **Code E167**




Bulb 1xE27
Power MAX 18W
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 12cm H: 50cm
Material Aluminium - Clear Glass
Color Graphite / **Code E166**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions L: 3.7cm W: 15cm H: 15cm
Material Aluminium
Color Graphite / **Code E241-G**
Sandy White / **Code E241-W**




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 480Lm
Cri 80
IP 65
Dimensions Ø: 15cm L: 3.7cm
Material Aluminium
Color Graphite / **Code E242-G**
Sandy White / **Code E242-W**






Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 240Lm
Cri 80
IP 65
Dimensions L: 14cm W: 7cm H: 4.1cm
Recessed Mounting Box L: 12.5cm W: 6cm (Included)
Depth 11.5cm
Material Aluminium
Color Graphite / **Code E247-G**
Sandy White / **Code E247-W**






Power 1W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 80Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9cm H: 4.1cm
Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)
Depth 11.5cm
Material Aluminium
Color Graphite / **Code E246-G**
Sandy White / **Code E246-W**







Power	4W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
IP	65
Dimensions	L: 9cm W: 9cm H: 4.1cm
Recessed Mounting Box	L: 7.3cm W: 7.3cm (Included)
Depth	11: 6cm
Material	Aluminium - Tempered Glass
Color	Graphite / Code E248









Power 1.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 120Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
Material ABS
Color Graphite / **Code E230**




Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 160Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
Material ABS
Color White / **Code Z67388-B**



Power 3W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 220Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 23cm H: 8cm
Material ABS
Color Graphite / **Code E229**



Power 2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 160Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 23cm H: 8cm
Material ABS
Color White / **Code Z67388-C**







Bulb
Power
Input
IP
Dimensions
Material
Color

1xGU10
MAX 9W
220-240V, 50/60Hz
54
Ø: 7.6cm L: 9.9cm H: 14.8cm
ABS - PC Diffuser
White / **Code E185**



Bulb
Power
Input
IP
Dimensions
Material
Color

2xGU10
MAX 9W
220-240V, 50/60Hz
54
Ø: 7.6cm L: 9.9cm H: 18.6cm
ABS - PC Diffuser
White / **Code E186**



Power
Input
Color Temperature
Lumen
Cri
IP
Dimensions
Material
Color

1.5W
220-240V, 50/60Hz
3000K
90Lm
80
65
L: 1.5cm W: 9cm H: 12cm
ABS - PC Diffuser
White / **Code E187**




Power
Input
Color Temperature
Lumen
Cri
IP
Dimensions
Material
Color



1W
220-240V, 50/60Hz
3000K
60Lm
80
65
L: 1.2cm W: 7cm H: 5cm
ABS - PC Diffuser
Black / **Code E215**
White / **Code E214**






Bulb 1xGU10
Power MAX 35W
IP 65
Dimensions L: 8.5cm W: 8.5cm H: 10cm
Material Aluminium - Glass
Color Graphite / **Code E269**
Color Sandy White / **Code E270**




Power 2x2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 320Lm
Cri 80
IP 65
Dimensions L: 3cm W: 8.3cm H: 12.3cm
Material ABS - PC Diffuser
Color White / **Code E216**






Bulb 1xGU10
Power MAX 7W
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 6cm H: 10.5cm
Material Aluminium - Glass Diffuser
Color Sandy Black / **Code E219**
Sandy White / **Code E220**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 90
IP 54
Dimensions Ø: 6.3cm H: 7.5cm
Beam Angle 20°
Non Dimmable
Material Aluminium - Glass
Special Feature Included LED Driver
Color Sandy Black / **Code S112**
Sandy White / **Code S113**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
IP 54
Dimensions Ø: 13.7cm H: 20.7cm
Material Aluminium - Glass
Special Feature 150cm Cable Adjustable
Color Brown / **Code E172**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
IP 44
Dimensions Ø: 26cm L: 32cm H: 32.4cm
Material Aluminium - PC Diffuser
Color Graphite / **Code E106**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
IP 44
Dimensions Ø: 30cm L: 41cm H: 30.5cm
Base Ø: 11.5cm
Material Aluminium - Glass
Color Graphite / **Code E105**





Surface Installation




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 300Lm
Cri 80
IP 67
IK 10
Dimensions Ø: 20cm H: 4.2cm
Material Aluminium
Special Feature Surface Ground
Driver Included

Color Grey / **Code Z69058-A**



Power 2x6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 600Lm
Cri 80
IP 67
IK 10
Dimensions Ø: 20cm H: 4.2cm
Material Aluminium
Special Feature Surface Ground
Driver Included

Color Grey / **Code Z69058-B**





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 180Lm
Cri 80
IP 67
IK 8
Dimensions Ø: 12cm H: 15cm
Cutting Hole Ø: 11.5cm
Beam Angle Asimetric
Material Stainless Steel
Depth Required 11: 17cm
Recessed Mounting Box Included
Special Feature 200cm Cable Available
Driver Included

Color Stainless Steel / **Code Z69062**




Waterproof Conection Box 1in / 1out , 16A , 450V
IP 67
Color Black / **Code Z0800-BA**






Power	3W
Input	24V
Color Temperature	3000K
Lumen	240Lm
Cri	80
IP	65
IK	8
Dimensions	Ø: 4.5cm H: 9.3cm
Material	Aluminium - Stainless Steel- PC Diffuser
Recommended Driver	D-8-24 (Not Included)
Color	Aluminium / Code E178




Power	3W
Input	24V
Color Temperature	3000K
Lumen	210Lm
Cri	80
IP	65
IK	10
Dimensions	Ø: 4.8cm H: 10cm
Material	Aluminium - Stainless Steel- PC Diffuser
Recommended Driver	D-8-24 (Not Included)
Color	Aluminium / Code E180



Power	3W
Input	24V
Color Temperature	3000K
Lumen	180Lm
Cri	80
IP	65
IK	10
Dimensions	Ø: 4.8cm H: 10cm
Material	Aluminium - Stainless Steel- PC Diffuser
Recommended Driver	D-8-24 (Not Included)
Color	Aluminium / Code E179



Driver	D-8-24
Power	8W
Input	220-240V, 50/60Hz
Output	24V
Dimensions	L: 7.5cm W: 3cm H: 2.3cm
IP	42




Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	600Lm
Cri	80
IP	67
IK	8
Dimensions	Ø: 10cm H: 9.5cm
Beam Angle	36°
Material	Aluminium - Stainless Steel- Tempered Glass
Depth Required	111: 12cm
Recessed Mounting Box	Included
Special Feature	Driver Included
Color	Stainless Steel / Code E189





Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055A-W	66	3000	80	12W	MAX 850
Z7055A-C	66	4000	80	12W	MAX 870



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
- 2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
- 3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
- 4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620

Power 12x1W
Input 24V
Cri 80
IP 66
Dimensions L: 50cm W: 3.1cm H: 6cm
Beam Angle 60° x 20°
Material Aluminium
Special Feature 100cm Cable Available
Driver Not Included
Connect 10pcs MAX

Color Grey



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-W	66	3000	80	24W	MAX 1700
Z7055B-C	66	4000	80	24W	MAX 1720



Dimming Options


- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
- 2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
- 3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 618
- 4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 619-620

Power 24x1W
Input 24V
Cri 80
IP 66
Dimensions L: 100cm W: 3.1cm H: 6cm
Beam Angle 60° x 20°
Material Aluminium
Special Feature 100cm Cable Available
Driver Not Included
Connect 5pcs MAX

Color Grey



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-RGB	66	RGB	80	36W	MAX 1050



Dimming Options

- 1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 618-619 . 621
- 2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 619
- 3. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 620

Power 24x1.5W
Input 24V
Cri 80
IP 66
Dimensions L: 100cm W: 4.2cm H: 7cm
Beam Angle 30°
Material Aluminium
Special Feature 100cm Cable Available
Driver Not Included
Connect 5pcs MAX

Color Grey



All Codes																	
2026	164	2082SP	517	20101-W	519	20153	269	20215	400	20286	529	20333	32	E152	674		
		2082W-1	517	20101-B	519	20154	270	20216	406	20290	511	20334	32	E153	674		
		2082W-2	517	20102	519	20155	268	20217	406	20291	511	20335	32	E156	656		
		2082W-3	517	20102-B	517	20159	158	20218	414	20292	511	20336	82	E159	657		
		2082W-C1	517	20103	520	20160	59	20219	414	20293	520	20337	82	E166	698		
		2082W-C2	517	20104	520	20161	54	20220	414	20295	521	20338	82	E167	698		
		2083B-1	516	20105	520	20162	54	20221	414	20296	521	20339	82	E168	647		
		2083B-2	516	20106	518	20167	64	20222	417	20297	521	20340	82	E172	716		
		2083B-3	516	20107	516	20168	64	20223	417	20298	521	20343-L	194	E173	667		
		2083B-C1	516	20108-B	518	20169	66	20230	281	20299	521	20343-S	194	E174	696		
2034	80	2083B-C2	516	20108-W	518	20170	66	20231	280	20300	521	20344 -L	194	E175	660		
2035	80	2083W-1	516	20108-1W	518	20171	66	20232	286	20301	521	20344-S	194	E176	660		
2037	228	2083W-2	516	20108-1B	518	20172	66	20233	280	20302	521	20346-L	196	E177-A	670		
2038	228	2083W-3	516	20109	392	20173	68	20234	286	20303	521	20346-S	196	E177-B	670		
2040	172	2083W-C1	516	20110	391	20174	68	20235	286	20304	521	20347-L	196	E178	722		
2041	172	2083W-C2	516	20111	391	20175	68	20236	282	20305	521	20347-S	196	E179	722		
2043	172	2084B-1	518	20112	390	20176	68	20237	282	20306-B	522	20348-L	196	E180	722		
2044	106	2084B-2	518	20113	390	20177	513	20238	267	20306-W	522	20348-S	196	E181	706		
2045	106	2084B-3	518	20114	50	20178	513	20239	267	20307-B	522	20349	200	E182	706		
2046	106	2084B-C1	518	20115	50	20179	513	20240	266	20307-W	522	20350	200	E183	706		
2047	106	2084B-C2	518	20116	51	20180	513	20241	284	20308-B	522	20351	217	E184	706		
2048	172	2084W-1	518	20117	51	20181	56	20242	285	20308-W	522	20352	262	E185	711		
2049	172	2084W-2	518	20118	52	20182	56	20250	410	20309-B	522	20353	274	E186	711		
2050	172	2084W-3	518	20119	44	20184	48	20251	411	20309-W	522	20354	288	E187	710		
2051	172	2084W-C1	518	20120	44	20190	606	20252	412	20310-B	522	20355	288	E189	723		
2052	106	2084W-C2	518	20121	42	20191	606	20253	413	20310-W	522	20356	293	E190	630		
2053	106	2085B-1	519	20122	42	20193	606	20254	76	20311-B	522	20357	296	E191	630		
2054	106	2085B-2	519	20123	52	20193-E	606	20255	76	20311-W	522	20358	296	E192	630		
2055	106	2085B-3	519	20124	212	20194	606	20256	424	20312-B	522	20360	336	E193	626		
2056	172	2085B-C1	519	20125	212	20194-E	606	20257	428	20312-W	522	20361	373	E194	626		
2057	172	2085B-C2	519	20126	230	20195	608	20258	430	20313-B	522	20362	397	E195	654		
2058	172	2085W-1	519	20127	230	20195-E	608	20259	426	20313-W	522	20363	416	E197	651		
2059	172	2085W-2	519	20128	36	20196	608	20260	94	20314-B	523	E100	655	E198	652		
2060	106	2085W-3	519	20129	34	20196-E	608	20261	94	20314-W	523	E105	718	E199	650		
2061	106	2085W-C1	519	20130	35	20197	606	20262	94	20315-B	523	E106	717	E200	652		
2062	106	2085W-C2	519	20131	60	20197-E	606	20263	94	20315-W	523	E109	657	E201	648		
2063	106	2086	510	20132	60	20198	608	20264	94	20316-B	523	E111	664	E202	648		
2064	107	2087	510	20133	62	20198-E	608	20265	94	20316-W	523	E112	664	E203	694		
2065	107	2088	510	20134	62	20199	609	20266	210	20317-B	523	E114	662	E204	694		
2070	38	2089	510	20135	62	20199-E	609	20267	210	20317-W	523	E115	665	E205	690		
2071	38	2090	511	20136	78	20200	609	20268	210	20318-B	523	E120	682	E206	690		
2072	40	2091	511	20137	78	20201	609	20269	208	20318-W	523	E121	658	E207	688		
2073	40	2092	511	20138	78	20201-E	609	20270	208	20319-B	523	E122	658	E208	688		
2074	168	2092-D	511	20139	530	20202	611	20271	601	20319-W	523	E123	658	E210	686		
2075	168	2093	512	20140	530	20203	607	20272	601	20320-B	523	E124	658	E211	684		
2076	168	2094	512	20141	188	20203-E	607	20273	600	20320-W	523	E127	665	E212	684		
2077	168	2095	512	20142	47	20204	607	20274	600	20321-B	523	E128	665	E213	686		
2078	160	2095-D	512	20143	47	20204-E	607	20275	526	20321-W	523	E132	692	E214	710		
2079	160	2096	520	20144	589	20205	607	20276	526	20322	521	E133	692	E215	710		
2080	160	2097	519	20145	496	20205-E	607	20277	527	20325	610	E134	682	E216	713		
2081	514	2097-B	517	20146	496	20206	609	20278	527	20325-WG	610	E135	656	E217	672		
2081-D	514	2098-B	517	20147	389	20206-E	609	20279	528	20325-30D	611	E141	667	E218	626		
2082B-1	517	2098-W	517	20148	500	20210	408	20280	528	20325-60D	611	E146	663	E219	714		
2082B-2	517	2099-B	516	20149	498	20211	408	20281	529	20325- ENCP	610	E147	666	E220	714		
2082B-3	517	2099-W	516	20150	499	20212	400	20282	529	20325-MB	610	E148	666	E221	667		
2082B-C1	517	20100-B	517	20151	499	20213	400	20283	529	20330	32	E149	666	E222	678		
2082B-C2	517	20100-W	517	20152	270	20214	400	20284	529	20331	32	E150	657	E224	680		
								20285	529	20332	32	E151	657	E225	680		

724

725

E227	646	H25-W	480	S035	595	PS069	567	32114D	546	53310D	542	513100	538	Z11207-W	586
E229	708	H26-B	484	S037	563	S070	587	32142D	546	53338D	542	513380	538	Z12105M-BB	565
E230	708	H26-W	484	S038	563	S071	587	32170D	546	5458D	544	52580	540	Z12105M-G	565
E231	628	H30	472	S039	569	S072	584	32198D	546	5486D	544	52860	540	Z12105M-W	565
E232	628	H32	467	S040	569	S073	579	32226D	546	54114D	544	521140	540	Z12107K-B	564
E233	628	H33	467	S041	569	S074	579	3358D	548	54142D	544	521420	540	Z12107K-W	564
E234	628	H34-W	468	S042	569	S075	579	3386D	548	54170D	544	521700	540	Z60132	254
E235	668	H35	466	S043	569	S076	579	33114D	548	54198D	544	521980	540	Z62130L-B	174
E235-12D	668	H41	464	S044	569	S077	585	33142D	548	54226D	544	522260	540	Z62130L-W	174
E236	668	H43	463	S045	593	S078	585	33170D	548	54254D	544	522540	540	Z62148L-B	174
E237	636	H44	463	S046	593	S079	585	33198D	548	54282D	544	522820	540	Z62148L-W	174
E238	638	H45	470	S047	599	S084	577	33226D	548	54310D	544	523100	540	Z63054-A	132
E239	638	H46	470	S048	599	S085	577	33254D	548	54338D	544	523380	540	Z63054-B	132
E240	638	H47	458	S054	559	S086	577	33282D	548	31580	546	53580	542	Z63105MA-B	568
E241-G	700	H48-B	458	S054-15	559	S087	584	33310D	548	31860	546	53860	542	Z63105MA-BB	568
E241-W	700	H48-C	458	S054-24	559	S088	588	33338D	548	311140	546	531140	542	Z63105MA-W	568
E242-G	700	H51	473	S054-40	559	S089	588	3458D	550	311420	546	531420	542	Z63132P	255
E242-W	700	H52	462	S055	559	S090	588	3486D	550	311700	546	531700	542	Z65105NT-BB	560
E243	640	H54	462	S055-15	559	S091	588	34114D	550	311980	546	531980	542	Z65105NT-G	560
E244	640	H56	471	S055-24	559	S092	578	34142D	550	312260	546	532260	542	Z65644T-B	560
E245	640	H57	478	S055-40	559	S093	578	34170D	550	32580	546	532540	542	Z65644T-W	560
E246-G	702	H58	470	S056	559	S094	578	34198D	550	32860	546	532820	542	Z67388-B	709
E246-W	702	H59	478	S056-15	559	S095	582	34226D	550	321140	546	533100	542	Z67388-C	709
E247-G	702	H60	468	S056-24	559	S095-B	583	34254D	550	321420	546	533380	542	Z67482	672
E247-W	702	H61	474	S056-40	559	S095-C	583	34282D	550	321700	546	54580	544	Z69058-A	720
E248	704	H62	474	S057	559	S095-G	583	34310D	550	321980	546	54860	544	Z69058-B	720
E249	636	H63	454	S057-15	559	S096	582	34338D	550	322260	546	541140	544	Z69062	721
E250	634	H64	455	S057-24	559	S096-B	583	5158D	538	33580	548	541420	544	Z7055A-C	724
E250-12D	634	H65	456	S057-40	559	S096-C	583	5186D	538	33860	548	541700	544	Z7055A-W	724
E251	634	H66	456	S058	558	S096-G	583	51114D	538	331140	548	541980	544	Z7055B-C	724
E253	632	H67	456	S058-15	558	S097	582	51142D	538	331420	548	542260	544	Z7055B-RGB	724
E254	632	H68	456	S058-24	558	S097-B	583	51170D	538	331700	548	542540	544	Z7055B-W	724
E255	676	H69	460	S058-40	558	S097-C	583	51198D	538	331980	548	542820	544	Z7901TR	607
E256	676	H70	460	S059	558	S097-G	583	51226D	538	332260	548	543100	544	Z89100VND	620
E257	676	S001	569	S059-15	558	S098	576	51254D	538	332540	548	543380	544	Z89104LT	618
E258	676	S002	569	S059-24	558	S100	576	51282D	538	332820	548	8106	552	Z89200VND	620
E259	676	S003	592	S059-40	558	S102	576	51310D	538	333100	548	8109	552	Z89404	621
E260	676	S004	593	S060	594	S104	493	51338D	538	333380	548	8112	552		
E261	663	S005	592	S061	594	S105	493	5258D	540	34580	550	8118	552	Led Strips	
E262	663	S006	593	S062	562	S106	493	5286D	540	34860	550	8206	552	4052899594937	612
E263	645	S007	595	S062-15	562	S107	493	52114D	540	341140	550	8209	552	4052899594951	612
E264	678	S008	595	S062-24	562	S108	599	52142D	540	341420	550	8212	552	4052899594975	612
E265	644	S009	596	S062-40	562	S109	599	52170D	540	341700	550	8218	552	4052899594999	612
E266	644	S010	596	S063	562	S110	592	52198D	540	341980	550	Z050106-B	564	4052899595019	612
E267	644	S011	594	S063-15	562	S111	592	52226D	540	342260	550	Z050106-BR	564	4062172020886	612
E268	644	S012	594	S063-24	562	S112	566	52254D	540	342540	550	Z050112-B	565	4062172148801	612
E269	712	S013	597	S063-40	562	S113	566	52282D	540	342820	550	Z0800-BA	721	4062172148825	612
E270	712	S014	597	S064	563	Ring B	563	52310D	540	343100	550	Z10103BTR-B	571	4062172148849	612
E271	642	S019	597	S065 3B-	561	Ring G	563	52338D	540	343380	550	Z10103BTR-W	591	4062172148924	612
H06-WH	488	S020	597	S065 3W-	561	3158D	546	5358D	542	51580	538	Z10105-AD	591	4062172148948	612
H07-WH	486	S021	596	S065 4B-	561	3186D	546	5386D	542	51860	538	Z10105-D9	591	4062172020923	612
H08-WH	488	S022	596	S065 4W-	561	31114D	546	53114D	542	511140	538	Z10105TR-B	591	4052899595057	613
H11-WH	486	S025	598	S066 3B-	561	31142D	546	53142D	542	511420	538	Z10105TR-W	591	4052899595071	613
H15-B	482	S026	598	S066 3W-	561	31170D	546	53170D	542	511700	538	Z11105TR-B	590	4055462217431	613
H15-W	482	S027	598	S066 4B-	561	31198D	546	53198D	542	511980	538	Z11105TR-W	590	4055462217455	613
H24-B	480	S029	598	S066 4W-	561	31226D	546	53226D	542	512260	538	Z11107-B	571	4062172107242	614
H24-W	480	S030	598	S067	563	3258D	546	53254D	542	512540	538	Z11107-W	586	4062172107266	614
H25-B	480	S033	569	S068	567	3286D	546	53282D	542	512820	538	Z11207-B	586	LS01	616

LS02	616
LS03	616
LS04	616
LS05	614
LS06	615
LS07	615
LS08	618
LS09	618
LS10	617
LS11	617
LS12	616
LS14	617
LS15	617

Accessories for Led Strips

ALMLS10-11	617
CLIPLS10-11	617
ALMLS14-15	617
ECLS14-15	617
FPLS14-15	617
FCLS14-15	617
ALMLS08-09	618
ECLS08-09	618

OSRAM Coins 50

4052899583603	622
4052899583627	622
4052899583641	622
4052899541153	622
4052899541191	622
4052899541757	622
4052899541795	622
4052899541771	622
4052899541818	622
4052899605763	622
4052899605787	622

OSRAM Switches

4008321189721	621
4052899465916	621
4050300347424	621

Drivers

4062172007559	622
4062172151252	622
4052899548190	622
4052899552906	622
4062172177900	619
4052899545861	619
4052899605503	619
4062172177948	619
4052899545908	619
4052899605527	619
4052899605541	620
4052899557833	620
4052899557949	620
87500284	623
89800257	623

87500283	623
ACLS4524DA2	618
ACLS15024DA2	618
ACLS8024DA2	618
D-8-24	722
LSCW350P	623
LSCW500P	623
LSCW700P	623
V350	570
V500	570
V700	570



www.zambelislights.gr



Zambelis
LIGHTS



